侯明才,邓敏,张本健,王维,李秀华,王文楷,裴森奇,杨毅. 2011. 峨眉山高钛玄武岩中主要的赋钛矿物——榍石的产状、特征及成因. 岩石学打 27(8): 2487-2499

峨眉山高钛玄武岩中主要的赋钛矿物——榍石的产状、特征及成因

作者 单位

侯明才 油气藏地质与开发工程国家重点实验室,成都理工大学,成都 610059;成都理工大学沉积地质研究院,成都 610059

邓敏 成都理工大学沉积地质研究院,成都 610059

张本健 中国石油西南油气田分公司川西北气矿,江油 621709

王维 中国石油西南油气田分公司川西北气矿,江油 621709

李秀华 成都理工大学沉积地质研究院,成都 610059

王文楷 成都理工大学沉积地质研究院,成都 610059

裴森奇 中国石油西南油气田分公司川西北气矿,江油 621709

杨毅 中国石油西南油气田分公司川西北气矿,江油 621709

基金项目:本文受国家自然科学基金重点项目(40739901)、四川省科技厅基础研究项目(2010JY0032)、川西南部地区玄武岩含油气地评价与勘探目标选择项目(20100302)和四川省重点学科"构造地质学"建设基金项目(SZD0408)联合资助.

摘要:

峨眉山玄武岩中钛以什么矿物形式存在一直以来很少有学者提及。本文通过镜下观察、全岩化学分析、X-衍射、能谱、扫描电镜、电探针、阴极发光对川西南部周公山-汉王场地区钻井岩心中峨眉山玄武岩进行了详细的分析,讨论了其主要赋钛矿物及成因。(1)SiO2含量46.4%~48.3%和TiO2>3%显示区内峨眉山玄武岩属于高钛峨眉山玄武岩系列。但多个层段榍石含量>5%,而极少见磁铁矿、钛铁矿;(2)石主要以隐晶质的云雾状、雪花状、芝麻点状、枝状等形态分布于微晶长石之间和溶孔、溶洞边缘及裂缝中,少量呈显晶质粒状分布于微晶石、绿泥石之间。(3)电子探针分析显示:所有含钛矿物中,钛铁矿中TiO2含量最高,为39.069%,榍石中TiO2次之,TiO2含量为17.143%~8.648%,磁铁矿中TiO2含量最高为12.293%,平均在5%~10%左右,其他矿物基本上都少于1%。(4)扫描电镜及其能谱分析显示:榍石中Ti含量(2.49%~24.97%)明显高于含钛磁铁矿(2.68%~9.21%)、含钛赤铁矿(3.64%)中Ti含量,与钛铁矿(19.51%)含量相当。分析结认为:峨眉山玄武岩中大量出现的隐晶榍石可能是岩浆后期产物或期后蚀变的产物。在峨眉山玄武岩中首次鉴别出的大量隐晶质榍石是高钛眉山玄武岩中最主要的赋钛矿物。隐晶榍石在玄武岩中的含量是区分"高钛"和"低钛"玄武岩的主要标志之一。

英文摘要:

The form of the mineral of the titanium existing in Emeishan basalt have been mentioned by few scholars. Using y thin section identification, chemical-rock, X-ray diffraction, energy spectroscopy electronic probe (SEM) and cathod uiminescence, this paper analysed the Emeishan basalt from well cores in Zhougong mountain-Hanwang field of so hwestern of Sichuan Province in detail, and discussed the main mineral which occurred in titanium and its formation (1) SiO₂ between 46.4% and 48.3% and TiO₂>3% showed that the Emeishan basalt generally belonged to high-Ti d alkaline Emeishan basalt series. Many layers have so much cryptocrystal sphene(>5%), but have few magnetite a ilmenite. (2) The cryptocrystal sphene mainly formed in mist shape, snowflake, sesamepoint like, branch shapea an distributed in microcrystalline feldspar, the intramarginal of solution pores and cave and crack, in a small amount is ain distributed in microcrystalline feldspar and chlorite. (3) The result of electronic probe showed that the highest co ent of $TiO_2(39.069\%)$ was ilmenite, in the second was sphene (17.143% ~ 38.648%), the third was magnetite (5% ~ 1 0%) and the highest content was 12.293% in it, other minerals basically all less than 1%. (4) Element analysis show d that the content of Ti (2.49%~24.97%) in sphene is obviously higher than magnetite (2.68%~9.21%) and hemat (3.64%), its quite clear to ilmenite (19.51%). The result from the analyses was that: The abundant increasing cryptystal sphene in the Emeishan basalt may be the late magma products or altered product after the period of the ma ma. Expressed that a large number of cryptocrystal sphene found in Emeishan basalt for the first time was a major bearing mineral in high-Ti Emeishan basalt. The content of the cryptocrystal sphene in Emeishan basalt is one of the major marks to differentiate between 'high-Ti' and 'low-Ti' basalt.

关键词: 峨眉山玄武岩 高钛玄武岩 隐晶榍石 岩浆产物 赋钛矿物

投稿时间: 2011-02-10 最后修改时间: 2011-06-22