

## Server Error in '/' Application.

An error has occurred while establishing a connection to the server. When connecting to SQL Server 2005, this failure may be caused by the fact that under the default settings SQL Server does not allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Description: An unhandled exception occurred during the execution of the current web request. Please review the stack trace for more information about the error and where it originated in the code.

Exception Details: System.Data.SqlClient.SqlException: An error has occurred while establishing a connection to the server. When connecting to SQL Server 2005, this failure may be caused by the fact that under the default settings SQL Server does not allow remote connections. (provider: Named Pipes Provider, error: 40 - Could not open a connection to SQL Server)

Source Error:

An unhandled exception was generated during the execution of the current web request. Information regarding the origin and location of the exception can be identified using the exception stack trace below.

Stack Trace:

```
[SqlException (0x80131904): An error has occurred while establishing a connection to the server. When connecting to SQL Server 2005, this failure may be caused by the fact that under the default settings SQL Server does not allow remote connections.]
System.Data.ProviderBase.DbConnectionPool.GetConnection(DbConnection owningObject) +47
System.Data.ProviderBase.DbConnectionFactory.GetConnection(DbConnection owningConnection) +82
System.Data.ProviderBase.DbConnectionPool.OpenConnection(DbConnection outerConnection, DbConnectionFactory connectionFactory) +105
System.Data.SqlClient.SqlConnection.Open() +111
DBUtil.Ity.SqlDataBase.dataradopen() in D:\Test\CCRS_SQL\DBUtil.Ity\Sql DataBase.cs:555
DAL.SqlServer.XContent.Get_Article(int32 id) in D:\Test\CCRS_SQL\SqlServer\XContent.cs:35
Logic.LXContent.Get_Article(int32 id) in D:\Test\CCRS_SQL\Logic\LXContent.cs:39
CRSWEB.Showbind() +287
CRSWEB.ShowPage_Load(Object sender, EventArgs e) +56
System.Web.UI.Page.CallHandlerPer.EventArgFunctionCall(IIntPtr rp, Object o, Object t, EventArgs e) +13
System.Web.UI.Page.CallHandlerPer.EventArgFunctionCall(IIntPtr rp, Object o, Object t, EventArgs e) +45
System.EventHandler.Invoke(Object sender, EventArgs e) +0
System.Web.UI.Control.OnLoad(EventArgs e) +98
```