

Quantum Physics

Fractal Weyl law behavior in an open, chaotic Hamiltonian system

Jordan A. Ramilowski, S. D. Prado, F. Borondo, David Farrelly

(Submitted on 5 Nov 2009)

We numerically show fractal Weyl law behavior in an open Hamiltonian system that is described by a smooth potential and which supports numerous above-barrier resonances. This behavior holds even relatively far away from the classical limit. The complex resonance wave functions are found to be localized on the fractal classical repeller.

Comments: 4 pages, 3 figures. to appear in Phys Rev E

Subjects: **Quantum Physics (quant-ph)**; Chaotic Dynamics (nlin.CD)

Cite as: [arXiv:0911.1109v1](https://arxiv.org/abs/0911.1109v1) [quant-ph]

Submission history

From: Sandra Denise Prado [[view email](#)]

[v1] Thu, 5 Nov 2009 19:36:28 GMT (883kb)

[Which authors of this paper are endorsers?](#)

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

quant-ph

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [0911](#)

Change to browse by:

[nlin](#)

[nlin.CD](#)

References & Citations

- [SLAC-SPIRES HEP](#)
([refers to](#) | [cited by](#))
- [CiteBase](#)

Bookmark([what is this?](#))

[CiteULike logo](#)

[Connotea logo](#)

[BibSonomy logo](#)

[Mendeley logo](#)

[Facebook logo](#)

[del.icio.us logo](#)

[Digg logo](#)

[Reddit logo](#)