



Large self-injective rings and the generating hypothesis

[Leigh Shepperson](#), [Neil Strickland](#)

(Submitted on 1 Jun 2012)

We construct a number of different examples of non-Noetherian graded rings that are injective as modules over themselves (or have some related but weaker properties). We discuss how these are related to the theory of triangulated categories, and to Freyd's Generating Hypothesis in stable homotopy theory.

Subjects: **Commutative Algebra (math.AC)**; Algebraic Topology (math.AT)

MSC classes: 13C11, 18E30, 55P42

Cite as: **arXiv:1206.0137 [math.AC]**
(or **arXiv:1206.0137v1 [math.AC]** for this version)

Submission history

From: Neil Strickland [[view email](#)]
[v1] Fri, 1 Jun 2012 10:07:36 GMT (37kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

math.AC

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1206](#)

Change to browse by:

[math](#)

[math.AT](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

