

333 鏽葦 s *□□€),, P 餛|@ (r
鸚↓ € € *□□€),, s *□□€),, P ,, 餛
*, € € ,, 餛 * € € 餛↓
□□□ □□□ @, ,, 餛 8US 驛 dk Y □ 撈 蚶 Hr 喂, g7h 餛, { 弄, { N, { 踉, { 獲
□□□ □□□ _p € ,, 餛 + 0□□€ 魅| ,, 餛 * € € 痲↓
0□□€ 婿 _ € € * € € 痲↓ *
€ € 餛↓ 0 藿h 師 ?L□□□
€ € 餛 8 0 ___PPT10 .□ 戮@ (□□ 0□ 鸞↓ (r
€ € 餛 s *□□€ ;, P ,, 餛
*, € € □□ 餛↓ s *□□€ T|, ,, 餛
□□□ □□□ 8C, ,, 餛 * € € 痲↓ *
€ € □□□ 痲↓ 0□□€ G, ,, 餛 * € € 餛↓
0 藿h 師 ?L□□□ € € 餛 8 0 ___PPT10 .□ 戮@ (□□ 0□ 鸞↓ (r
8 0 ___PPT10 .□ 戮@ (□□ 0□ 鸞↓ (r
餛↓ c \$□□€' G^ ?L□□□ □□□ 餛
0 師 藿h ?L□□□ □□□ 333W 塩L+岱 翅 阶 要
___PPT10 i .□| 粉!r+JVD =, = @_B +
€ @□□ 8r @□□ 鸚↓ (r | @□□ 餛↓ @_C € |G^ +
+ 0□□ <□□\$ □□□ 0 G^ 餛↓ @ 0 師 藿
h ?L□□□ 333 鏽葦 W □ T ___PPT10 4 .J+J2o,5VD 裨
, = @_B D駒, = @_B A ?%, (< +J_0%, (= 傅
< +JVD 衿□ = % (% (D #J' = % (D 裕L' = 傅
@_B B B B 0rB % (D 话' = 1 駟: B visible*駒
3 > +B #Lstyle.visibility < *□_r^L@!▼% (D , = +襟4 8r?駟
C B 0-#ppt_w/2+B C B #ppt_x+B *駟3 > B ppt_x < *□_r^L@!VD ,
= +襟4 8r?駟 C B #ppt_y+B C B #ppt_y+B *駟3 > B
ppt_y < *□_r^L@!VD #J' = % (D 裕L' = 傅
@_B B B B 0rB % (D 话' = 1 駟: B visible*駒
3 > +B #Lstyle.visibility < *□_r^L@! % (D , = +襟4 8r?駟
C B 0-#ppt_w/2+B C B #ppt_x+B *駟3 > B ppt_x < *□_r^L@!
D , = +襟4 8r?駟 C B #ppt_y+B C B #ppt_y+B *駟
3 > B ppt_y < *□_r^L@! +8□+0L+ □_r^L@_rG^L_r + □_r^L@_rG^L_r L_ □_r^L@_rG^L_r €
@□□ 8r 鸚↓ (r 餛↓ C € 食G^ 0 師 藿
+ 0^ <□□\$ □□□ 0 G^ 餛↓ 0 師 藿
h ?L□□□ 333 鏽葦
□ +□ + ___PPT10 + .J+J2o,5VD ,+ = @_B D 表*' =
@_B A ?%, (< +J_0%, (< +JVD *' = % (%
(D #J' = % (D 裕L' = 傅 @_B B B B 0rB %
(D 话' = 1 駟: B visible*駒3 > +B #Lstyle.visibility < *□_r^L %
(D , = +襟4 8r?駟 C B 0-#ppt_w/2+B C B #ppt_x+B *駟
3 > B ppt_x < *□_r^L D , = +襟4 8r?駟
C B #ppt_y+B C B #ppt_y+B *駟3 > B ppt_y < *□_r^L D #J'
= % (D 裕L' = 傅 @_B B B B 0rB % (D 话'
= 1 駟: B visible*駒3 > +B #Lstyle.visibility < *□_r^L #▼%
(D , = +襟4 8r?駟 C B 0-#ppt_w/2+B C B #ppt_x+B *駟
3 > B ppt_x < *□_r^L #VD , = +襟4 8r?駟
C B #ppt_y+B C B #ppt_y+B *駟3 > B ppt_y < *□_r^L #VD #J'
= % (D 裕L' = 傅 @_B B B B 0rB % (D 话'
= 1 駟: B visible*駒3 > +B #Lstyle.visibility < *□_r^L #4▼%
(D , = +襟4 8r?駟 C B 0-#ppt_w/2+B C B #ppt_x+B *駟

(D , = +禳4 8苒?駝C B 4/3*#ppt_w+B C B #ppt_w+B *馳3 > B ppt_w< *冪rL D , = +禳4 8苒?駝 C B 4/3*#ppt_h+B C B #ppt_h+B *馳3 > B ppt_h< *冪rL D +J' = % (D褔L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rL % (D , = +禳4 8苒?駝 C B 4/3*#ppt_w+B C B #ppt_w+B *馳3 > B ppt_w< *冪rL D , = +禳4 8苒?駝 C B 4/3*#ppt_h+B C B #ppt_h+B *馳3 > B ppt_h< *冪rL +8苒+0L+trL Gtr+trrr苒 \$r € @苒 8rr 苒H苒鸚苒 (r H|苒r↑ H rC € + <苒r\$r 0 餒↓ H 0 師 藿h ?Lrr+ 333 獠苒 = @rB D駝'' ^#苒 V# PPT10 6# .J+J2o,5VD襪'' = @rB D駝'' = @rB A ?% ,(< +Jr0% ,(< +JrVD祥!' = % (▼% (D #J' = % (D裕L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rLHL▼% (D , = +禳4 8苒?駝 C B 0-#ppt_w/2+B C B #ppt_x+B *馳3 > B ppt_x< *冪rLHL▼D , = +禳4 8苒?駝 C B #ppt_y+B C B #ppt_y+B *馳3 > B ppt_y< *冪rLHL▼D #J' = % (D裕L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rLHL"▼% (D , = +禳4 8苒?駝 C B 0-#ppt_w/2+B C B #ppt_x+B *馳3 > B ppt_x< *冪rLHL"▼D , = +禳4 8苒?駝 C B #ppt_y+B C B #ppt_y+B *馳3 > B ppt_y< *冪rLHL"▼D #J' = % (D裕L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rLH"+▼% (D , = +禳4 8苒?駝 C B 0-#ppt_w/2+B C B #ppt_x+B *馳3 > B ppt_x< *冪rLH"+▼D , = +禳4 8苒?駝 C B #ppt_y+B C B #ppt_y+B *馳3 > B ppt_y< *冪rLH"+▼D #J' = % (D裕L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rLH+2▼% (D , = +禳4 8苒?駝 C B 0-#ppt_w/2+B C B #ppt_x+B *馳3 > B ppt_x< *冪rLH+2▼D , = +禳4 8苒?駝 C B #ppt_y+B C B #ppt_y+B *馳3 > B ppt_y< *冪rLH+2▼D #J' = % (D裕L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rLH2:▼% (D , = +禳4 8苒?駝 C B 0-#ppt_w/2+B C B #ppt_x+B *馳3 > B ppt_x< *冪rLH2:▼D , = +禳4 8苒?駝 C B #ppt_y+B C B #ppt_y+B *馳3 > B ppt_y< *冪rLH2:▼D #J' = % (D裕L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rLH:D▼% (D , = +禳4 8苒?駝 C B 0-#ppt_w/2+B C B #ppt_x+B *馳3 > B ppt_x< *冪rLH:D▼D , = +禳4 8苒?駝 C B #ppt_y+B C B #ppt_y+B *馳3 > B ppt_y< *冪rLH:D▼D #J' = % (D裕L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rLHDS▼% (D , = +禳4 8苒?駝 C B 0-#ppt_w/2+B C B #ppt_x+B *馳3 > B ppt_x< *冪rLHDS▼D , = +禳4 8苒?駝 C B #ppt_y+B C B #ppt_y+B *馳3 > B ppt_y< *冪rLHDS▼D #J' = % (D裕L' =傅@rB B B B 0rB % (D聒' = 1駝: B visible苒*駟 3 > +B #Lstyle.visibility< *冪rLHSZ▼% (D , = +禳4 8苒?駝 C B 0-#ppt_w/2+B C B #ppt_x+B *馳3 > B ppt_x< *冪rLHSZ▼D , = +禳4 8苒?駝 C B #ppt_y+B C B #ppt_y+B *馳3 > B ppt_y< *冪rLHSZ苒+8苒+0L+trLHr +trrr苒 drr € 0r 苒P苒黏苒 (r

P 0 師 藿h ?Lrft 333 鏢茸 G嶺 餒↓
r|Hr|@v. 4 T'03;儂璽!!+囀) /G~ .+"9 ? L筠r/r 鄔矯鶴h+珣+ 迟0 hrp↓
(r 4r@r|Hr 4.2 基数 ▲ 赵一鸣 HC:\Program Files\Microsoft Office\Templates\演示文稿
设计\三色型模板.pot▲ zym▲14▲Microsoft Powerpointoso@` 9rK@ %媵x @0蠶烧 }rGvT
L g r L3 (Lr| | r -r -r @ ! -r -r @ !
r -r -r @ ! -r -r @ ! 鏢 -r -r @ !
r -r -r @ ! -r -r @ ! : -r -r @ !
L @"Tahoma -r -r .r↑r r r | r r 2 uU哲 .r L "System↑桤!!r -r |
@"Tahoma -r -r .r↑r r r r | r r 2 u{r 1.L .r -r | 黑体 -r -r .r↑r r r r | r r 2 u 设 -r -r |
r | @"Tahoma -r -r .r↑r r r r | r r 2 u A .r -r | 黑体 -r -r .r↑r r r r |
r r 2 u 和 -r -r | @"Tahoma -r -r .r↑r r r r | r r 2 u+r B .r -r | 黑
体 -r -r .r↑r r r r | r r 2 u; r 是集合, 证明: -, -, -, -r -r | @"Tahoma -r -r .r↑r r r r | r r 2
us1 A=B▲\$.r -r | 黑体 -r -r .r↑r r r r | r r 2 u 当且仅当 -, -, -, -r -r |
@"Tahoma -r -r .r↑r r r r | r r 2 {r A .r -r | 黑体 -r -r .r↑r r r r | r r 2 ∩ -r -r |
r | @"Tahoma -r -r .r↑r r r r | r r 2 B=A▲\$.r -r | 黑体 -r -r .r↑r r r r |
r r 2 & ∩ U -r -r | @"Tahoma -r -r .r↑r r r r | r r 2 S r B .r -r |
@"Tahoma -r -r .r↑r r r r | r r 2 U r 哲 .r -r | @"Tahoma -r -r .r↑r r r r | r r 2 {r 2.L .r -r |
r | 黑体 -r -r .r↑r r r r | r r 2 一个 -r -r | @"Tahoma -r -r .r↑r r r r |
r r 2 A .r -r | 黑体 -r -r .r↑r r r r | r r 2 上的二元关系, -, -, -, -r -r |
r | @"Tahoma -r -r .r↑r r r r | r r 2 (r R .r -r | 黑体 -r -r .r↑r r r r |
r r 2 H r 称为循环的, 如, -, -, -, -r -r | 黑体 -r -r .r↑r r r r | r r 2 ∇r { 果对任意的 -, -, -
-r -r | @"Tahoma -r -r .r↑r r r r | r r 2 ∇r Z r | a, b, c R → r .r -r |
@|Symbol -r -r .r↑r r r r | r r 2 ∇r 蠶 .r -r | @"Tahoma -r -r .r↑r r r r | r r 2
∇r A .r -r | @"Tahoma -r -r .r↑r r r r | r r 2 ∇r r r , .r -r | 黑
体 -r -r .r↑r r r r | r r 2 ∇r r r 若 -r -r | @"Tahoma -r -r .r↑r r r r | r r 2 ∇r < r a R b, b R c → r .r -r |
-r -r | @"Tahoma -r -r .r↑r r r r | r r 2 ∇r , .r -r | 黑体 -r -r |
r r 2 ∇r r r 必有 -r -r | @"Tahoma -r -r .r↑r r r r | r r 2 U r {c R a} -r -r |
r | @"Tahoma -r -r .r↑r r r r | r r 2 U r .r -r | 黑体 -r -r .r↑r r r r |
r r 2 U r 证明 -r -r | @"Tahoma -r -r .r↑r r r r | r r 2 U r 4 r : R + .r -r |
黑体 -r -r .r↑r r r r | r r 2 U r d r 是自反和循环的当且仅当 -, -, -, -, -r -r |
@"Tahoma -r -r .r↑r r r r | r r 2 U r N r R .r -r | 黑体 -r -r .r↑r r r r | r r 2 { 是等价
关系 -, -, -, -r -r | n 胀 膵 .←+ 搬 +, 08 r (r
在屏幕上显示 谄 计算机系允 g & L A ▲ + Times New Roman | 宋体 Tahoma | 黑体
Symbol 三色型模板 幻灯片 1 幻灯片 2 幻灯片 3 幻灯片 4 幻灯片 5 幻灯片 6 幻灯片 7 + ▲ 已用的字体
L | ▲ 演示文稿设计模板 L r ▲ 幻灯片标题 L _ 鋸 鉉 zym zym r |
!"#\$%&'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMN OPQRSTUVWXYZ[\]
^_`abcdefghijklmnopqrstu vwxyz{ }~ €

Root Entry | r 嶮 d 汝 嗞) Current User → r r
SummaryInformation (r r r p PowerPoint Document (r r |
g DocumentSummaryInformation 8 r | +
Root Entry | r 嶮 d 汝 嗞) `L 脰 @Current
User → r / | SummaryInformation (r r r p PowerPoint Document (r r |
g

_鉦鉉

James James