

### 基于GERTS网络的非常规突发事件情景推演共力耦合模型

杨保华<sup>1,2</sup>, 方志耕<sup>1</sup>, 刘思峰<sup>1</sup>, 胡明礼<sup>1</sup>

1. 南京航空航天大学 经济与管理学院, 南京 210016;

2. 徐州师范大学 管理学院, 徐州 221009

### Model of co-coupling in unconventional incidents based on GERTS network

YANG Bao-hua<sup>1,2</sup>, FANG Zhi-geng<sup>1</sup>, LIU Si-feng<sup>1</sup>, HU Ming-li<sup>1</sup>

1. College of Economics and Management, Nanjing University of Aeronautics and Astronautics, Nanjing 210016, China;

2. School of Management, Xuzhou Normal University, Xuzhou 221009, China

- [摘要](#)
- [参考文献](#)
- [相关文章](#)

全文: [PDF](#) (789 KB) [HTML](#) (1 KB) 输出: [BibTeX](#) | [EndNote \(RIS\)](#) [背景资料](#)

**摘要** 针对非常规突发事件情景推演GERTS网络中灾害衍生耦合问题,分析了突发事件耦合作用的方式,提出了共力耦合概念;设计了基于GERTS网络的共力耦合节点的逻辑结构,并定义共力耦合算子,给出了共力耦合算子参数的求解方法。该研究为分析非常规突发事件情景推演中共力耦合问题提供了工具,为非常规突发事件“情景-应对”决策研究提供了新的研究思路。

**关键词:** 非常规突发事件 共力耦合 GERTS网络 情景推演

**Abstract:** In this paper, the way of coupling in emergency has been studied in tackling issue on disaster derivative coupling in the GERTS network. Three kinds of notions about coupling have been put forward by having designed the logic structure of co-coupling nodes based on GERTS network, having defined co-coupling algorithm, and having studied the optimal evaluation of co-coupling algorithm parameters in different forms. This research provides the method for co-coupling analysis in the scenario of unconventional incidents and provides new outlook for the decision-making of "scenario-reaction" in unconventional incidents.

**Key words:** [unconventional incidents](#) [co-coupling](#) [GERTS network](#) [scenario deduction](#)

收稿日期: 2011-09-26;

基金资助:国家自然科学基金(90924022, 70901040, 70971064); 国家社会科学基金(08AJY024);教育部人文社会科学研究项目(10YJC630084, 12YJC630262)

引用本文:

杨保华,方志耕,刘思峰等. 基于GERTS网络的非常规突发事件情景推演共力耦合模型[J]. 系统工程理论实践, 2012, (5): 963-970.

YANG Bao-hua,FANG Zhi-geng,LIU Si-feng et al. Model of co-coupling in unconventional incidents based on GERTS network[J]. Systems Engineering - Theory & Practice, 2012, (5): 963-970.

[1] 张永双,石菊松,孙萍,等.汶川地震内外动力耦合及灾害实例[J].地质力学学报, 2009, 15(2): 131-141.Zhang Y S, Shi J S, Sun P, et al. Coupling between endogenic and exogenic geological processes in the Wenchuan earthquake and example analysis of hazards[J]. Journal of Geomechanics, 2009, 15(2): 131-141.

[2] 李明,石晋旭,王昌贤,等.滑坡耦合效应及耦合参数研究[J].岩石力学与工程学报, 2006, 25(1): 2650-2655.Li M, Shi J X, Wang C X, et al. Study on coupling effect and coupling parameter of the landslide[J]. Chinese Journal of Rock Mechanics and Engineering, 2006, 25(1): 2650-2655.

[3] 蒋小平,刘春霞,齐义泉.利用一个海气耦合模式对台风Krovanh的模拟[J].大气科学, 2009, 33(1): 99-108.Jiang X P, Liu C X, Qi Y Q. The simulation of typhoon Krovanh using a coupled air-sea model[J]. Chinese Journal of Atmospheric Sciences, 2009, 33(1): 99-108.

[4] 李晓,李守定,陈剑,等.地质灾害形成的内外动力耦合作用机制[J].岩石力学与工程学报, 2008, 27(9): 1792-1806.Li X, Li S D, Chen J, et al.

### 服务

- ▶ 把本文推荐给朋友
- ▶ 加入我的书架
- ▶ 加入引用管理器
- ▶ E-mail Alert
- ▶ RSS

### 作者相关文章

- ▶ 杨保华
- ▶ 方志耕
- ▶ 刘思峰
- ▶ 胡明礼



- [5] 韩志刚, 蒋爱平, 汪国强. 无模型控制方法对多变量耦合系统控制的应用研究[J]. 控制与决策, 2004, 19(10): 1155-1158. Han Z G, Jiang A P, Wang G Q. Study on control of multivariable coupling systems with model free control method[J]. Control and Decision, 2004, 19(10): 1155-1158. 
- [6] 刘希龙, 季建华. 基于应急供应的弹性供应网络设计研究[J]. 控制与决策, 2007, 22(11): 1223-1227. Liu X L, Ji J H. Resilient supply network design based on contingency supply[J]. Control and Decision, 2007, 22(11): 1223-1227. 
- [7] ReYelle C S, Eiselt H A. Location analysis: Synthesis and survey[J]. European Journal of Operational Research, 2005, 165(1): 1-19. 
- [8] Cruz F R, Smith J M, Medeiros R O. An M/GICIC state-dependent network simulation model[J]. Computers & Operations Research, 2005, 32(4): 919-941. 
- [9] Lin K P, Wen W, Chou C C, et al. Applying fuzzy GERT with approximate fuzzy arithmetic based on the weakest t-norm operations to evaluate repairable reliability[J]. Applied Mathematical Modeling, 2011, 35: 5314-5325. 
- [10] Wang C N, Yang G K, Hung K C, et al. Evaluating the manufacturing capability of a lithographic area by using a novel vague GERT[J]. Expert Systems with Applications, 2011, 38: 923-932. 
- [11] Reza A, Hamid R G, Shamsollah A, et al. Modeling and analysis of mechanization projects of wheat production by GERT networks[J]. Agricultural Sciences in China, 2010, 9(7): 1078-1083. 
- [12] Agar M, Kanwar S, Pooja M. GERT analysis of m-consecutive-k-out-of -n systems[J]. IEEE Transactions on Reliability, 2007, 56(1): 26-34. 
- [13] Gary L H, Donald T P, Michael J M, et al. GERTS QR: A model for multi-resource constrained queuing systems part I: Concepts, notation, and examples[J]. AIIE Transactions, 1975, 7(2): 89-99. 
- [14] Gary L H, Donald T P, Michael J M, et al. GERTS QR: A model for multi-resource constrained queuing systems part II: An analysis of parallel-channel, dual-resource constrained queuing systems with homogeneous resources[J]. AIIE Transactions, 1975, 7(2): 100-109. 
- [15] 张建强, 张涛, 郭波, 等. 基于嵌入Petri网的GERTS维修保障流程仿真模型研究[J]. 系统仿真学报, 2004, 16(8): 1641-1644. Zhang J Q, Zhang T, Guo B, et al. Research on the GERTS simulation model embedded with Petri-net of maintenance support[J]. Journal of System Simulation, 2004, 16(8): 1641-1644. 
- [16] 邓#
- [17] 吴静, 柳世考. 基于GSPN的GERTS仿真模型研究[J]. 计算机仿真, 2007, 24(12): 32-36. Deng K, Wu J, Liu S K. A GERTS simulation model embedded with general stochastic Petri-net support[J]. Computer Simulation, 2007, 24(12): 32-36. 
- [18] 张涛, 郭波, 张建强, 等. 基于E-GERTS模型的复杂任务成功率评估方法[J]. 系统工程理论方法应用, 2004, 13(5): 404-408. Zhang T, Guo B, Zhang J Q, et al. An evaluation of availability of complex mission based on E-GERTS model[J]. Systems Engineering - Theory Methodology Applications, 2004, 13(5): 404-408.
- [19] 郭波, 史宪铭, 蒋剑飞, 等. 基于改进GERTS的研制过程仿真[J]. 系统工程与电子技术, 2006, 28(6): 1262-1265. Guo B, Shi X M, Jiang J F, et al. Development process simulation based on improved GERTS model[J]. Systems Engineering and Electronics, 2006, 28(6): 1262-1265.
- [20] 方志耕, 杨保华, 陆志鹏, 等. 基于Bayes推理的灾害演化GERT网络模型研究[J]. 中国管理科学, 2009, 17(2): 102-107. Fang Z G, Yang B H, Lu Z P, et al. The GERT network model study of disaster evolution based on Bayes inference[J]. Chinese Journal of Management Science, 2009, 17(2): 102-107.
- [21] <http://zjnews.zjol.com.cn/05zjnews/system/2009/08/06/015727495.shtml>.
- [22] [http://www.weather.com.cn/static/html/topic\\_tf\\_908.shtml](http://www.weather.com.cn/static/html/topic_tf_908.shtml).
- [23] Chen C K, Li Z, Sun Y F. A new model for describing evolution and control of disaster system including instantaneous and continuous actions[J]. International Journal of Modern Physics C, 2010, 21(3): 307-332. 
- [1] 王永明, 刘铁民. 非常规突发事件中面向目标能力的路网调整及车流组织模型[J]. 系统工程理论实践, 2012, (5): 993-1002.
- [2] 李英雄, 李向阳, 王颜新. 非常规突发事件应对任务的机会约束规划[J]. 系统工程理论实践, 2012, (5): 985-992.
- [3] 张辉, 刘奕. 基于“情景-应对”的国家应急平台体系基础科学问题与集成平台[J]. 系统工程理论实践, 2012, (5): 947-953.
- [4] 王永明, 周磊山, 刘铁民. 非常规突发事件中的区域路网疏散能力评估与交通组织方案设计[J]. 系统工程理论实践, 2011, 31(8): 1608-1616.

版权所有 © 2011 《系统工程理论与实践》编辑部

地址：北京中关村东路55号 100190 电话: 010-62541828 Email: [xtll@chinajournal.net.cn](mailto:xtll@chinajournal.net.cn)

本系统由北京玛格泰克科技发展有限公司设计开发 技术支持: [support@magtech.com.cn](mailto:support@magtech.com.cn)