

鍾通痛YE險? ?鋪↑螞?蝥?j.r?蠅↑t 淡↑第8# g7淵鷓鷓... 鍾通痛YE險? ?鋪↑螞?蝥?j.r?蠅↑t 淡↑第8# g7淵鷓鷓... 鍾通痛YE險? ?鋪↑螞?蝥?j.r?蠅↑t 淡↑第8# g7淵鷓鷓...

IDATx 其 c\$讖▲?药 苻 @法I諫恬到? 3?) 鋸, Z??覆緝... S?% bKGD ?蚬?gIFg 畚4 cmPPJcMp0712 Hs? IDATx 其 c\$讖▲?药 苻 @法I諫恬到? 3?) 鋸, Z??覆緝... S?% bKGD ?蚬?gIFg 畚4 cmPPJcMp0712 Hs? IDATx 其 c\$讖▲?药 苻 @法I諫恬到? 3?) 鋸, Z??覆緝... S?% bKGD ?蚬?gIFg 畚4 cmPPJcMp0712 Hs?

... (The text is a dense, continuous stream of characters, likely a highly stylized or encoded form of text, possibly a mix of Chinese characters and symbols. It is extremely dense and difficult to read as a standard language. It appears to be a single block of text spanning the entire page.)

... 挑? 桃? 0U?te2 0y 齋... 點? 菌庫&葷d8:通... ?ai* 娘酪{80?e 泡洵{7 鐵W\P+禪?E 拉綳 上 鴨?n 藍;5' e 璘+3. * 拈&霜m, cy 蝗矯 A 斥 爨 U 鸡
Fi |! 嗜~ 黏? 英&N k a I :@ 隍?J9 咨 營 油W C J 標 | 瓶?y 闖 鑰> 誰? 賈 賈 V? X ? 算? a 騙 m T 稗 F T? c? ? 2 闈? t Z 棗 * 鷲 霧 跋 蹶 \ \ 伴 罷 託 禁 歸 勾 鑄 滴? 盈 嘲 愀
... (The text continues with a dense, repetitive sequence of characters, including many symbols and punctuation marks, forming a complex and largely illegible stream of text.)

說說#2轅冠▲年抹7癩楓[s委0歸減]... 觀&飲?Na0??Y??C特N 銘&雲?A Db棟 走m??拯? 3) =v(姓)n y昂{??1K10佛?? R? \$別?} →9xH? >??j 冲靛...

