## IC 3 n Dig N W 3 Center

July 28, 2014 | By Susan Brown

# Vanishing Viscosity

A superfluid gas formed in layers of 2D crystals could induce superconductivity at high temperatures



Layers of two dimensional crystals could support superconductivity.

An elusive state of matter called superconductivity could be realized in stacks of sheetlike crystals just a few atoms thick, a trio of physicists has determined.

Superconductivity, the flow of electrical current without resistance, is usually found in materials chilled to the most frigid temperatures, which is impractical for most applications. It's been observed at higher temperatures— higher being about 100 kelvin or minus 280 degrees below zero Fahrenheit— in copper oxide materials called cuprate superconductors. But those materials are brittle and unsuitable for fabricating devices like circuits.

In a paper published in Nature Communications the week of July 28, Michael Fogler and Leonid Butov, professors of physics at the University of California, San Diego, and Konstantin Novoselov, Nobel laureate in physics and professor at the University of Manchester, propose a design for an artificially structured

material that should support superconductivity at temperatures rivaling those seen for cuprates.

They considered a material made by interleaving two different types of crystal, one a semiconductor compound and the other a type of insulator. Two one-atom thick layers of the semiconductor compound molybdenum disulfide would be separated by a few-atom thick spacer made of boron nitride, and surrounded by additional boron nitride cladding.

This sets up a situation in which electrons and "holes" left by a missing electrons would accumulate in separate layers of the semiconductor compound in response to an electrical field. And yet these separated electrons and holes would be bound, at a distance, in states called indirect excitons.

These indirect excitons would form a gas with vanishing viscosity. That is, below a certain temperature, the gas would become superfluid. The physicists determined that superfluidity of indirect excitons would set up countercurrents that would not dissipate, a phenomenon called counterflow superconductivity.

Superfluidity and superconductivity are macroscopic manifestations of quantum phenomena, which are usually seen at the smallest physical scales.

The proposed design is an initial blueprint, the authors write. Their analysis reveals a general principle for creating "coherent states" like superfluidity and superconductivity that would emerge in similar materials created with layers of other semiconductor compounds such as tungsten disulfide or tungsten diselenide as well.

Such van der Waals structures are the subject of many investigations; this new analysis demonstrates that they also provide a new platform for exploring fundamental quantum phenomena.

Practical uses are possible as well; these materials could be used to develop electronic and optoelectronic circuits.

The U.S. Office of Naval Research, University of California Office of the President, U.S. National Science Foundation, European Research Council and the European Commission's Future and Emerging Technologies European Graphene Flagship supported this work.

Media Contact: Susan Brown sdbrown@ucsd.edu 858.246.0161

#### Share



#### Media Contact

Susan Brown 858-246-0161 sdbrown@ucsd.edu

#### **Related Links**

Michael Fogler's group

Leonid Butov's group

Konstantin Novoselov

#### **Filed Under**

Science & Engineering Physical Sciences

#### **Related Stories**

Every Little BIT Counts Making a Commitment to Conserve Water Robotics Legends Converge at UC San Diego Forum UC San Diego Offers New Major in Global Health ARCS Foundation Awards \$232,500 in Fellowships for UC San Diego Graduate Students PTPRZ-MET Fusion Protein: A New Target for Personalized Brain Cancer Treatment

### About Our Campus

Campus Profile Campus Tours Resources for Journalists Contact UCPA

#### Search

### Important information

- Emergency Status
- Disability Resources
- Principles of Community
- Equity, Diversity and Inclusion

9500 Gilman Dr., La Jolla, CA 92093 (858) 534-2230

Copyright © 2014 Regents of the University of California. All rights reserved.

- Terms
- Feedback

Divisions and schools Other university sites