



LHC High Beta* Runs: Transport and Unfolding Methods

[Maciej Trzebinski](#), [Rafal Staszewski](#), [Janusz Chwastowski](#)

(Submitted on 11 Jul 2011)

The paper describes the transport of the elastically and diffractively scattered protons in the proton-proton interactions at the LHC for the high beta* runs. A parametrisation of the altered proton transport through the LHC magnetic lattice is presented. The accuracy of the unfolding of the kinematic variables of the scattered protons is discussed.

Comments: 12 pages, 15 figures

Subjects: **Instrumentation and Detectors (physics.ins-det);**
High Energy Physics - Experiment (hep-ex)

Journal reference: ISRN High Energy Physics, vol. 2012 (2012) 491460

DOI: [10.5402/2012/491460](https://doi.org/10.5402/2012/491460)

Cite as: [arXiv:1107.2064](https://arxiv.org/abs/1107.2064) [physics.ins-det]

(or [arXiv:1107.2064v1](https://arxiv.org/abs/1107.2064v1) [physics.ins-det] for this version)

Submission history

From: [Maciej Trzebinski](#) [[view email](#)]

[v1] Mon, 11 Jul 2011 15:49:39 GMT (258kb)

[Which authors of this paper are endorsers?](#)

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

[physics.ins-det](#)

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1107](#)

Change to browse by:

[hep-ex](#)

[physics](#)

References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

