



Physics > Computational Physics

Cycles of the logistic map

Cheng Zhang

(Submitted on 2 Apr 2012 (v1), last revised 26 Nov 2012 (this version, v2))

The onset and bifurcation points of the n -cycles of a polynomial map are located through a characteristic equation connecting cyclic polynomials formed by periodic orbit points. The minimal polynomials of the critical parameters of the logistic, Hénon, and cubic maps are obtained for n up to 13, 9, and 8, respectively.

Comments: 37 pages, 4 figures

Subjects: **Computational Physics (physics.comp-ph)**; Dynamical Systems (math.DS)

Cite as: **arXiv:1204.0546 [physics.comp-ph]**
(or **arXiv:1204.0546v2 [physics.comp-ph]** for this version)

Submission history

From: Cheng Zhang [[view email](#)]

[v1] Mon, 2 Apr 2012 22:10:43 GMT (17kb)

[v2] Mon, 26 Nov 2012 21:24:18 GMT (102kb,D)

Which authors of this paper are endorsers?

Link back to: [arXiv](#), [form interface](#), [contact](#).

Download:

- [PDF](#)
- [Other formats](#)

Current browse context:

physics.comp-ph

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1204](#)

Change to browse by:

[math](#)

[math.DS](#)

[physics](#)

References & Citations

- [NASA ADS](#)

Bookmark (what is this?)

