| EGU.eu | | EGU Journals | Contact |

Home

Online Library

- Recent Papers
- Volumes
- Library Search
- Title and Author Search

RSS Feeds

General Information

Submission

Review

Production

Subscription

Journal Metrics



SCOPUS SNIP 0.287

SCOPUS SJR 0.054

■ Definitions 🗗

PORTICO

■ Volumes ■ Contents of Volume 23

Adv. Geosci., 23, 73-78, 2010 www.adv-geosci.net/23/73/2010/ doi:10.5194/adgeo-23-73-2010 © Author(s) 2010. This work is distributed under the Creative Commons Attribution 3.0 License.

Association of geopotential height patterns with heavy rainfall events in Cyprus

F. Tymvios, K. Savvidou, and S. C. Michaelides Meteorological Service, Nicosia, Cyprus

Abstract. Dynamically induced rainfall is strongly connected with synoptic atmospheric circulation patterns at the upper levels. This study investigates the relationship between days of high precipitation volume events in the eastern Mediterranean and the associated geopotential height patterns at 500 hPa. To reduce the number of different patterns and to simplify the statistical processing, the input days were classified into clusters of synoptic cases having similar characteristics, by utilizing Kohonen Self Organizing Maps (SOM) architecture. Using this architecture, synoptic patterns were grouped into 9, 18, 27 and 36 clusters which were subsequently used in the analysis. The classification performance was tested by applying the method to extreme rainfall events in the eastern Mediterranean. The relationship of the synoptic upper air patterns (500 hPa height) and surface features (heavy rainfall events) was established, while the 36 member classification proved to be the most efficient.

■ Full Article in PDF (PDF, 1368 KB)

Citation: Tymvios, F., Savvidou, K., and Michaelides, S. C.: Association of geopotential height patterns with heavy rainfall events in Cyprus, Adv. Geosci., 23, 73-78, doi:10.5194/adgeo-23-73-2010,

2010. ■ Bibtex ■ EndNote ■ Reference Manager ■ XML



Search ADGEO

Full Text Search

Title Search

Author Search

News

Please Note: Updated Reference Guidelines

Recent Papers

01 | ADGEO, 22 Nov 2010: Tropopause and jetlet characteristics in relation to thunderstorm development over Cyprus

02 | ADGEO, 22 Nov 2010: Probabilistic prediction of raw and BMA calibrated AEMET-SREPS: the 24 of January 2009 extreme wind event in Catalunya

03 | ADGEO, 15 Nov 2010: Investigation of trends in synoptic patterns over Europe with artificial neural networks