

Your source for the latest research news

Science News

from research organizations

Last ice-covered parts of summertime Arctic Ocean vulnerable to climate change

Date: July 1, 2021

Source: University of Washington

Summary: Last August, sea ice north of Greenland showed its vulnerability to the long-term effects of

climate change. The region, part of what's known as the 'Last Ice Area' that could serve as a refuge for ice-dependent species, may be ice-free in summertime sooner than expected.

Share: f y p in

FULL STORY

☑Greenland iceberg (stock | Credit: © mikhail79spb / stock.adobe.com

Greenland iceberg (stock image).

Credit: © mikhail79spb / stock.adobe.com

In a rapidly changing Arctic, one area might serve as a refuge -- a place that could continue to harbor ice-dependent species when conditions in nearby areas become inhospitable. This region north of Greenland and the islands of the Canadian Arctic Archipelago has been termed the Last Ice Area. But research led by the University of Washington suggests that parts of this area are already showing a decline in summer sea ice.

Last August, sea ice north of Greenland showed its vulnerability to the long-term effects of climate change, according to a study published July 1 in the open-access journal *Communications Earth & Environment*.

"Current thinking is that this area may be the last refuge for ice-dependent species. So if, as our study shows, it may be more vulnerable to climate change than people have been assuming, that's important," said lead author Axel Schweiger, a polar scientist at the UW Applied Physics Laboratory.

How the last ice-covered regions will fare matters for polar bears that use the ice to hunt for seals that use the ice for building dens for their young, and for walruses that use the ice as a platform for foraging.

"This area has long been expected to be the primary refuge for ice-dependent species because it is one of the last places where we expect summer sea ice to survive in the Arctic," said co-author Kristin Laidre, a principal scientist at the UW Applied Physics Laboratory.

The study focused on sea ice in August 2020 in the Wandel Sea, an area that used to be covered year-round in thick, multi-year ice.

"Sea ice circulates through the Arctic, it has a particular pattern, and it naturally ends up piling up against Greenland and the northern Canadian coast," Schweiger said. "In climate models, when you spin them forward over the coming century, that area has the tendency to have ice survive in the summer the longest."

Like other parts of the Arctic Ocean, the ice here has been gradually thinning, though last spring's sea ice in the Wandel Sea was on average slightly thicker than previous years. But satellite images showed a record low of just 50% sea ice concentration on Aug. 14, 2020.

The new study uses satellite data and sea ice models to determine what caused last summer's record low. It finds that about 80% was due to weather-related factors, like winds that break up and move the ice around. The other 20%, or one-fifth, was from the longer-term thinning of the sea ice due to global warming.

The model simulated the period from June 1 to Aug. 16 and found that unusual winds moved sea ice out of the area, but that the multiyear thinning trend also contributed, by allowing more sunlight to warm the ocean. Then, when winds picked up, this warm water was able to melt the nearby ice floes.

The record-low ice concentration in 2020 was surprising because the average ice thickness at the beginning of summer was actually close to normal.

"During the winter and spring of 2020 you had patches of older, thicker ice that had drifted into there, but there was enough thinner, newer ice that melted to expose open ocean," Schweiger said. "That began a cycle of absorbing heat energy to melt more ice, in spite of the fact that there was some thick ice. So in years where you replenish the ice cover in this region with older and thicker ice, that doesn't seem to help as much as you might expect."

The results raise concerns about the Last Ice Area but can't immediately be applied to the entire region, Schweiger said. Also unknown is how more open water in this region would affect ice-dependent species over the short and long terms.

"We know very little about marine mammals in the Last Ice Area," said Laidre, who is also an associate

professor in the School of Aquatic and Fishery Sciences. "We have almost no historical or present-day data, and the reality is that there are a lot more questions than answers about the future of these populations."				
MAKE A DIFFERENCE: SPONSORED OPPORTUNITY				
Story Source:				
Materials provided by University of Washington . Original written by Hannah Hickey. <i>Note: Content may be</i>				

Journal Reference:

edited for style and length.

1. Schweiger, A.J., Steele, M., Zhang, J. et al. Accelerated sea ice loss in the Wandel Sea points to a change in the Arctic's Last Ice Area. *Commun Earth Environ*, 2021 DOI: 10.1038/s43247-021-00197-5

Cite This Page:	MLA	APA	Chicago

University of Washington. "Last ice-covered parts of summertime Arctic Ocean vulnerable to climate change." ScienceDaily. ScienceDaily, 1 July 2021. www.sciencedaily.com/releases/2021/07/210701112707.htm.

RELATED STORIES

How Much Will Polar Ice Sheets Add to Sea Level Rise?

Sep. 17, 2020 — Over 99% of terrestrial ice is bound up in the ice sheets covering Antarctic and Greenland. Even partial melting of this ice due to climate change will significantly contribute to sea level rise. But ...

Algae Growth Reduces Reflectivity, Enhances Greenland Ice Sheet Melting

Dec. 20, 2017 — New research shows algae growing on the Greenland ice sheet, the Earth's second-largest ice sheet, significantly reduce the surface reflectivity of the ice sheet's bare ice area and contribute more ...

Antarctica: Return of the Weddell Polynya Supports Kiel Climate Model

Sep. 29, 2017 — Currently, winter has still a firm grip on Antarctica. At this time of the year, the Weddell Sea usually is covered with a thick layer of sea ice. In spite of the icy temperatures in the region, ...

Impacts of Climate Warming, Declining Sea Ice on Arctic Whale Migration

Nov. 16, 2016 — Declines in the Arctic sea ice are arguably the most dramatic evidence of the effects of current climate warming on ocean systems. While sea ice is perhaps the most defining feature of the habitat of ...

FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Review on ocean acidification and carbon cycling in the Arctic Ocean

Di Qi et al., Chinese Science Bulletin, 2018

The role of extratropical cyclones for summertime sea ice melting in Arctic Pacific sector

Shu Zhou et al., Chinese Science Bulletin, 2019

Recent advances in driving mechanisms of the Arctic amplification: A review

Yunfeng Cao et al., Chinese Science Bulletin, 2018

A hypothesis on variability of surface water pCO2 under the rapid sea-ice retreat during summer in the Arctic Ocean

LiQi CHEN et al., Chinese Science Bulletin, 2016

Genome BC Announces C\$10M to Study Clinical Genomics Implementation

Andrew Han et al., GenomeWeb, 2020

The hydrological impact of cryosphere water cycle on global-scale water cycle

YongJian DING et al., Chinese Science Bulletin, 2015

In the Journals: April 1, 2011

GenomeWeb, 2011

Structure of summer atmospheric boundary layer in the center of Arctic Ocean and its relation with sea ice extent change

LinGen BIAN et al., SCIENCE CHINA Earth Sciences, 2016

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

f Facebook

in LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

- Leave Feedback
- Contact Us

About This Site | Staff | Reviews | Contribute | Advertise | Privacy Policy | Editorial Policy | Terms of Use

Copyright 2021 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners. Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

— CCPA: Do Not Sell My Information — — GDPR: Privacy Settings —