

Your source for the latest research news

# **Science News**

from research organizations

# Global climate dynamics drove the decline of mastodonts and elephants, new study suggests

Date: July 1, 2021

Source: University of Bristol

Summary: Elephants and their forebears were pushed into wipeout by waves of extreme global

environmental change, rather than overhunting by early humans, according to new research.

Share: **f y p** in **x** 

#### **FULL STORY**

Elephants and their forebears were pushed into wipeout by waves of extreme global environmental change, rather than overhunting by early humans, according to new research.

The study, published today in *Nature Ecology & Evolution*, challenges claims that early human hunters slaughtered prehistoric elephants, mammoths and mastodonts to extinction over millennia. Instead, its findings indicate the extinction of the last mammoths and mastodonts at the end of the last Ice Age marked the end of progressive climate-driven global decline among elephants over millions of years.

Although elephants today are restricted to just three endangered species in the African and Asian tropics, these are survivors of a once far more diverse and widespread group of giant herbivores, known as the proboscideans, which also include the now completely extinct mastodonts, stegodonts and deinotheres. Only 700,000 years ago, England was home to three types of elephants: two giant species of mammoths and the equally prodigious straight-tusked elephant.

An international group of palaeontologists from the universities of Alcalá, Bristol, and Helsinki, piloted the most detailed analysis to date on the rise and fall of elephants and their predecessors, which examined how 185 different species adapted, spanning 60 million years of evolution that began in North Africa. To probe into this rich evolutionary history, the team surveyed museum fossil collections across the globe, from London's Natural History Museum to Moscow's Paleontological Institute. By investigating traits such as body size, skull shape and the chewing surface of their teeth, the team discovered that all proboscideans fell within one of eight sets of adaptive strategies.

"Remarkably for 30 million years, the entire first half of proboscidean evolution, only two of the eight groups evolved," said Dr Zhang Hanwen, study coauthor and Honorary Research Associate at the University of Bristol's School of Earth Sciences.

"Most proboscideans over this time were nondescript herbivores ranging from the size of a pug to that of a boar. A few species got as big as a hippo, yet these lineages were evolutionary dead-ends. They all bore little resemblance to elephants."

The course of proboscidean evolution changed dramatically some 20 million years ago, as the Afro-Arabian plate collided into the Eurasian continent. Arabia provided crucial migration corridor for the diversifying mastodont-grade species to explore new habitats in Eurasia, and then into North America via the Bering Land Bridge.

"The immediate impact of proboscidean dispersals beyond Africa was quantified for the very first time in our study," said lead author Dr Juan Cantalapiedra, Senior Research Fellow at the University of Alcalá in Spain.

"Those archaic North African species were slow-evolving with little diversification, yet we calculated that once out of Africa proboscideans evolved 25 times faster, giving rise to a myriad of disparate forms, whose specialisations permitted niche partition between several proboscidean species in the same habitats. One case in point being the massive, flattened lower tusks of the 'shovel-tuskers'. Such coexistence of giant herbivores was unlike anything in today's ecosystems."

Dr Zhang added: "The aim of the game in this boom period of proboscidean evolution was 'adapt or die'. Habitat perturbations were relentless, pertained to the ever-changing global climate, continuously promoting new adaptive solutions while proboscideans that didn't keep up were literally, left for dead. The once greatly diverse and widespread mastodonts were eventually reduced to less than a handful of species in the Americas, including the familiar Ice Age American mastodon."

By 3 million years ago the elephants and stegodonts of Africa and eastern Asia seemingly emerged victorious in this unremitting evolutionary ratchet. However, environmental disruption connected to the coming Ice Ages hit them hard, with surviving species forced to adapt to the new, more austere habitats. The most extreme example was the woolly mammoth, with thick, shaggy hair and big tusks for retrieving vegetation covered under thick snow.

The team's analyses identified final proboscidean extinction peaks starting at around 2.4 million years ago, 160,000 and 75,000 years ago for Africa, Eurasia and the Americas, respectively.

"It is important to note that these ages do not demarcate the precise timing of extinctions, but rather indicate the points in time at which proboscideans on the respective continents became subject to higher extinction risk," said Dr Cantalapiedra.

Unexpectedly, the results do not correlate with the expansion of early humans and their enhanced capabilities to hunt down megaherbivores.

"We didn't foresee this result. It appears as if the broad global pattern of proboscidean extinctions in recent geological history could be reproduced without accounting for impacts of early human diasporas. Conservatively, our data refutes some recent claims regarding the role of archaic humans in wiping out prehistoric elephants, ever since big game hunting became a crucial part of our ancestors' subsistence strategy around 1.5 million years ago," said Dr Zhang.

"Although this isn't to say we conclusively disproved any human involvement. In our scenario, modern humans settled on each landmass after proboscidean extinction risk had already escalated. An ingenious, highly adaptable social predator like our species could be the perfect black swan occurrence to deliver the coup de grâce."

MAKE A DIFFERENCE: SF	PONSORED OPPORTUNITY	

#### **Story Source:**

#### Journal Reference:

 Cantalapiedra JL, Sanisidro O, Zhang H, Alberdi MT, Prado JL, Blanco F, Saarinen J. The rise and fall of proboscidean ecological diversity. Nature Ecology & Evolution, 2021 DOI: 10.1038/s41559-021-01498w

01. T D			
Cite This Page:	MLA	APA	Chicago

University of Bristol. "Global climate dynamics drove the decline of mastodonts and elephants, new study suggests." ScienceDaily. ScienceDaily, 1 July 2021.

<www.sciencedaily.com/releases/2021/07/210701112657.htm>.

#### **RELATED STORIES**

Number of People Suffering Extreme Droughts Will Double

Jan. 11, 2021 — A global research effort offers the first worldwide view of how climate change could affect water availability and drought severity in the decades to come. By the late 21st century, global land area ...

Following African Elephant Trails to Approach Conservation Differently

Aug. 31, 2020 — Elephant trails may lead the way to better conservation approaches. 'Think of elephants as engineers of the forests. Elephants shape the landscape in many ways that benefit humans. We're talking ...

Are Existing Laws Enough to Cope With Accelerating Environmental Change?

Sep. 16, 2019 — Do you think that major statutory reform is necessary address global environmental challenges? Think again. New research by a group of environmental law scholars explores the untapped capacity of ...

Human Influence on Climate Change Will Fuel More Extreme Heat Waves in US

Mar. 19, 2018 — Human-caused climate change will drive more extreme summer heat waves in the western US, including in California and the Southwest as early as 2020, new research ...

#### FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

#### Can we prevent extinction?

ZhiGang JIANG, Chinese Science Bulletin, 2016

"What gave rise to modern human behavior?": Perspective from psychology

XueJun BAI et al., Chinese Science Bulletin, 2016

Recent research progress and popular issues on Chinese human evolution

Xiujie Wu, Chinese Science Bulletin, 2018

Ancient DNA research reveals a new environmental adaptation profile in human populations

LinDan JI et al., Chinese Science Bulletin, 2017

Rapid Molecular TB Testing Reduces Patient Isolation, Saves Hospitals Money, Study Shows

#### **Evolutionary conservation biology of giant pandas**

FuWen WEI, SCIENTIA SINICA Vitae, 2018

Global environmental changes and their impact on biological evolution during the Oligocene-**Miocene transition** 

JianLi ZHAO et al., SCIENTIA SINICA Vitae, 2019

UK Awards £14M to New Centers to Spur Development and Uptake of In Vitro Diagnostics 360Dx, 2017



# Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

- Email Newsletters

### **Follow Us**

Keep up to date with the latest news from ScienceDaily via social networks:

- Facebook
- Twitter
- in LinkedIn

# Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

- Leave Feedback
- Contact Us

About This Site | Staff | Reviews | Contribute | Advertise | Privacy Policy | Editorial Policy | Terms of Use

Copyright 2021 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners. Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

— CCPA: Do Not Sell My Information — — GDPR: Privacy Settings —