Your source for the latest research news

Science News

from research organizations

Insidious coral killer invading Palmyra Atoll reef

Date: August 10, 2021

Source: University of Hawaii at Manoa

Summary: The reefs at Palmyra Atoll, a small outlying atoll in the equatorial Pacific Ocean, have been undergoing a shift from stony corals to systems dominated by corallimorphs, marine invertebrates that share traits with both anemones and hard corals. Marine biology researchers discovered that although the invading corallimorph is the same species that has been there for decades, its appearance recently changed, and it became much more insidious.



FULL STORY

The reefs at Palmyra Atoll, a small outlying atoll in the equatorial Pacific Ocean, have been undergoing a shift from stony corals to systems dominated by corallimorphs, marine invertebrates that share traits with both anemones and hard corals. A published study in *Coral Reefs* led by University of Hawaii at Manoa marine biology researchers discovered that although the invading corallimorph is the same species that has been there for decades, its appearance recently changed, and it became much more insidious.

Phase shifts such as this are being seen in many marine environments globally -- whether due to local pollution, global climate change or natural environmental variation. Researchers from UH Manoa's School of Ocean and Earth Science and Technology (SOEST) wanted to determine if a new species of corallimorph was responsible for the takeover in Palmyra.

"These phase shifts are negative to our overall biodiversity," said Kaitlyn Jacobs, lead author of the study and graduate student at the Hawai'i Institute of Marine Biology in SOEST. "In the last decade, Palmyra's nearshore reefs have been invaded by corallimorph colonies that can rapidly monopolize the seafloor and reach 100% cover in some areas."

Outcompeting surrounding corals

Jacobs and her team used DNA data to compare the mitochondrial genomes of four corallimorph individuals collected from Palmyra Atoll. They discovered that the corallimorph that was outcompeting surrounding corals is not a new species but rather is most closely related to a species from Okinawa, Japan.

The Palmyra Atoll National Wildlife Refuge was created in 2001 and has been protected ever since. The atoll has been characterized as a nearly pristine coral reef ecosystem -- supporting a highly productive ecosystem and high levels of coral cover.

Because of their adaptability, corallimorphs are excellent competitors. In addition to being able to kill corals directly, they can quickly move into disturbed areas and out-compete surrounding organisms, creating a sort of blanket on the reef.

"There is concern among scientists and conservationists that the phase shift from stony coral-dominated habitats may be irreversible due to a negative feedback loop of coral decline and subsequent algal, sponge or corallimorph domination," said Jacobs.

Biodiversity is extremely important for the health of any ecosystem -- each organism has a role.

"So if we can better understand these shifts at the genomic level it can better help resource managers deal with large outbreaks effectively," said Jacobs.

Story Source:

Materials provided by University of Hawaii at Manoa. Note: Content may be edited for style and length.

Journal Reference:

 Kaitlyn P. Jacobs, Cynthia L. Hunter, Zac H. Forsman, Amanda L. Pollock, Mariana Rocha de Souza, Robert J. Toonen. A phylogenomic examination of Palmyra Atoll's corallimorpharian invader. *Coral Reefs*, 2021; DOI: 10.1007/s00338-021-02143-5

Cite This Page:	MLA	APA	Chicago

University of Hawaii at Manoa. "Insidious coral killer invading Palmyra Atoll reef." ScienceDaily. ScienceDaily, 10 August 2021. <www.sciencedaily.com/releases/2021/08/210810143107.htm.

RELATED STORIES

Warmer, Acidifying Ocean Brings Extinction for Reef-Building Corals, Renewal for Relatives Aug. 31, 2020 — A new study finds that reef-building corals emerged only when ocean conditions supported the construction of these creatures' stony skeletons, whereas diverse softer corals and sea anemones ...

Reef-Building Coral Exhibiting 'Disaster Traits' Akin to the Last Major Extinction Event Mar. 3, 2020 — A new study shows that stony corals, which provide food and shelter for almost a quarter of all ocean species, are preparing for a major extinction event. Researchers identified an increased ...

Advanced Virtual Technology Captures How Coral Reefs Recover After Bleaching

Apr. 11, 2019 — Researchers have used new imaging software to detect dramatic recovery after a bleaching event on the reefs surrounding remote Palmyra Atoll in the tropical ...

Three New Species of Zoantharians Described from Coral Reefs Across the Indo-Pacific Jan. 4, 2018 — Three new species of zoantharians -- relatives of the better-known hard corals and sea anemones - were discovered in southern Japan. One of them, Antipathozoanthus remengesaui, was named after the ...

FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Long-term spatiotemporal variations in coral-reef fish community structure and fishing at a South Pacific atoll

Thierry Lison de Loma et al., Aquatic Living Resources, 2009

Spatial patterns of benthic invertebrate assemblages within atoll lagoons: importance of habitat heterogeneity and considerations for marine protected area design in French Polynesia Eric Pante et al., Aquatic Living Resources, 2006

Health evaluation and influencing factors of the coral reef ecosystem in the Hongtang Bay, Sanya Yuan-chao LI et al., Marine Fisheries, 2019

Extremely low radioactivity in marine sediment of coral reefs and its mechanism Wuhui Lin et al., Chinese Science Bulletin, 2018

Geochemical records of hydrothermal fluids in corals: Evidence of rare earth elements from coral reefs in the Yongxing Island, Xisha, South China Sea

WEI Haotian et al., Marine Geology and Quaternary Geology, 2020

Sequenom's Q3 Revenues Decline 21 Percent | Genomeweb

staff reporter, GenomeWeb

Sequencing: With Help of Startup, NASA Jumps at the \$1,000 Genome | Genomeweb

Analysis on the outbreak period and cause of Acanthaster planci in Xisha Islands in recent 15 years Yuanchao Li et al., Chinese Science Bulletin, 2019

Powered by TREND MD

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

Email Newsletters

RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

- f Facebook
- ✓ Twitter
- in LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

- Leave Feedback
- Contact Us

```
About This Site | Staff | Reviews | Contribute | Advertise | Privacy Policy | Editorial Policy | Terms of Use
Copyright 2021 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners.
Content on this website is for information only. It is not intended to provide medical or other professional advice.
Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.
Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.
— CCPA: Do Not Sell My Information — GDPR: Privacy Settings —
```