



当前位置: 首页 >> 研究队伍

姓名: 胡瑞忠 性别: 男  
 职称: 研究员 学历: 博士  
 电话: 0851-5891962 传真: 无  
 Email: huruizhong@vip.gyig.ac.cn 邮编: 550002  
 地址: 贵阳市观水路46号



#### 简历:

1988.04-1988.12: 成都地质学院讲师

1989.01-1991.07: 中国科学院地球化学研究所博士后

1991.07-今: 中国科学院地球化学研究所副研究员、研究员

1992.06-1992.12:

新西兰地质与核科学研究所(IGNS, New Zealand)访问研究

1995.11-1996.06:

英国曼彻斯特大学(University of Manchester)访问研究

2001.12-2002.05:

美国加州理工学院(California Institute of Technology)访问研究

2003.02-2003.05, 2005.06-2005.09, 2008.05-2008.08:

香港大学访问研究

#### 研究方向:

1、大陆动力学与成矿的关系

2、成矿作用地球化学

3、成矿规律与成矿预测

4、稀有气体同位素地球化学

#### 承担科研项目情况:

##### 1. 已完成的主要科研项目(共22项, 其中负责17项, 参加5项)

(1) 大规模成矿作用及大型矿集区预测(国家973项目, 1999.10-2004.9, 首席科学家)

(2) 热液矿床矿化剂地球化学(国家杰出青年基金项目, 1999.1-2002.12, 负责人)

##### 2. 正在进行的主要科研项目

(1) 华南陆块陆内成矿作用: 背景与过程(国家973项目, 2007.8-2011.12, 首席科学家)



#### 通知通告

- 关于填报2012年部门预算、政府采购...
- 2011年地球化学研究所暑期学校录取名单
- 关于参加“国家的科学院，人民的科...
- 关于推荐第12批博士服务团成员候选...
- 关于推荐第八届青藏高原青年科技奖...
- 关于召开我所新增副所级领导干部任...
- 关于我所2011年度岗位聘用工作评审...
- 关于2011年度岗位聘用工作的通知
- 地球化学研究所财务报销指南
- 关于推荐首批“中国科学院青年创新...
- 万泉百人计划择优申请公示
- 地球化学前沿领域学术研讨会一号通知
- 肖保华、李晓峰百人计划择优申请公示



#### 站内搜索



#### 热门新闻

- 徐匡迪主席贵阳作“依靠科技进步 促...
- 我所完成2011年度上半年各实验室招...
- 国家863计划重点项目“月表物质微波...
- 地球化学研究所与云南省环境保护厅...
- 地化所工会继续保持“贵州省直机关...
- 昆明分院基建专项巡视组到地球化学...
- 中科院资环局副局长冯仁国一行到普...
- 2012年招生导师备案通知
- 李世杰书记被评为中国科学院优秀党...
- 地化所合唱团获贵州“省直机关纪念...
- 我所成功举办“庆祝中共建党90周年...
- 地化所开展“七一”走访慰问老党员...
- 地化所第八届职工运动会胜利召开



(2) 华南白垩-第三纪岩石圈伸展与区域铀成矿关系研究(国家自然科学基金重点项目, 2007.1-2010.12, 负责人)

**专家类别:**

国家杰出青年科学基金获得者, 国务院政府特殊津贴专家, 百千万人才工程国家级人选, 中国科学院百人计划入选者, 贵州省核心专家

**职务:**

中国科学院地球化学研究所所长, 矿床地球化学国家重点实验室主任

**社会任职:**

中国矿物岩石地球化学学会副理事长、秘书长, 矿床地球化学专业委员会主任, 中国地质学会矿床地质专业委员会副主任, 中国核学会铀矿地质分会副主任

**获奖及荣誉:**

1、国家自然科学二等奖 (2005, 排名第三)

2、贵州省科技进步一等奖 (2003, 排名第三)

3、贵州省科技进步一等奖 (2005, 排名第五)

4、国土资源部科学技术一等奖 (2007, 排名第二)

5、国务院政府特殊津贴 (1993)

6、贵州省十大杰出青年 (1993)

7、中国科学院青年科学家奖 (1993)

8、中国青年科技奖 (1994)

9、全国优秀留学回国人员奖 (1997)

10、中国科学院先进工作者 (2002)

11、全国优秀博士后 (2005)

12、贵州省核心专家 (2007)

13、全国优秀科技工作者 (2010)

**代表论著:**

共发表论文200余篇, 合作出版专著5部。代表性论文有:

[1]Blattner P, **Hu RZ**, et al., Temperatures and isotopic evolution of silicic magmas, Taupo Volcanic Zone and Coromandel, New Zealand, **N. Z. J. Geol. Geophys.**, 1996, 39: 353-362.

[2]**Hu RZ**, Burnard PG, et al., Helium and argon isotope systematics in fluid inclusions of Machangqing copper deposit in west Yunnan province, China, **Chemical Geology**, 1998, 146: 55-63.

[3]Burnard PG, **Hu RZ**, et al., Mantle, crustal and atmospheric noble gases in Ailaoshan gold deposits, Yunnan province, China, **Geochim. Cosmochim. Acta**, 1999, 63: 1595-1604.

[4]**Hu RZ**, Su WC, et al., Geology and geochemistry of Carlin-type gold deposits in China, **Mineralium Deposita**, 2002, 37: 378-392.

[5]Bi XW, Cornell DH, **Hu RZ**, REE composition of primary and altered feldspar from the mineralized alteration zone of alkali-rich intrusive rocks, western Yunnan province, China, **Ore Geology Reviews**, 2002, 19: 69-78.

[6]Fang WX, **Hu RZ**, et al., Influence of black shales on soils and edible plants in the Ankang area, Shanxi Province, China, **Environmental Geochemistry and Health**, 2002, 24: 35-46.

[7]Peng JT, **Hu RZ**, et al., Samarium-Neodymium isotope systematics of hydrothermal calcites from the Xikuangshan antimony deposit (Hunan, China): The potential of calcite as a geochronometer, **Chemical Geology**, 2003, 200: 129-136.

[8]**Hu RZ**, Burnard PG, et al., Helium and argon isotope geochemistry of alkaline intrusion-associated gold and copper deposits along the Red River-Jinshajiang fault belt, SW China, **Chemical Geology**, 2004, 203:305-317.

[9]Lee XQ, **Hu RZ**, et al., Ontogenetic trace element distribution in brachiopod shells: an indicator of original seawater chemistry, **Chemical Geology**, 2004, 209: 49-65.

[10]Bi XW, **Hu RZ**, et al., The alkaline porphyry associated Yao'an gold deposit, Yunnan, China: rare earth element and stable isotope evidence for magmatic-hydrothermal ore formation, **Mineralium Deposita**, 2004, 39:21-30.

[11]Jia DC, **Hu RZ**, et al., Collision belt between the Kyanka block and the North China block in Yanbian region, Northeast China, **Journal of Asian Earth Sciences**, 2004, 23: 211-219.

[12]Zhao JH, **Hu RZ**, et al., Geochemistry, petrogenesis, and tectonic significance of Mesozoic mafic dikes, Fujian province, Southeastern China, **International Geology Review**, 2004, 46:542-557.

[13]Zhong H, **Hu RZ**, et al., Review of the Link between the Hongges Layered Intrusion and Emeishan Flood Basalts, Southwest China: **International Geology Review**, 2005, 47, 971-985.

[14]Liu S, Zou HB, **Hu RZ**, et al., Mesozoic mafic dikes from the Shandong Peninsula, North China Craton: Petrogenesis and tectonic implications, **Geochemical Journal**, 2006, 40: 181-195.

[15]Li ZL, **Hu RZ**, et al., Helium isotope geochemistry of ore-forming fluids from Furong tin orefield in Hunan Province, China, **Resource Geology**, 2006, 56: 9-15.

[16]Xie GQ, **Hu RZ**, et al., K-Ar dating, geochemical, and Sr-Nd-Pb isotopic systematics of late Mesozoic mafic dikes, southern Jiangxi Province, Southeast China: Petrogenesis and tectonic implications, **International Geology Review**, 2006, 48: 1023-1051.

[17]Peng JT, Zhou MF, **Hu RZ**, et al., Precise molybdenite Re-Os and mica Ar-Ar dating of the Mesozoic Yaogangxian tungsten deposit, central Nanling district, South China, **Mineralium Deposita**, 2006, 41: 661-669.

[18]Zhao JH, **Hu RZ**, et al., Elemental and Sr-Nd-Pb isotopic geochemistry of Mesozoic mafic intrusions in southern Fujian province, SE China: implications for lithospheric mantle evolution, **Geological Magazine**, 2007, 144: 937-952.

[19]Li ZL, **Hu RZ**, et al., He, Pb and S isotopic constraints on the relationship between the A-type Qitianling granite and the Furong tin deposit, Hunan Province, China, **Lithos**, 2007, 97: 161-173.

[20]Qi HW, **Hu RZ**, et al., Concentration and distribution of trace elements in lignite from the Shengli Coalfield, Inner Mongolia, China: Implications on origin of the associated Wulantuga Germanium Deposit, **International Journal of Coal Geology**, 2007, 71: 129-152.

[21]Qi HW, **Hu RZ**, et al., REE Geochemistry of the Cretaceous lignite from Wulantuga Germanium Deposit, Inner Mongolia, Northeastern China, **International Journal of Coal Geology**, 2007, 71: 329-344.

[22]Tao Y, Li CS, **Hu RZ**, et al., Petrogenesis of the Pt-Pd mineralized Jinbaoshan ultramafic intrusion in the Permian Emeishan Large Igneous Province, SW China, **Contributions to Mineralogy and Petrology**, 2007, 153: 321-337.

[23]**Hu RZ**, Bi XW, et al., Uranium metallogenesis in South China and its relationship to crustal extension during the Cretaceous to Tertiary, **Economic Geology**, 2008, 103: 583-598.

[24]Liu S, **Hu RZ**, et al., U-Pb zircon age, geochemical and Sr-Nd-Pb-Hf isotopic constraints on age and origin of alkaline intrusions and associated mafic dikes from Sulu orogenic belt, Eastern China, **Lithos**, 2008, 106: 365-379.

[25]Hu XY, Bi XW, **Hu RZ**, et al., Experimental study on tin partition between granitic silicate melt and coexisting aqueous fluid, **Geochemical Journal**, 2008, 42: 141-150.

[26]Liu S, **Hu RZ**, et al., Zircon U-Pb geochronology and major, trace elemental and Sr-Nd-Pb isotopic geochemistry of mafic dykes in western Shandong Province, east China: Constraints on their petrogenesis and geodynamic significance, **Chemical Geology**, 2008, 255: 329-345.

[27]Liu S, **Hu RZ**, et al., K-Ar ages and geochemical plus Sr-Nd isotopic compositions of adakitic volcanic rocks, western Shandong Province, eastern China: Foundering of the lower continental crust, **International Geology Review**, 2008, 50: 763-779.

[28]Liu S, **Hu RZ**, et al., Cenozoic high Sr/Y volcanic rocks in the Qiangtang terrane, northern Tibet: geochemical and isotopic evidence for the origin of delaminated lower continental melts, **Geological Magazine**, 2008, 145: 463-474.

[29]Yuan SD, Peng JT, **Hu RZ**, et al., A precise U-Pb age on cassiterite from the Xianghualing tin-polymetallic deposit (Hunan, South China), **Mineralium Deposita**, 2008, 43: 375-382.

[30]**Hu RZ**, Burnard PG, et al., Mantle-derived gaseous components in ore-forming fluids of the Xiangshan uranium deposit, Jiangxi province, China: Evidence from He, Ar and C isotopes, **Chemical Geology**, 2009, 266: 86-95.

[31]**Hu RZ**, Qi HW, et al., Geological and geochemical constraints on the origin of the giant Lincang coal seam-hosted germanium deposit, Yunnan, SW China: A review, **Ore Geology Reviews**, 2009, doi:10.1016/j.oregeorev.2009.02.007.

[32]Liu S, **Hu RZ**, et al., Zircon U-Pb age, geochemistry and Sr-Nd-Pb isotopic compositions of adakitic volcanic rocks from Jiaodong, Shandong Province, Eastern China: Constraints on petrogenesis and implications, **Journal of Asian Earth Sciences**, 2009, 35: 445-458.

[33]Zhong H, Zhu WG, **Hu RZ**, et al., Zircon U-Pb age and Sr-Nd-Hf isotope geochemistry of the Panzhihua A-type syenitic intrusion in the Emeishan large igneous province, southwest China and implications for growth of juvenile crust, **Lithos**, 2009, 110: 109-128.

[34]Cao JJ, **Hu RZ**, et al., TEM observation of geogas-carried particles from the Changkeng concealed gold deposit, Guangdong Province, South China, **Journal of Geochemical Exploration**, 2009, 101: 247-253.

[35]Bi XW, **Hu RZ**, et al., Crystallisation conditions (T, P, fO<sub>2</sub>) from mineral chemistry of Cu- and Au-mineralised alkaline intrusions in the Red River-Jinshajiang alkaline igneous belt, western Yunnan Province, China, **Mineralogy and Petrology**, 2009, 96: 43-58.

[36]Su WC, **Hu RZ**, et al., Calcite Sm-Nd isochron age of the Shuiyindong Carlin-type gold deposit, Guizhou, China, **Chemical Geology**, 2009, 258: 269-274.

