

[首页](#)[概况简介](#)[机构设置](#)[科研装备](#)[科研成果](#)[人才教育](#)[院地合作](#)[国际交流](#)[学术出版物](#)[党建文化](#)[所内网页](#)**人才库**

现在位置: 首页 > 科研队伍

- [院士专家](#)
- [百人计划](#)
- [杰出青年](#)
- [创新群体](#)
- [研究员](#)
- [副研究员](#)
- [助理研究员](#)
- [千人计划](#)
- [外籍专家](#)
- [博士后](#)

人才库

姓 名:	李国祥	性 别:	男
职 务:	澄江古生物研究站站长	职 称:	研究员
通讯地址:	南京市北京东路39号		
邮政编码:	210008	电子邮箱:	gxli@nigpas.ac.cn

**简历:**

1965年10月生，江苏赣榆人，博士；现任中国科学院南京地质古生物所研究员，博士生导师。长期从事寒武纪动物大辐射时期的生物、地层及环境背景等相关领域的研究。先后同德国柏林理工大学、瑞典Uppsala大学、美国加州大学San Barbara分校、Virginia Tech大学、Hanover学院、俄罗斯科学院古生物研究所等单位的同行学者开展了广泛的国际合作研究。现为国际寒武系第二阶、第三阶工作组委员，国际埃迪卡拉系-寒武系界线工作组委员，国际寒武系分会通讯委员，江苏省古生物学会常务理事，古生物学会微古分会理事。

学历:

1988年7月毕业于北京大学地质学系，获理学学士学位。
1991年6月毕业于南京地质古生物研究所，获理学硕士学位。
2000年11月毕业于南京地质古生物研究所，获理学博士学位。

科研工作经历:

1991.7–1994.6 中科院南京地质古生物研究所 研究实习员；
1994.7–1998.6 中科院南京地质古生物研究所 助理研究员；
1998.6–2005.2 中科院南京地质古生物研究所 副研究员；
2005.3–至今 中科院南京地质古生物研究所 研究员。
1998.8–1998.11 台湾清华大学生命科学院学习。
2002.1 –2002.4 美国Tulane大学地质系访问学者。
2003年9月 瑞典Uppsala大学地质系访问学者。
2004.2–2005.7 德国柏林理工大学，马普协会访问学者。
2007年7月 美国加州大学Santa Barbara分校地质系访问学者。
2011年8月 德国柏林自由大学地质系访问学者。

研究领域:

- 1) 寒武纪早期微小骨骼化石的系统分类研究；
- 2) 离散骨片化石的骨片系重建研究；
- 3) 早期磷酸盐化球状（动物胚胎）化石；
- 4) 寒武纪底部地层的区域及洲际对比研究；
- 5) 寒武纪后生动物爆发性辐射模式及环境背景。

承担科研项目情况:

扬子地台北缘寒武纪早期小壳化石群落和埋葬学研究 面上基金项目 25万元 2002.1至2004.12
塔里木板块寒武纪早期后生动物辐射模式和环境背景 面上基金项目 40万元 2006.1至2008.12
华南与西伯利亚地区寒武纪早期小壳化石大辐射模式对比研究 面上基金项目 50万元 2008.1至2011.12
塔里木盆地寒武系、震旦系和南华系地层研究 中石化项目 80万元 2009.1至2010.12

>李国祥----中国科学院南京地质古生物研究所

华南寒武纪早期后生动物骨骼化石大辐射研究 中科院方向性项目 140万元 2011.1至2013.12

华南寒武纪大爆发时期的腕足动物研究 重点实验室项目 92万元 2012.1至2014.12

华北地天南缘寒武系第二统小壳动物化石研究 面上基金项目 90万元 2013.01至2017.012

埃迪卡拉系-寒武系海相页岩的地质特征 中科院战略性先导科技专项（B类）子课题 200万元 2014.01-2018.12

代表论著：

陈均远、候先光、李国祥, 1990: 云南澄江下寒武统普通海绵一新属-- *Quadrolaminiella* gen. nov. 古生物学报, 29(4), 402-414.

李国祥、陈均远, 1992: 四川峨眉早寒武世Lathamellids类帽状动物壳体超微构造及其系统分类学。古生物学报, 31(4), 459-471。

张俊明、李国祥、周传明, 1997: 滇东早寒武世梅树村期浅色粘土岩层的地球化学特征和地质意义。岩石学报, 13 (1), 100-110。

李国祥、钱逸, 1999: 早期磷酸盐化球状化石研究述评。微体古生物学报, 16 (3), 287-296。

李国祥, 1999: 四川峨眉早寒武世早期的Chancelloriids。古生物学报, 37 (2), 239-248。

李国祥、朱茂炎、Steiner, M., 2003. 早寒武世疑难化石*Rhomboconiculum*的刺壁微细结构及形态功能分析。自然科学进展, 13(8), 881-884。

李国祥, 2004: 陕南镇巴下寒武统似软舌螺化石一新种—*Torellella bisulcata* sp.nov.。古生物学报, 43(4), 571-578.

李国祥, 2004: 云南永善肖滩剖面早寒武世*Lapworthella*(托模特壳类)骨片化石。微体古生物学报, 21(4), 401-411.

赵鑫, 李国祥, 2006. 陕西镇巴早寒武世海绵骨针化石. 微体古生物学报, 23(3), 281-294.

李国祥、Steiner M, 钱逸, 朱茂炎、Erdtmann B-D, 2006. 华南寒武纪早期骨骼动物的爆发性辐射. 见: 戎嘉余(主编), 生物的起源、辐射与多样性演变—华夏化石记录的启示. 北京: 科学出版社. 41-57, 831-834.

李国祥, 赵鑫, 2009. 吉林大阳岔寒武系—奥陶系界线剖面冶里组海绿石化海绵骨针化石. 古生物学报, 48(1), 23-30.

李国祥, 钱逸, 2009. 寒武纪早期小壳动物化石---寒武纪动物大爆发的见证. 见: 沙金庚(主编), 世纪飞跃—辉煌的中国古生物学. 北京: 科学出版社. 212-219.

那琳, 李国祥, 2011. 湖北房县下寒武统西蒿坪段钉形骨片化石。微体古生物学报, 28(3), 284-300.

Chen Junyuan and **Li Guoxiang**, 1991: Lower Cambrian phosphate-replicated endoliths from Emei, Sichuan, China. Chinese Science Bulletin, 36(19), 1667-1669.

Li Guoxiang, Xue Yaosong and Zhou Chuanming, 1997. Late Proterozoic tubular fossils from the Doushantuo Formation of Weng'an, Guizhou, China. Palaeoworld, No.7, pp.29-38.

Li Guoxiang, 1997: Early Cambrian phosphate-cast endolithic algae from Emei, Sichuan. Bulletin of National Museum of Natural Sciences, No.10, 193-216.

Zhu Maoyan, **Li Guoxiang**, Zhang Junming, Michael Steiner, Qian Yi and Jiang Zhiwen, 2001. Early Cambrian stratigraphy of East Yunnan, southwestern China: a synthesis. Acta Palaeontologica Sinica, vol.40 (sup.), 4-39.

Li Guoxiang, Zhang Junming and Zhu Maoyan, 2001. Litho- and biostratigraphy of the Lower Cambrian Meishucunian Stage in the Xiaotan Section, Eastern Yunnan. Acta Palaeontologica Sinica, vol.40 (sup.), 40-53.

Li Guoxiang and Zhu Maoyan, 2001. Discrete sclerites of *Microdictyon* (Lower Cambrian) from the Fucheng Section, Nanzheng, South Shaanxi. Acta Palaeontologica Sinica, vol.40 (sup.), 227-235.

Zhu Maoyan, **Li Guoxiang** and Zhang Junming, 2001. New C isotope stratigraphy from southwest China: Implications for the placement of the Precambrian- Cambrian boundary on the Yangtze Platform and global correlations: Comment and Reply. *Geology*, Vol. 29 (9), 871–872.

Wang Yi, Hao Shou-gang, Chen Xu, Rong Jia-yu, **Li Guo-xiang**, Liu Jia-bo, and Xu Hong-he, 2003. Sphenothallus from the Lower Silurian of China. *Journal of Paleontology*, 77(3): 583-588.

Li Guoxiang, Zhu Maoyan and Steiner, M., 2003. Microstructure and functional morphology of the Early Cambrian problematical fossil *Rhomboconiculum*. *Progress in Natural Science*, v.13, n.11, 831-835.

Steiner, M., **Li Guoxiang**, Qian Yi, Zhu Maoyan and Erdtmann, B.D., 2003. Lower Cambrian small shelly faunas from Zhejiang (China) and their biostratigraphical implications. *Progress in Natural Science*, vol.13, n.11, 852-860.

Li Guoxiang, Zhu Maoyan, Steiner, M. and Qian Yi, 2004. Skeletal faunas from the Qiongzhuisian of southern Shaanxi: biodiversity and lithofacies-biofacies links in the Lower Cambrian carbonate settings. *Progress in Natural Science*, vol.14, n.1,91-96.

Qian Yi, **Li Guoxiang**, Zhu Maoyan, Steiner, M. and Erdtmann, B.D., 2004. Early Cambrian protoconodonts and conodont-like fossils from China: Taxonomic revisions and stratigraphic implications. *Progress in Natural Science*, vol.14, n.2,

Li Guoxiang and Holmer, L.E., 2004. Early Cambrian lingulate brachiopods from the Shaanxi Province, China. *GFF*, Vol.126(2): 193-211.

Li Guoxiang and Xiao Shuhai, 2004. *Micrina* and *Tannuolina* (Tannuolinidae) from the Lower Cambrian of eastern Yunnan, south China. *Journal of Paleontology* 78(5), 900-913.

Li Guoxiang, Zhu Maoyan, Van Iten, H. and Li Chiawei, 2004. Occurrence of the earliest known *Sphenothallus* Hall in the Lower Cambrian of southern Shaanxi Province, China. *Geobios* 37, 229-237.

Steiner, M., **Li Guoxiang**, Qian Yi and Zhu Maoyan, 2004. Lower Cambrian small shelly fossils of northern Sichuan and southern Shaanxi (China), and their biostratigraphic importance. *Geobios* 37, 259-275.

Zhu Maoyan, Zhang Junming, **Li Guoxiang**, Yang Aihua, 2004. Evolution of C isotopes in the Cambrian of China: implications for Cambrian subdivision and trilobite mass extinctions. *Geobios* 37, 287-301.

Steiner, M., Zhu Maoyan, **Li Guoxiang**, Qian Yi and Erdtmann, B.D., 2004. New Early Cambrian bilaterian embryos and larvae from China. *Geology* 32(10): 833–836.

Li Guoxiang, Steiner, M., and Hua Hong, 2005. Stratigraphy and fossil record of the Neoproterozoic-Cambrian transition on the northern Margin of the South China Plate (Ningqiang, Shaanxi). In: Peng Shanchi, Babcock L E and Zhu Maoyan (eds.) Cambrian System of China and Korea—Guide to Field Excursions of IV International Symposium on the Cambrian System. 179-193. Hefei: University of Science and Technology of China Press.

Li Guoxiang, Steiner M, Zhu XJ, Yang Ah, Wang HF, Erdtmann B-D, 2007. Early Cambrian metazoan fossil record of South China: Generic diversity and radiation patterns. *Palaeogeography, Palaeoclimatology, Palaeoecology* 254, 229–249.

Steiner M, Li Guoxiang, Qian Y, Zhu MY, Erdtmann B-D, 2007. Neoproterozoic to early Cambrian small shelly fossil assemblages and a revised biostratigraphic correlation of the Yangtze Platform (China). *Palaeogeography, Palaeoclimatology, Palaeoecology* 254, 67–99.

Rong Jiayu, Fan Junxuan, Miller AI, Li Guoxiang, 2007. Dynamic patterns of latest Proterozoic -Palaeozoic-early Mesozoic marine biodiversity in South China. *Geological Journal* 42, 431-454.

Dong Lin, Xiao Shuhai, Shen Bin, Zhou Chuanming, Li Guoxiang, Yao Jinxian, 2009. Basal Cambrian microfossils from the Yangtze Gorges area (south China) and the Aksu area (Tarim Block, northwestern China). *Journal of Paleontology* 83, 30-44.

Zhifei Zhang, Guoziang Li, Christian C. Emig, Jian Han, Lars E. Holmer, Degan Shu, 2009. Architecture and function of the lophophore in the problematic brachiopod *Heliomedusa orienta* (Early Cambrian, South China). *Geobios* 42, 649–661.

Vendrasco,M.J., Li Guoxiang, Porter,S.M., Fernandez,C.Z., 2009. New data on the enigmatic *Ocruranus-Eohalobia* group of Early Cambrian small skeletal fossils. *Palaeontology* 52(6), 1373 – 1396.

Vendrasco, M.J., Porter, S., Kouchinsky, A., Li Guoxiang, Fernandez, C.Z., 2010. New data on molluscs and their shell microstructures from the middle Cambrian Gowers Formation, Australia. *Palaeontology* 53, 97-135.

Van Iten, V., Zhu Maoyan, Li Guoziang, 2010. Redescription of Hexaconullaira He and Yang, 1986 (Lower Cambrian, South China): implications for the affinities of conulariid-like small shelly fossils. *Palaeontology* 53, 191-199.

Vendrasco, M.J., Porter, S., Kouchinsky, A., Li Guoziang, Fernandez, C.Z., 2010. Shell microstructures in early mollusks. *The Festivus*, vol. XLII (4), 43-53.

Shen Shuzhong, Zhu Maoyan, Wang Xiangdong, LI GuoXiang, Cao Changqun, Zhang Hua, 2010. A comparison of the biological, geological events and environmental backgrounds between the Neoproterozoic-Cambrian and Permian-Triassic transitions. *SCIENCE CHINA (Earth Sciences)*, 53(12), 1873–1884.

Moore, J., Porter, S.M., Steiner, M., Guoziang Li, 2010. *Cambrothyra ampulliformis*, an unusual coeloscleritophoran from the lower Cambrian of Shaanxi Province, China. *Journal of Paleontology*, 84, 1040-1060.

LI Guoziang, ZHAO Xin, Alexander GUBANOV, ZHU Maoyan and Na Lin, 2011. Early Cambrian Mollusc Watsonella crosbyi: A Potential GSSP Index Fossil for the Base of the Cambrian Stage 2. *ACTA GEOLOGICA SINICA* (English edition), 85(2):309–319.

Li Guoziang, Zhu Maoyan, Chen Zhe, 2011. Animal skeletons, advent. In: Reitner J. and Thiel V. (eds), *Encyclopedia of Geobiology*. P. 58-64. Heidelberg: Springer.

Wang Haizhou, Zhang Zhifei, Holmer L.E., Hu Shixue, Wang Xiangren, Li Guoziang, 2012. Peduncular attached secondary tiering acrotretoid brachiopods from the Chengjiang fauna: Implications for the ecological expansion of brachiopods during the Cambrian explosion. *Palaeogeography, Palaeoclimatology, Palaeoecology*

LI, G.X., STEINER, M., ZHU, M.Y. & ZHAO, X. 2012. Early Cambrian eodiscoid trilobite *Hupeidiscus orientalis* from South China: ontogeny and implications for affinities of *Mongolitubulus*-like sclerites. *Bulletin of Geosciences* 87(1), 159–169.

Guo, J.F., Li, Y., **Li, G.X.**, 2014. Small shelly fossils from the early Cambrian Yanjiahe Formation, Yichang, Hubei, China. *Gondwana Research* 25, 999-1007.

Zhu, M., Lu, M., Zhang, J., Zhao, F., **Li, G.**, Zhao, X., Zhao, M. 2013. Carbon isotope chemostratigraphy and sedimentary facies evolution of the Ediacaran Doushantuo Formation in western Hubei, South China. *Precambrian Research*, 225:7-28.

Lu, M., Zhu, M., Zhang, J., Shields, G.A., **Li, G.**, Zhao, F., Zhao, X., Zhao, M., 2013. The DOUNCE event at the top of the Ediacaran Doushantuo Formation of South China: Wide stratigraphic occurrence and non-diagenetic origin. *Precambrian Research*, 225:86-109.

Han Jian, Kubota S., Li Guoziang, Yao Xiaoyong, Yang Xiaoguang, Shu Degan, and others, 2013. Early Cambrian pentamerous cubozoan embryos from South China. *PLOS ONE*, 8(8), e70741. Doi:10.1371/journal.pone.0070741.

Zhang Zhifei, Holmer, L.E., Skovsted, Brock, G. A., Budd, G.E., Fu Dongjing, Zhang Xinglian, Shu Degan, Hanjian, Liu Jianni, Wang Haizhou, Butler, A., Li Guoziang, 2013. A sclerite-bearing stem group entoproct from the early Cambrian and its implications. *Scientific Reports*, 3: 1066. Doi: 10.1038/srep01066.

Steiner, M., Qian Yi, Li Guoxiang, Hagadorn J.W., Zhu Maoyan, 2014. The development cycles of early Cambrian Olivooidae fam. nov. (?Cycloneuralia) from the Yangtze Platform (China). *Palaeogeography, Palaeoclimatology, Palaeoecology* 398, 97-124. DOI: 10.1016/j.palaeo.2013.08.016.

Yang Ben, Steiner M., Li Guoxiang, Keupp H., 2014. Terreneuvian small shelly faunas of East Yunnan (South China) and their biostratigraphic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 398, 28-58.

Moor, J., Li Guoxiang, Porter, S., 2014. Chancelloriid sclerites from the Lower Cambrian (Meishucunian) of eastern Yunnan, China, and the early history of the group. *Palaeontology* 57, 833-878.

Moor, J., Porter, S., Li Guoxiang, 2014. Two unusual small shelly fossils from the Lower Cambrian of southeastern Shaanxi Province, China. *Journal of Paleontology* 88, 348-358.

Li, G.X., Zhang Zifei, Hua Hong, Yang Huining, 2014. Occurrence of the enigmatic bivalve fossil *Apistoconcha* in the lower Cambrian of southeast Shaanxi, North China Platform. *Journal of Paleontology* 88, 359-366.

Zhang, Z.F., Li, G.X., Holmer, L.E., Brock, G.A., Balthasar, U., Skovsted, C.B. and others, 2014. An early Cambrian agglutinated tubular lophophorate with brachiopod characters. *Scientific Reports* 4: 4682/DOI: 10.1038/srep04682.

ZENG Han, ZHAO FangChen, YIN ZongJun, Li GuoXiang & ZHU MaoYan, 2014. A Chengjiang-type fossil assemblage from the Hongjingshao Formation (Cambrian Stage 3) at Chenggong, Kunming, Yunnan. *Chinese Science Bulletin*, 59, 3169-3175.

Yao Chunyan, Ding Haifeng, Ma Dongsheng and Li Guoxiang, 2014. Carbon isotope features of the Sugetbrak section in the Aksu-Wushi area, northwestern China: implications for the Precambrian-Cambrian stratigraphic correlations. *Acta Geologica Sinica*, 88, 1535-1546.



Copyright 2009 中国科学院南京地质古生物研究所
地址：南京市北京东路39号（210008） Tel:025-83282105 Fax:025-83357026 Email:ngb@nigpas.ac.cn
苏ICP备05063896号