



# Optimal Channel Efficiency in a Sensory Network

[Thiago S. Mosqueiro](#), [Leonardo P. Maia](#)

(Submitted on 3 Apr 2012)

We show that the entropy of the distribution of avalanche lifetimes in the Kinouchi-Copelli model always achieves a maximum jointly with the dynamic range. This is noteworthy and nontrivial because while the dynamic range is an equilibrium average measure of the sensibility of a sensory system to a stimulus, the entropy of relaxation times is a purely dynamical quantity, independent of the stimulus rate, that can be interpreted as the efficiency of the network seen as a communication channel. The newly found optimization occurs for all topologies we tested, even when the distribution of avalanche lifetimes itself is not a power-law and when the entropy of the size distribution of avalanches is not concomitantly maximized, strongly suggesting that dynamical rules allowing a proper temporal matching of the states of the interacting neurons is the key for achieving good performance in information processing, rather than increasing the number of available units.

Comments: 11 pages, 4 captions, submitted

Subjects: **Biological Physics (physics.bio-ph)**; Neurons and Cognition (q-bio.NC)

Cite as: [arXiv:1204.0751](#) [physics.bio-ph]  
(or [arXiv:1204.0751v1](#) [physics.bio-ph] for this version)

## Submission history

From: Thiago Mosqueiro [[view email](#)]

[v1] Tue, 3 Apr 2012 18:02:02 GMT (807kb)

[Which authors of this paper are endorsers?](#)

Link back to: [arXiv](#), [form interface](#), [contact](#).

## Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

[physics.bio-ph](#)

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1204](#)

Change to browse by:

[physics](#)

[q-bio](#)

[q-bio.NC](#)

## References & Citations

- [NASA ADS](#)

Bookmark([what is this?](#))

