search

campus

go

engineering science

business architecture and planning

humanities, arts, and social sciences

multimedia press

'Micro-ants': Tiny conveyor belts for the 21st century

A new method of moving tiny particles using magnetic polymer beads and magnetic fields could find uses in microchips and in medicine

David L. Chandler, MIT News Office

today's news

Fish a

December 15, 2009

nd chips	ema
	print




Valdivia y Alvarado, a research affiliate in the Department of Mechanical Engineering, works in his lab on a robotic fish he created with Professor Kamal Youcef-Toumi. The robot is designed to more easily maneuver into areas where traditional underwater autonomous vehicles cannot go. Patrick Gillooly

New robots mimic fish's swimming and could explore areas where traditional underwater autonomous vehicles can't currently go.


Burgeoning field of neurotech spawns brainy businesses

January 29, 2009

Targeting tumors using tiny gold particles May 4, 2009_____



A new microscopic system devised by researchers in MIT's Department of Materials Science and Engineering could provide a novel method for moving tiny objects inside a microfluidic chip, and could also provide new insights into how cells and other objects are transported within the body.



Graphic: Christine Daniloff

Inside organs such as the trachea and the intestines, tiny hair-like filaments called cilia are constantly in motion, beating in unison to create currents that sweep along cells, nutrients, or other tiny particles. The new research uses a self-assembling system to mimic that kind of motion, providing a simple way to move particles around in a precisely controlled way.

Alfredo Alexander-Katz, the Merton C. Flemings Assistant Professor of Materials Science and Engineering, his doctoral student Charles Sing, and researchers at Boston University and in Germany, devised a system that uses so-called superparamagnetic beads — tiny beads made of polymers with specks of magnetic material in them suspended in liquid.

Due to the heavy magnetic material content, these beads sink to the bottom of the liquid. They placed the whole system inside two pairs of magnetic coils and used them to apply a rotating magnetic field, which caused the beads to spontaneously form short chains that began spinning. This motion created currents that could then carry along surrounding particles — even particles as much as 100 times larger than the beads themselves.

Alexander-Katz refers to the microscopic assembly of beads — each just a few microns (millionths of a meter) in size — as "micro-ants," because of their ability to move along while "carrying" objects so much larger than themselves. A paper describing the research will appear the week of Dec. 14 in the Proceedings of the National Academy of Sciences.

He says the way the chains of beads moved is a bit like a person trying to do cartwheels while standing on an icy surface. "As they rotate, they slip a bit," he says, "but overall, they keep moving," and this imparts a directional flow to the surrounding fluid.

multimedia Micro-ants visualization




This video shows how the rotating chains of beads move along a surface, suspended in liquid.

Micro-ants through the microscope



In this video of microscope images of the experimental setup, chains of tiny plastic beads spin in a magnetic field. Seen from above, these spinning chains look like thin lines. Their motion causes the liquid to flow, pulling simulated cells (the round objects) along with it. By varying the magnetic fields, the researchers are able to control the motion, back and forth, with great precision.



The new method could provide a simpler, less-expensive alternative to present microfluidic devices, a technology involving the precise control of tiny amounts of liquids

flowing through microscopic channels on a chip in order to carry out chemical or biological analysis of tiny samples. Now, such devices require precisely made channels, valves and pumps created on a silicon chip using microchip manufacturing methods, in order to control the movement of fluids through them. But the new system could offer such precise control over the movement of liquids and the particles suspended in them that it may be possible to dispense with the channels and other plumbing altogether, controlling the movements entirely through variations in the applied magnetic field.

In short, software rather than hardware could control the chip's properties, allowing it to be instantly reconfigured through changes in the controlling software — an approach Alexander-Katz refers to as "virtual microfluidics." This could reduce the cost and increase the flexibility of the devices, which might be used for such things as biomedical screening, or the detection of trace elements for pollution monitoring or security screening. It might also provide even finer spatial control than can presently be achieved using conventional channels on chips.

Alexander-Katz says the work might also help scientists better understand the way cilia work, by providing a way to mimic their activity in the lab. "People are still trying to understand how you get hydrodynamic synchronization in the systems" of cilia in organisms — that is, having the individual cilia all working together in a pattern of motion that controls the flow of fluid over them. "This might be a way to test many of the theories."

David Weitz, a physicist at Harvard University who studies colloidal physics and biological tags systems, says that "The work is a beautiful example of the use of colloidal particles to mimic the behavior of cilia, which are used by cells for propulsion." The use of the beads in a magnetic field "actually causes the chains to move, and induces flow in the fluid. This effect is difficult to achieve by any means, and the method reported here is an elegant and simple means of accomplishing this."

Weitz adds that in terms of applications, "The main utility of these observations is likely to be the understanding of the fundamental properties of these [cilia] structures. They could conceivably ultimately find use as miniature fluid pumps." He adds that Alexander-Katz "is likely to have considerable impact with work like this."

Such a system might someday even be developed to use in medical diagnostics, by allowing controlled delivery of particles inside the body to specifically targeted locations, for example while the patient is in a nuclear magnetic resonance (NMR) imaging system.

Although medical applications might take many years to develop because of the stringent requirements for safety testing, Alexander-Katz says, applications to creating a new kind of microfluidics chips could be achieved "within a year or so." This would essentially just be a matter of scaling up from the simple, basic systems that were tested in this study to more complex assemblies.

Comments

Log in to write comments

59455g8 - This system can be well used within medicine	2009-12-15 04:47:05
It provides us an alternative within medicine. If we develop a metabolizable polymer, then we can eliminate the waste out of our body.	
Imagine this: we drink the medicine, and lie down. A few minutes lat eliminated without a surgery. The only thing we need to do is to go to the residue of the medicine is excreted.	
Renchong - test current 20	009-12-16 04:48:28
I think we can use it to do a test that carrying tiny metal beads to move	e, afterwards we can

test how much the current created from the movement of those tiny beads. Because I want to

Chains of superparamagnetic colloidal particles rotate to produce flows on length scales much larger than the chain dimensions, allowing them to behave like "micro-ants" that can move large particles. Image: Charles Sing

related

Alfredo Alexander-Katz

Charles Sing

Laboratory for Soft Materials

Press release: "New microscopic system could provide method for moving tiny objects inside a microfluidic chip"

Biology

Electrical engineering and electronics

Materials science

Microfluidics

Physics

know whether the movement of electron (contained in tiny metal beads) can results current or the diffence with the conventional methods of generating electircal current.	
realdreamer - ants	2009-12-18 05:31:35
these insights provided by ants, do remind me of the altruism of ants. It's amazing what we learn from we learn to further scientific advances.	

MIT news | 77 Massachusetts Avenue, Room 11-400 | Cambridge, MA 02139-4307 | Tel 617.253.2700 | TTY 617.258.9344 twitter | rss | contact | about the mit news office | comment on this site | Massachusetts Institute of Technology

