WHAT IT TAKES TO RECOVER FROM DROUGHT

DROUGHT IMPACTS LAST BEYOND THE FIRST RAINDROPS.

O Aug 10, 2017

(/#facebook) (/#twitter)

(https://www.addtoany.com/share#url=https%3A%2F%2Funews.utah.edu%2Frecover-from-drought%2F&title=What%20it%20takes%20to%20recover%20from%20drought)

Drought-stricken areas anxiously await the arrival of rain. Full recovery of the ecosystem, however, can extend long past the first rain drops on thirsty ground.

According to a study published August 10 in Nature (http://dx.doi.org/10.1038/nature23021), the length of drought recovery depends on several factors, including the region of the world and the post-drought weather conditions. The authors, including William Anderegg of the University of Utah, warn that more frequent droughts in the future may not allow time for ecosystems to fully recover before the next drought hits.

Find a video abstract of this study here (https://youtu.be/2uOrEP3cq4s). The study was funded by the National Science Foundation and by NASA.

When things dry up

Droughts can be defined in several ways. The first is meteorological, defined as a period of less than average precipitation. The second is agricultural, in which the lack of rainfall impairs the productivity of plants. The third is hydrological, when water sources such as lakes, reservoirs, and aquifers begin to dry up to below-average conditions.

Anderegg and colleagues' new study asks the question: What does recovery from all three of these types of drought look like in different parts of the world? "There was a broad presumption that ecosystems and plants recovered almost immediately when the weather got wetter," Anderegg says. "We didn't know what the patterns were globally, including which plants seemed to recover faster or slower and which variables influenced that recovery time."



PHOTO CREDIT: William Anderegg

Trees killed by drought in the American Southwest during the 2000s.

▲ Download Full-Res Image (https://d1bbnjcim4wtri.cloudfront.net/wpThe measure they used to evaluate drought conditions is called the

PHOTO CREDIT: U.S. Drought Monitor Drought conditions in California between November 2015 and March 2016. ♣ Download Full-Res Image (https://d1bbnjcim4wtri.cloudfront.net/wp-

content/uploads/2017/08/02095510/giphy drought edi

March 1, 2016

U.S. Drought Monito

California

Standardized Precipitation-Evaporation Index. It's an approximation that takes into account temperature, soil moisture, recent rainfall and plants' demand for water. To assess drought recovery times, the team evaluated global satellite data to measure gross primary productivity, a measure of the rates at which plants convert sunlight into biomass. Drought recovery, they said, means an ecosystem fully recovers to its pre-drought productivity.

Plants can suffer long-term, even permanent damage from droughts. "Plants can be irreversibly damaged during drought stress," Anderegg says. "They can lose part of their water transport systems, content/uploads/2017/08/02095519/IMG_1543.jpegand that damage can take years to recover." Droughts can also bring on more severe vegetation impacts like disease and fire. "That's an

amplifier that can last past the drought."

How ecosystems recover

They found that the post-drought climate conditions were the most influential factors in drought recovery time. Wet conditions, such as those that slammed California after its long drought, hastened recovery. Dry conditions and temperature extremes, lengthened recovery. However, Anderegg says, "there are likely to be places in California where the drought was so severe that the ecosystem will not recover to the previous level because so much of the vegetation has died."




PHOTO CREDIT: Courtesy of Christopher Schwalm

Spatial pattern of drought recovery time. White areas are water, barren, or did not experience any relevant drought events.

Location mattered as well. In general, most areas of the world are able to recover from a drought in less than six months. Some areas need up to a year. But the high-latitude Arctic regions and the tropics of South America and Southeast Asia need more time – up to two years. "That's worrisome because those regions store the largest chunks of carbon in ecosystems across the globe," Anderegg says.

L Download Full-Res Image
(https://d1bbnjcim4wtri.cloudfront.net/wp-content/uploads/2017/08/02095606/ATT00002.png)



Trees killed by drought in the American Southwest during the 2000s.

The double whammy

With climate models forecasting that the extent and severity of drought is likely to increase, also increasing the likelihood that ecosystems may be hit with new droughts before they have recovered from the previous one. "That could have a double whammy effect," Anderegg says. "A second drought could be harder on an ecosystem and have the potential to push it off a cliff." Ecosystem collapse in the face of perpetual drought could change verdant forests into grass and shrubs.

Such a double whammy hit the Amazon rainforest in 2005 and 2010, when back-to-back droughts, each with a once-in-a-century severity,

hit the region. "Satellites showed that forests hadn't recovered from the 2005 drought by the time the 2010 drought struck," Anderegg says.

The study underscores the importance of drought recovery time in assessing drought impacts on ecosystems. Rain brings relief, but doesn't solve drought-related problems immediately, Anderegg says. "Often recovery is longer than the drought itself."

After publication, the full study can be found here (http://dx.doi.org/10.1038/nature23021).



Media Contacts

William Anderegg | assistant professor, Department of Biology

■ Office: 970-739-4954
■ Anderegg@utah.edu (mailto:Anderegg@utah.edu)

Paul Gabrielsen | science writer, University Marketing & Communications

■ Mobile: 801-505-8253 ■ paul.gabrielsen@utah.edu Office: 801-585-6861

(mailto:paul.gabrielsen@utah.edu)

RELATED POSTS



(https://unews.utah.edu/simulations-enable-choose-your-own-adventurestereochemistry/) SIMULATIONS ENABLE "CHOOSE-YOUR-OWN-ADVENTURE" STEREOCHEMISTRY (HTTPS://UNEWS.UTAH.EDU/SIMULATIONS-ENABLE-CHOOSE-YOUR-OWN-ADVENTURE-STEREOCHEMISTRY/)





(https://unews.utah.edu/diverse-forests/) DIVERSE FORESTS ARE STRONGER AGAINST DROUGHT (HTTPS://UNEWS.UTAH.EDU/DIVERSE-FORESTS/) September 17, 2018



(https://unews.utah.edu/drought-migration-and-violence-in-kenya/)

DROUGHT, MIGRATION AND VIOLENCE IN KENYA (HTTPS://UNEWS.UTAH.EDU/DROUGHT-MIGRATION-AND-VIOLENCE-IN-KENYA/) September 10, 2018



(https://unews.utah.edu/doud-forests/) BIRDS RETREATING FROM CLIMATE CHANGE, DEFORESTATION IN HONDURAS **CLOUD FORESTS** (HTTPS://UNEWS.UTAH.EDU/CLOUD-FORESTS/) September 6, 2018

JOIN OUR MAILING LIST
Please fill out the form below to sign-up for the community email newsletter.
First Name
Last Name
Email
Submit