



## 宁夏平原北部地下水埋深浅地区不同灌木的水分来源

朱林<sup>1,2\*</sup>, 许兴<sup>1</sup>, 毛桂莲<sup>3</sup>

<sup>1</sup>宁夏大学西北退化生态系统恢复与重建教育部重点实验室, 银川 750021;

<sup>2</sup>中国科学院水利部水土保持研究所黄土高原土壤侵蚀与旱地农业国家重点实验室, 陕西杨凌 712100;

<sup>3</sup>宁夏大学生命科学学院, 银川 750021

Water sources of shrubs grown in the northern Ningxia Plain of China characterized by shallow groundwater table

ZHU Lin<sup>1,2\*</sup>, XU Xing<sup>1</sup>, and MAO Gui-Lian<sup>3</sup>

<sup>1</sup>Key Laboratory for Restoration and Reconstruction of Degraded Ecosystem in North-western China, Ministry of Education, Ningxia University, Yinchuan 750021, China;

<sup>2</sup>State Key Laboratory of Soil Erosion and Dryland Farming on the Loess Plateau, Institute of Water and Soil Conservation, Chinese Academy of Sciences and Ministry of Water Resources, Yangling, Shaanxi 712100, China;

<sup>3</sup>Life Science College, Ninaxia University, Yinchuan 750021, China

[摘要](#)

[图/表](#)

[参考文献](#)

[相关文章](#)

[点击分布统计](#)

[下载分布统计](#)