## **Turkish Journal of Botany**

## **Turkish Journal**

Anomodon longifolius (Anomodontaceae, Bryopsida) new to the bryophyte flora of Turkey

of

Muhammet ÖREN<sup>1</sup>, Güray UYAR<sup>1</sup>, Tamer KEÇELi<sup>2</sup>

**Botany** 

<sup>1</sup>Zonguldak Karaelmas University, Faculty of Sciences & Arts, Department of Biology, 67100, Zonguldak

<sup>2</sup>Çankırı Karatekin University, Faculty of Sciences & Arts, Department of Biology, 18200, Çankırı -**TURKEY** 



Abstract: Anomodon longifolius (Schleich, ex Brid.) Hartm. is reported for the first time from Turkey, bringing the total number of Anomodon species known from Turkey to 6. This record extends its distribution range to the Western Black Sea region of Turkey. The nearest localities to Turkey for this species are in Bulgaria, Greece, the Caucasus, and Iran. This submeridional species was collected from 3 different localities (in Bolu and Bartın provinces) in Turkey. A site description, illustrations, and diagnostic characters of the Turkish specimens are given, together with notes on its distribution and ecology.



Key words: Bryophytes, Anomodon, mosses, Anomodontaceae, Turkish bryoflora

bot@tubitak.gov.tr

Turk. J. Bot., 34, (2010), 141-145.

Full text: pdf

Scientific Journals Home **Page** 

Other articles published in the same issue: Turk. J. Bot., vol. 34, iss. 2.