



About NIMBioS

Live Streaming

Newsroom

Education and Outreach

Publications and Products

Resource Library

People

Leadership Team

Senior Personnel

Staff

Postdoctoral Fellows

Other Personnel

Past Participants

Research/Training
Opportunities

Overview and Deadlines

Working Groups

Investigative Workshops

Tutorials

Postdoctoral Fellowships

Sabbatical Fellowships

Short-term Visits

Graduate Assistantships

Positions Available

[News Home](#)

[Press Releases](#)

[Top Stories](#)

[NIMBioS Video](#)

[NIMBioS Podcasts](#)

[NIMBioS Newsletter](#)

[Social Media](#)

[In the News](#)

Location Isn't Everything But Timing Is for Certain Spawning Fish

June 30, 2015

KNOXVILLE — The larvae of some species of reef fish appear to survive better depending on the timing of when they were spawned, according to new research from the National Institute for Mathematical and Biological Synthesis.

The findings, published this month in the journal *PLOS ONE*, advance earlier research that suggested only spawning location is critical and have important implications for fisheries management and conservation.

Each year, hundreds to thousands of fish aggregate at highly predictable times and locations to spawn, producing larvae that will spend at least a month in the plankton before settling to reef habitat.

Using a highly realistic biophysical model of ocean currents and larval behavior of snapper developed by co-author [Claire Paris](#) of the University of Miami, the researchers traced the movement of snapper larvae from spawning sites in Cuba. The work builds upon extensive studies of the ecology of snappers throughout Cuba as documented by [Rodolfo Claro](#) at the Oceanology Institute of Cuba.

The study found that larval success was sensitive to the timing of spawning - in particular, larval success was higher on days when spawning is observed to occur, compared to other days. But the location of the spawning was less critical - the researchers found little difference in larval success between actual spawning locations and other nearby locations simulated in the model.

Because large spawning groups are easy to predict, they are easy to overfish, and some large spawning groups have been fished to extinction. This study gives conservation managers even more reasons to protect spawning aggregations.

"Reef fishes form these large aggregations not just to find mates but because the specific time of the aggregation increases the survival of their larvae. Conserving spawning aggregations not only conserves the large reproductive individuals that sustain the population, but, according to our study, ensures the success of their larvae," said lead co-author [Megan Donahue](#), an associate professor of marine biology at the University of Hawaii and member of the ["Pretty Darn Good" Control](#)



Snapper larva. The timing of lane snapper spawning aggregations increases the survival of their larvae.
Credit: David Smith/Smithsonian

Working Group at NIMBioS who helped produce the study.

Citation: Donahue MJ, Karnauskas M, Toews C, Paris CB. 2015. Location isn't everything: Timing of spawning aggregations optimizes larval replenishment. PLOS ONE. Published online 23 June 2015. DOI: 10.1371/journal.pone.0130694. [\[Online\]](#)

#

The National Institute for Mathematical and Biological Synthesis is an NSF-supported center that brings together researchers from around the world to collaborate across disciplinary boundaries to investigate solutions to basic and applied problems in the life sciences.

CONTACT:

Megan Donahue, University of Hawaii, +1- 808-236-7417, donahuem@hawaii.edu

Catherine Crawley, NIMBioS, +1-865-974-9350, ccrawley@nimbios.org



NIMBioS
1122 Volunteer Blvd., Suite 106
University of Tennessee
Knoxville, TN 37996-3410
PH: (865) 974-9334
FAX: (865) 974-9300
Contact NIMBioS

NIMBioS is sponsored by the [National Science Foundation](#) through NSF Award #DBI-1300426, with additional support from [The University of Tennessee, Knoxville](#).

©2008-2015 National Institute for Mathematical and Biological Synthesis. All rights reserved.

