Your source for the latest research news

Science News

from research organizations

Common insecticide is harmful to bees in any amount For the average bee, every little bit counts

Date: August 2, 2021

Source: University of California - Riverside

Summary: The dangers of neonicotinoid insecticides likely can't be watered down. That's the conclusion of a new study showing an insecticide made for commercial plant nurseries is harmful to a typical bee even when applied well below the label rate and the plant receives high levels of irrigation.

Share: f 🍠 🦻 in 🗹

FULL STORY

A new UC Riverside study shows that a type of insecticide made for commercial plant nurseries is harmful to a typical bee even when applied well below the label rate.

The study was published today in the journal Proceedings of the Royal Society B: Biological Sciences.

Chemically similar to nicotine, neonicotinoids are insecticides that protect against plant-consuming insects like aphids, but seriously harm beneficial insects, like bees. They are widely used by commercial growers.

Much research has focused on their use in food crops like canola, in which they are typically applied at low doses. However, this study is one of the few to examine neonicotinoid application in potted ornamental plants, which can represent more potent, acute sources of exposure to the toxin for bees.

"Neonicotinoids are often used on food crops as a seed treatment," explained UCR entomologist and lead study author Jacob Cecala. "But they're usually applied in higher amounts to ornamental plants for aesthetic reasons. The effects are deadly no matter how much the plants are watered."

Cecala said he was surprised by this result, given that neonicotinoids are water soluble. Going into the study, he assumed that more water would dilute the amount of harm they caused the bees. The researchers were also curious whether increased watering could benefit bees despite insecticide exposure by increasing the quantity or quality of nectar offered by the plants.

To test these assumptions, the researchers raised bees on flowering native plants in pots that either received a lot of watering, or a little. Plants were selected based on their popularity at nurseries, drought tolerance to ensure blooming even without much water, and their attractiveness to bees. In addition, half the plants were treated with the insecticide.

Though increased water decreased the pesticide's potency in the nectar of the flowers, the negative effects on bees were still observed.

"Unfortunately, we observed a 90% decrease in the bees' reproduction with both high and low levels of irrigation," Cecala said.

This study is also one of the few to examine neonicotinoid effects via ornamental plants on solitary bees, which make up more than 90% of native bee species in North America, and an even higher percentage in California.

Solitary bees are not bees who have left the hive and are now alone. This is a type of bee that lives alone, does not produce honey, and does not have a queen or live in a hive. Because they do not have a store of honey to protect, they are also not aggressive.

"Solitary bees are more representative of the ecosystem here, and they are potentially more vulnerable to pesticides," said UCR entomologist and study co-author Erin Rankin.

If a worker bee that is social -- like the honeybee -- gets exposed to insecticide and dies, it won't necessarily affect the longevity of the hive. However, if a solitary bee dies, its lineage is cut short.

In this study, the researchers used alfalfa leafcutter bees, which make their nests in tunnels and lay eggs one at a time. They are very similar to California's solitary native bees and are part of a genus that can be found worldwide.

The first time Cecala and Rankin tried this experiment, they used the concentration of insecticide recommended on the product label. All the bees died in a matter of days.

The next time they ran the experiment, they used a third of the recommended dose and still found negative effects on reproduction, the ability of the bees to feed themselves, and overall fitness. "It almost completely wiped them out," Cecala said.

Though this study used a neonicotinoid product formulated for nurseries, formulations of similar products for home gardeners also tend to be highly concentrated.

Plants in nurseries or residential backyards represent a smaller total area than food plant fields like corn or soy. However, high-potency neonicotinoid products can have a big effect even in small areas. In 2013, neonicotinoids applied to flowering trees in a retail parking lot in Oregon caused a massive bumblebee die off, with more than 25,000 found dead.

The researchers recommend that nurseries quantify the amount of pesticides that are making their way into flowers given their watering and pesticide regimes, and consider alternative management practices that reduce harm to bees and the ecosystems dependent on them.

"It's not as simple as 'don't use pesticides' -- sometimes they're necessary," Cecala said. "However, people can look for a different class of insecticide, try to apply them on plants that aren't attractive to bees, or find biological methods of pest control."

Story Source:

Materials provided by **University of California - Riverside**. Original written by Jules Bernstein. *Note: Content may be edited for style and length.*

Journal Reference:

 Jacob M. Cecala, Erin E. Wilson Rankin. Pollinators and plant nurseries: how irrigation and pesticide treatment of native ornamental plants impact solitary bees. *Proceedings of the Royal Society B: Biological Sciences*, 2021; 288 (1955): 20211287 DOI: 10.1098/rspb.2021.1287 University of California - Riverside. "Common insecticide is harmful to bees in any amount: For the average bee, every little bit counts." ScienceDaily. ScienceDaily, 2 August 2021.

RELATED STORIES

Common Pesticides Stop Bees and Flies from Getting a Good Night's Sleep

Jan. 21, 2021 — Just like us, many insects need a decent night's sleep to function properly, but this might not be possible if they have been exposed to neonicotinoid insecticides, the most common form of ...

Is Habitat Restoration Actually Killing Plants in the California Wildlands?

Jan. 2, 2019 — New work shows for the first time just how widespread and deadly the threat of pathogens from restoration nurseries may be to natural forests. The team surveyed five native plant nurseries in ...

Study Examines Pesticides' Impact on Wood Frogs

Mar. 1, 2017 — A new study looks at how neonicotinoid pesticides affect wood frogs, which use surface waters in agricultural environments to breed and reproduce. Neonicotinoids are widely used insecticides that are ...

Virus Attracts Bumblebees to Infected Plants by Changing Scent

Aug. 11, 2016 — Study of bee-manipulating plant virus reveals a 'short-circuiting' of natural selection.

Researchers suggest that replicating the scent caused by infection could encourage declining bee populations ...

FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

Email Newsletters

A RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

- f Facebook
- ✓ Twitter
- in LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

- Leave Feedback
- Contact Us

About This Site | Staff | Reviews | Contribute | Advertise | Privacy Policy | Editorial Policy | Terms of Use

Copyright 2021 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners. Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

- CCPA: Do Not Sell My Information - GDPR: Privacy Settings -