


[首页](#)[机械系简介](#)[机构设置](#)[师资队伍](#)[科学研究](#)[教育教学](#)[招生信息](#)

张洪玉

副研究员

电话: 010-62773129

E-mail: zhanghyu@tsinghua.edu.cn

李兆基科技大楼A528

教育背景

2005.08—2009.04 英国 哈德斯菲尔德大学 精密技术中心 博士

2001.09—2005.07 天津大学 精密仪器与光电子工程学院 学士

工作经历

2015.01—至今 清华大学 机械系 摩擦学国家重点实验室 副研究员

2011.10—2014.12 清华大学 机械系 摩擦学国家重点实验室 助理研究员

2009.05—2011.07 清华大学 精仪系 摩擦学国家重点实验室 博士后

学术兼职

2014.11—至今 Exploratory Research and Hypothesis in Medicine 编委

2012.04—2014.10 Journal of Applied Mechanical Engineering 编委

研究领域

生物材料与生物摩擦学

纳米材料与药物输运

激光精密加工

研究概况

近年来从事人工关节材料生物摩擦学、纳米材料与药物输运、激光精密加工等领域研究,先后承担中国博士后科学基金面上、特别资助项目,国家自然科学基金青年、面上项目,教育部留学回国人员科研启动基金项目共6项,参与国家自然科学基金仪器专项、973课题共2项。

奖励与荣誉

2008年国家留学基金委优秀自费留学生

2010年摩擦学国家重点实验室优秀学术贡献一等奖

学术成果

- [1] Zhang HY, Zhu YJ, Hu XY, Sun YF, Sun YL, Han JM, Yan Y, Zhou M. An investigation on the biotribocorrosion behaviour of CoCrMo alloy grafted with polyelectrolyte brush. *Bio-Med Mater Eng*, 2014, 24: 2151-2159.
- [2] Zhang HY, Sun YF, Sun YL, Zhou M. pH-responsive mesoporous silica nanocarriers based on layer-by-layer self-assembly. *Bio-Med Mater Eng*, 2014, 24: 2211-2218.
- [3] Zhang HY, Di JK, Zhou M, Yan Y. A comparison in laser precision drilling of stainless steel 304 with nanosecond and picosecond laser pulses. *Acta Phys Sin-Ch Ed*, 2014, 27: 972-977.
- [4] Zhang HY, Zhou M. The influence of protein concentration on the biotribological properties of the stem-cement interface. *Bio-Med Mater Eng*, 2014, 24: 173-179.
- [5] Han JM, Zhang HY, Choe HS, Lin H, Zheng G, Hong G. Wear characteristics and surface roughness of contemporary dental composite resin. *Dent Mater J*, 2014, 33: 725-732.
- [6] Zhang HY, Luo JB, Zhou M, Zhang Y, Huang YL. Biotribological properties at the stem-cement interface lubricated with different media. *J. Mech. Beh. Biomed. Mater.*, 2013, 20: 209-216.
- [7] Zhang HY, Zhang SH, Luo JB, Liu YH, Qian SH, Liang FH, Huang YL. Investigation of protein adsorption mechanism and biotribological properties at simulated stem-cement interface. *J. Tribology, Transactions of ASME*, 2013, 135: 032301.
- [8] Zhang HY, Blunt L, Jiang X, Brown L, Barrans S. The influence of bone cement type on production of fretting wear on the femoral stem surface. *Clin. Biomech.*, 2012, 27: 666-672.
- [9] Zhang HY, Brown L, Blunt L, Jiang X, Barrans S. The contribution of the micropores in bone cement surface to generation of femoral stem wear in total hip replacement. *Trib. Int.*, 2011, 44: 1476-1482.
- [10] Zhang HY, Blunt L, Jiang X, Brown L, Barrans S. The significance of the micropores at the stem-cement interface in total hip replacement. *J. Biomater. Sci., Polym. Ed.*, 2011, 22: 845-856.
- [11] Zhang HY, Zhang S, Liang H, Liu Y, Luo J. Molecular alignment of nano-thin film using Raman spectroscopy. *Acta. Phys. Sin.*, 2011, 60: 098109.
- [12] Zhang HY, Brown L, Blunt L, Jiang X, Barrans S. Understanding initiation and propagation of fretting wear on the femoral stem in total hip replacement. *Wear*, 2009, 266: 566-569.
- [13] Zhang HY, Brown L, Barrans S, Blunt L, Jiang X. Investigation of relative micromotion at the stem-cement interface in total hip replacement. *Proc. IMechE, Part H: J. Engineering in Medicine*, 2009, 223: 955-964.
- [14] Blunt L, Zhang HY, Barrans S, Jiang X, Brown L. What results in fretting wear on polished femoral stems. *Trib. Int.*, 2009, 42: 1605-1614.
- [15] Zhang HY, Brown L, Blunt L. Static shear strength between polished stem and seven commercial acrylic bone cements. *J. Mater. Sci. Mater. Med.*, 2008, 19: 591-599.
- [16] Zhang HY, Brown L, Blunt L, Barrans S. Influence of femoral stem surface finish on the apparent static shear strength at the stem-cement interface. *J. Mech. Beh. Biomed. Mater.*, 2008, 1: 96-104.
- [17] Zhang HY, Blunt L, Jiang X, Brown L, Barrans S, Zhao Y. Femoral stem wear in cemented total hip replacement. *Proc. IMechE, Part H: J. Engineering in Medicine*, 2008, 222: 583-592.
- [18] Brown L, Zhang HY, Blunt L, Barrans S. Reproduction of fretting wear at the stem-cement interface in total hip replacement. *Proc. IMechE, Part H: J. Engineering in Medicine*, 2007, 221: 963-971.

