

发表论文:

成果应用

1. Investigation on Tribological Properties of Fluorinated Polyimide, Tian, JS, Wang, HY, Huang, ZY, Lu, RG, Cong, PH, Liu, XJ and **Li, TS***, J. Macromol. Sci. B, 2010 49: 791-801
论文发表
专利申请
2. The preparation of PVDF/clay nanocomposites and the investigation of their tribological properties, Peng, QY; Cong, PH; Liu, XJ; Liu, TX; Huang, S; **Li, TS***, *Wear* 2009,266(7-8):713-720
3. Comparative Study of Tribological Properties of Polyphenylene Sulfide (PPS), Polyethersulfone (PES), and Polysulfone (PSU) , Duan, YJ; Cong, PH; Liu, XJ; **Li, TS***, J. Macromol. Sci. B, 2009,48(2):269-281
4. Friction and Wear of Polyphenylene Sulfide (PPS), Polyethersulfone (PES) and Polysulfone (PSU) Under Different Cooling Conditions, Duan, YJ; Cong, PH; Liu, XJ; **Li, TS***, J. Macromol. Sci. B, 2009,48(3): 604-616
5. An investigation on the relationships between cohesive energy density and tribological properties for polymer-polymer sliding combinations, Jia BB, Liu XJ, Cong PH, **Li TS***, *Wear*, 2008,264(7-8):685-692
6. Morphology and microstructure of polyamide 46 wear debris and transfer film: In relation to wear mechanisms, Cong PH, Xiang F, Liu XJ, **Li TS***, *Wear*, 2008,265(7-8):1100-1105
7. Effect of crystalline form on the tribological properties of PA46/HDPE polyblends, Cong PH, Xiang F, Liu XJ, **Li TS***, *Wear*, 2008,265(7-8):1106-1113
8. Sliding friction behaviors of poly (p-phenylene benzobisoxazole) (PBO) film under different conditions, **Li TS***, Peng XB, Zhou CJ, Cong PH, Han ZW, Liu XJ, J. Macromol. Sci. B, 2008,47(4):723-734

9. Friction and wear mechanisms of PA66/PPS blend reinforced with carbon fiber, Chen ZB, Liu XJ, Lu RG, **Li TS***, J. Appl. Polym. Sci. 105(2): 602-608 2007
10. The effect of silica size on the friction and wear behaviors of polyimide/silica hybrids by sol-gel processing, Lai SQ, **Li TS***, Wang FD, Li XJ, Yue L, Wear 262 (9-10): 1048-1055 2007
11. Tribological behaviors of several polymer-polymer sliding combinations under dry friction and oil-lubricated conditions, Jia BB, Li TS, Liu XJ, **Cong PH***, Wear 262 (11-12): 1353-1359 2007
12. An investigation on the friction of oriented polytetrafluoroethylene (PTFE), Liu XX, **Li TS***, Liu XJ, Lv RG, Cong PH, Wear 262 (9-10): 1414-1418 2007
13. Effect of self-assembled monolayers modified slider on head-disk tribology under volatile organic contamination, Cong P, Kubo T, Nanao H, Minami I, **Mori S***, Tribology Letters 27 (2): 137-143 2007
14. Tribological properties of polycarbonate blended with high-density polyethylene and high-density polyethylene grafted with maleic anhydride, Zhang J, Li TS, Liu XJ, **Cong PH***, J. Macromol. Sci. Part B-Physics 46 (2): 373-385 2007
15. The friction and wear properties of polytetrafluoroethylene filled with ultrafine diamond, Lai SQ, Yue L, **Li TS ***, Hu ZM, WEAR 260 (4-5):462-468 FEB 24 2006
16. Effect of compatibilizer on the transfer and tribological behaviors of PA46/HDPE polyblends, Xiang F, Li TS, Liu XJ, **Cong PH**. Lv RG, TRIBOLOGY LETTERS 22 (3): 279-288 JUN 2006
17. Mechanical and tribological properties of PA66/PPS blend. II. Filled with PTFE, Chen ZB, Liu XJ, **Li TS ***, Lu RG, JOURNAL OF APPLIED POLYMER SCIENCE 101 (2): 969-977 JUL 15 2006
18. Mechanical and tribological properties of PA66/PPS blend. III. Reinforced with GF, Chen ZB, Liu XJ, Lu RG, **Li TS ***, JOURNAL OF APPLIED POLYMER SCIENCE 102 (1): 523-529 OCT 5 2006
19. The tribological properties of PTFE filled with thermally treated nano-attapulgate, Lai SQ, **Li TS ***, Liu XJ, Lv RG, Yue L, TRIBOLOGY INTERNATIONAL 39 (6): 541-547 JUN 2006

Copyright © 2011 Group of Polymer Tribology