

Press Room

a resource for journalists



Find an Expert

Search USC faculty experts by name or

News Releases

Browse recent stories or subscribe by email

USC in the News

News coverage of the University of Southern

Contact Us


Find a representative or call our 24-hour hotline: (213) 740-2215

The Key to Mass-Producing Nanomaterials

February 24, 2016

Researchers create a system that can scale-up production of the smallest – but among the most useful – materials of this century

Video: Nanoparticles form in a 3D-printed microfluidic channel. Each droplet shown here is about 250 micrometers in diameter, and contains billions of platinum nanoparticles.



<https://youtu.be/K5rFL4MIfac> (Courtesy of Richard Brutchey and Noah Malmstadt)

Contact: Robert Perkins at (213) 740-9226 or perkinsr@usc.edu
Nanoparticles – tiny particles 100,000 times smaller than the width of a strand of hair – can be found in everything from drug delivery formulations to pollution controls on cars to HD TV sets. With special properties derived from their tiny size and subsequently increased surface area, they're critical to industry and scientific research. They're also expensive and tricky to make.

Now, researchers at USC have created a new way to manufacture nanoparticles that will transform the process from a painstaking, batch-by-batch drudgery into a large-scale, automated assembly line.

The method, developed by a team led by Noah Malmstadt of the USC Viterbi School of Engineering and Richard Brutchey of the USC Dornsife College of Letters, Arts and Sciences, was published in *Nature Communications* on Feb. 23.

Consider, for example, gold nanoparticles. They have been shown to be able to easily penetrate cell membranes without causing any damage – an unusual feat, given that most penetrations of cell membranes by foreign

objects can damage or kill the cell. Their ability to slip through the cell's membrane makes gold nanoparticles ideal delivery devices for medications to healthy cells, or fatal doses of radiation to cancer cells. However, a single milligram of gold nanoparticles currently costs about \$80 (depending on the size of the nanoparticles). That places the price of gold nanoparticles at \$80,000 per gram – while a gram of pure, raw gold goes for about \$50.

“It’s not the gold that’s making it expensive,” Malmstadt said. “We can make them, but it’s not like we can cheaply make a 50 gallon drum full of them.”

Right now, the process of manufacturing a nanoparticle typically involves a technician in a chemistry lab mixing up a batch of chemicals by hand in traditional lab flasks and beakers.

Brutchey and Malmstadt’s new technique instead relies on microfluidics – technology that manipulates tiny droplets of fluid in narrow channels. “In order to go large scale, we have to go small,” Brutchey said. Really small.

The team 3D printed tubes about 250 micrometers in diameter – which they believe to be the smallest, fully enclosed 3D printed tubes anywhere. For reference, your average-sized speck of dust is 50 micrometers wide. They then built a parallel network of four of these tubes, side-by-side, and ran a combination of two non-mixing fluids (like oil and water) through them. As the two fluids fought to get out through the openings, they squeezed off tiny droplets. Each of these droplets acted as a micro-scale chemical reactor in which materials were mixed and nanoparticles were generated. Each microfluidic tube can create millions of identical droplets that perform the same reaction.

This sort of system has been envisioned in the past, but its hasn’t been able to be scaled up because the parallel structure meant that if one tube got jammed, it would cause a ripple effect of changing pressures along its neighbors, knocking out the entire system. Think of it like losing a single Christmas light in one of the old-style strands – lose one, and you lose them all.

Brutchey and Malmstadt bypassed this problem by altering the geometry of the tubes themselves, shaping the junction between the tubes such that the particles come out a uniform size and the system is immune to pressure changes.

Malmstadt and Brutchey collaborated with Malancha Gupta of USC Viterbi and USC graduate students Carson Riche and Emily Roberts. Their work was supported by the National Science Foundation, grant CMMI-1436872.

The study can be found online here:

<http://www.nature.com/ncomms/2016/160223/ncomms10780/full/ncomms10780.html>

USC’s global impact

Research that improves the production and quality of materials that are essential to solving problems in the 21st Century highlights the global impact of USC’s scientists and engineers. Though they often go unnoticed, nanomaterials are used in applications around the world ranging from construction to consumer goods to healthcare – which is

why a recent industry analysis predicted that the global nanomaterials market could grow from \$3.4 billion in 2015 to \$11.8 billion by 2020.

###

USC Media Relations

Contact Us

Find a [USC media representative](#) or call our 24-hour media hotline:

(213) 740-2215

Related Sites

[USC News](#)
[USC Event Calendar](#)
[USC Facts and Figures](#)
[USC Administration](#)

Social Media Links

Website by USC Web Services