

[本期目录] [下期目录] [过刊浏览] [高级检索]

[打印本页] [关闭]

电力系统

基于卡尔曼滤波的电能质量分析方法综述

于静文,薛蕙,温渤婴

中国农业大学 信息与电气工程学院, 北京市 海淀区 100083

摘要:

首先对电能质量问题及其分析检测方法进行简单介绍;然后主要综述了常规卡尔曼滤波、扩展卡尔曼滤波和无迹卡尔曼滤波这3种卡尔曼滤波的基本原理,并对其在电能质量分析中的应用进行了系统的总结,对比分析了各种方法的利弊;最后对卡尔曼滤波方法现存的问题及今后的发展趋势进行了展望。

关键词:

A Survey on Kalman Filtering Based Methods for Power Quality Analysis

YU Jing-wen ,XUE Hui ,WEN Bo-ying

College of Information and Electrical Engineering, China Agriculture University, Haidian District, Beijing 100083, China

Abstract:

An outline of power quality and its analysis and detection methods is given; then basic principles of three kinds of Kalman filtering, i.e., traditional Kalman filtering, extended Kalman filtering and unscented Kalman filtering, are surveyed and the application of these methods in power quality analysis is summarized; the comparative analysis on advantages and disadvantages of these methods are performed; finally, the existing defects in Kalman filtering are pointed out and the development trend of Kalman filtering is prospected.

Keywords:

收稿日期 2008-11-18 修回日期 2009-10-29 网络版发布日期 2010-02-11

DOI:

基金项目:

通讯作者: 于静文

作者简介: 于静文(1981—), 女, 博士研究生, 研究方向为信号处理及其在电能质量分析中的应用, E-mail: yujingwen12@yahoo.com.cn; 薛蕙(1973—), 女, 副教授, 研究方向为电能质量分析; 温渤婴(1958—), 男, 教授, 博士生导师, 研究方向为电力系统自动化、继电保护和电能质量。

作者Email: yujingwen12@yahoo.com.cn

参考文献:

- [1] Dugan R C, Megranahan M F, Bentz H W. Electrical power system quality[M]. New York: MC Graw-Hill, 1996: 1.
- [2] 程浩忠, 艾萍, 张志刚, 等. 电能质量[M]. 北京: 清华大学出版社, 2006: 21.
- [3] Srinivasan K. Digital measurement of voltage flicker[J]. IEEE Trans on Power Delivery, 1991, 6(4): 1593-1598.
- [4] 李庚银, 陈志业, 宁宇. 快速傅里叶变换的两种改进算法[J]. 电力系统自动化, 1997, 21(12): 37-40(in Chinese).
- Li Gengyin, Chen Zhiye, Ning Yu. Two improved algorithms of the fast Fourier transform[J]. Automation of Electric Power Systems, 1997, 21(12): 37-40(in Chinese).
- [5] 张伏生, 耿中行, 葛耀中. 电力系统谐波分析的高精度FFT算法[J]. 中国电机工程学报, 1999, 19(3): 63-66.
- Zhang Fusheng, Geng Zhongxing, Ge Yaohong. FFT algorithm with high accuracy for harmonic analysis in power system[J]. Proceedings of the CSEE, 1999, 19(3): 63-66(in Chinese).
- [6] 薛蕙, 杨仁刚. 基于FFT的高精度谐波检测算法[J]. 中国电机工程学报, 2002, 22(12): 106-110.
- Xue Hui, Yang Rengang. Precise algorithms for harmonic analysis based on FFT algorithm[J]. Proceedings of the CSEE, 2002, 22(12): 106-110(in Chinese).
- [7] Soliman S, El-Hawary M. Measurement of power system voltage and flicker levels for power quality analysis: A static LAV state estimation based algorithm[J]. International Journal of Electrical Power & Energy Systems, 2000, 22(6): 447-450.
- [8] Abdel-Galil T K, El-Saadany E F, Salama M M A. Online tracking of voltage flicker utilizing energy

扩展功能

本文信息

- ▶ Supporting info
- ▶ PDF (408KB)
- ▶ [HTML全文]
- ▶ 参考文献[PDF]
- ▶ 参考文献

服务与反馈

- ▶ 把本文推荐给朋友
- ▶ 加入我的书架
- ▶ 加入引用管理器
- ▶ 引用本文
- ▶ Email Alert
- ▶ 文章反馈
- ▶ 浏览反馈信息

本文关键词相关文章

本文作者相关文章

PubMed

operator and Hilbert transform [J]. IEEE Trans on Power Delivery, 2004, 19(2): 861-867. [9] Santoso S, Powers E J, Grady W M. Electric power quality disturbance detection using wavelet transform analysis [C]. Proceedings of the IEEE-SP International Symposium on Time-Frequency and Time-Scale Analysis, Philadelphia, USA. [10] Huang S J, Hsieh C T, Huang C L. Application of Morlet wavelets to supervise power system disturbances[J]. IEEE Trans on Power Delivery, 1999, 14 (1): 235-241. [11] EL-Naggar K M, AL-Hasawi W M. A genetic based algorithm for measurement of power system disturbances[J]. Electric Power Systems Research, 2006, 76(9-10): 808-814. [12] Irene Y H G, Styvaktakis E. Bridge the gap: Signal processing for power quality applications[J]. Electric Power Systems Research, 2003, 66(2): 83-86. [13] 张民, 鲍海, 晏玲, 等. 基于卡尔曼滤波的短期负荷预测方法的研究[J]. 电网技术, 2003, 27(10): 39-42. Zhang Min, Bao Hai, Yan Ling, et al. Research on processing of short-term history data of daily load based on Kalman filter[J]. Power System Technology, 2003, 27(10): 39-42(in Chinese). [14] 马静波, 杨洪耕. 自适应卡尔曼滤波在电力系统短期负荷预测中的应用[J]. 电网技术, 2005, 29(1): 75-79. Ma Jingbo, Yang Honggeng. Application of adaptive Kalman filter in power system short-term load forecasting[J]. Power System Technology, 2005, 29(1): 75-79(in Chinese). [15] 谢开, 汪峰, 于尔铿, 等. 应用Kalman滤波方法的超短期负荷预报[J]. 中国电机工程学报, 1996, 16(4): 245-249. Xie Kai, Wang Feng, Yu Erkeng, et al. Very short-term load forecasting by Kalman filter algorithm[J]. Proceedings of the CSEE, 1996, 16(4): 245-249 (in Chinese). [16] 贾嵘, 杨可, 原丽, 等. 基于卡尔曼滤波和加窗插值谐波分析法的介损测量方法[J]. 电网技术, 2007, 29(31): 52-55. Jia Rong, Yang Ke, Yuan Li, et al. Dielectric loss measurement based on Kalman filter and interpolating windowed fast Fourier transform algorithm[J]. Power System Technology, 2007, 29(31): 52-55(in Chinese). [17] 秦晓辉, 毕天姝, 杨奇逊. 基于WAMS的电力系统机电暂态过程动态状态估计[J]. 中国电机工程学报, 2008, 28(7): 19-25. Qin Xiaohui, Bi Tianshu, Yang Qixun. Dynamic state estimator based on WAMS during power system transient process[J]. Proceedings of the CSEE, 2008, 28(7): 19-25(in Chinese). [18] 陆可, 肖建, 陈爽, 等. 基于强跟踪延时滤波算法的互馈双电机联合状态估计[J]. 中国电机工程学报, 2008, 28(36): 80-86. Lu Ke, Xiao Jian, Chen Shuang, et al. Combined states estimation of twin IMs reciprocal power-fed system based on strong track schmidt filter[J]. Proceedings of the CSEE, 2008, 28(36): 80-86(in Chinese). [19] 潘迪夫, 刘辉, 李燕飞. 基于时间序列分析和卡尔曼滤波算法的风电场风速预测优化模型[J]. 电网技术, 2008, 32 (7): 82-86. Pan Difu, Liu Hui, Li Yanfei. A wind speed forecasting optimization model for wind farms based on time series analysis and Kalman filter algorithm[J]. Power System Technology, 2008, 32 (7): 82-86(in Chinese). [20] 潘迪夫, 刘辉, 李燕飞. 风电场风速短期多步预测改进算法[J]. 中国电机工程学报, 2008, 28 (26): 87-91. Pan Difu, Liu Hui, Li Yanfei. Optimization algorithm of short-term multi-step wind speed forecast[J]. Proceedings of the CSEE, 2008, 26(28): 87-91(in Chinese). [21] 袁锋, 杨洪耕, 林呈辉. 带补偿分量的时变卡尔曼滤波的电压凹陷检测方法[J]. 中国电机工程学报, 2008, 28 (31): 81-87. Yuan Feng, Yang Honggeng, Lin Chenghui. A method for voltage sag detection based on time-varying Kalman filter with compensation component[J]. Proceedings of the CSEE, 2008, 28 (31): 81-87(in Chinese). [22] 于九祥. 利用卡尔曼滤波技术滤取工频分量的方法[J]. 电网技术1993, 17 (6): 44-50. Yu Jiuxiang. Method of obtaining fundamental frequency components with Kalman filtering technique[J]. Power System Technology, 1993, 17(6): 44-50(in Chinese). [23] 宋文尧, 张牙. 卡尔曼滤波[M]. 北京: 科学出版社, 1991: 45. [24] Kalman R E. A new approach to linear filtering and prediction problems[J]. Transactions of the American Society of Mechanical Engineers: Journal of Basic Engineering, 1960, 82(1): 35-45. [25] Julier S J, Uhlmann J K. Unscented filtering and nonlinear estimation[J]. Proceedings of the IEEE Aerospace and Electronic Systems, 2004, 92(3): 401-422. [26] Jazwinski A H. Stochastic processes and filtering theory[M]. New York: Academic, 1970: 145-215. [27] Gergis A A, Chang W B, Makram E B. A digital recursive measurement scheme for online tracking of power-system harmonics [J]. IEEE Trans on Power Delivery, 1991, 6(3): 1153-1160. [28] Soliman S A, Christensen G S, Kelly D H, et al. Dynamic tracking of the steady-state power-system magnitude and frequency using linear Kalman filter a variable frequency model[J]. Electric Power Components and Systems, 1992, 20(6): 593-611. [29] Barros J, Perez E. Automatic detection and analysis of voltage events in power systems[J]. IEEE Trans on Instrumentation and Measurement, 2006, 55(5): 1487-1493. [30] Kushner H J. Approximations to optimal nonlinear filters[J]. IEEE Trans on Automatic Control, 1967, 12(10): 546- 556. [31] Bar-Shalom Y, Li X R, Kirubarajan T. Estimation with applications to tracking and navigation: Theory, algorithms, and software [M]. New York: John Wiley & Sons, 2001: 373-374, 381-395, 200-217, 381-395, 311-317, 138-140. [32] Gordon N J, Salmond D J, Smith A F M. Novel approach to nonlinear/non-Gaussian Bayesian state estimation[J]. IEE Proceedings F: Radar and Signal Processing, 1993, 140 (2): 107- 113. [33] Carpenter J, Clifford P, Fearnhead P. Improved particle filter for nonlinear problems[J]. IEE Proceedings: Radar, Sonar and Navigation, 1999, 146(1): 1-7. [34] Beides H M, Heydt G T. Dynamic state estimation of power-system harmonics using Kalman filter methodology[J]. IEEE Trans on Power Delivery, 1991, 6(4): 1663-1670. [35] Kamwa I, Srinivasan K. Kalman filter-based technique for combined digital estimation of voltage flicker and phasor in power distribution systems[J]. European Transactions on Electrical Power Engineering, 1993, 3(2): 131-142. [36] Gergis A A, Makram E B. Measurement of voltage flicker magnitude and frequency using a Kalman filtering based approach[C]. Canadian Conference on Electrical and Computer Engineering, Calgary,

Canada, 1996. [37] Perez E, Barros J. An extended Kalman filtering approach for detection and analysis of voltage dips in power systems[J]. Electric Power Systems Research, 2007, 78(4): 618-625. [38] Dash P K, Pradhan A K, Panda G. Frequency estimation of distorted power systems signals using extended complex Kalman filter[J]. IEEE Trans on Power Delivery, 1999, 14(3): 761-766. [39] Dash P K, Jena R K, Panda G, et al. An extended complex Kalman filter for frequency measurement of distorted signals[J]. IEEE Trans on Instrumentation and Measurement, 2000, 49(4): 746-753. [40] Routray A, Pradhan A K, Rao K P. A novel Kalman filter for frequency estimation of distorted signals in power systems[J]. IEEE Trans on Instrumentation and Measurement, 2002, 51(3): 469-479. [41] Huang C H, Lee C H, Shih K J, et al. Frequency estimation of distorted power system signals using a robust algorithm[J]. IEEE Trans on Power Delivery, 2008, 23(1): 41-51. [42] Julier S J, Uhlmann J K. Unscented filtering and nonlinear estimation[J]. Proceedings of the IEEE, 2004, 92(3): 401-422. [43] Julier S J, Uhlmann J K, Durrant-Whyte H F. A new method for the nonlinear transformation of means and covariances in filters and estimators[J]. IEEE Trans on Automatic Control, 2000, 45(3): 477-482. [44] 程水英. 无迹变换与无迹卡尔曼滤波[J]. 计算机工程与应用, 2008, 44(24): 25-35. Cheng Shuiying. Unscented transformation and unscented Kalman filtering[J]. Computer Engineering and Applications, 2008, 44(24): 25-35(in Chinese). [45] Jian Zhang, Akshya Swain, Nirmal-Kumar C Nair, et al. Estimation of power quality using an unscented Kalman filter[C]. 2007 IEEE Region 10 Conference, Taipei, 2007. [46] 罗湛持, 张明. 基于Sigma点卡尔曼滤波器的电力频率跟踪新算法[J]. 电力系统自动化, 2008, 32(13): 35-39. Luo Chenchi, Zhang Ming. Frequency tracking of distorted power signal using complex sigma point Kalman filter[J]. Automation of Electric Power Systems, 2008, 32(13): 35-39(in Chinese). [47] Dash P K, Jena R K, Panda G, et al. An extended complex Kalman filter for frequency measurement of distorted signals [J]. IEEE Trans on Instrumentation and Measurement, 2000, 49(4): 746-753. [48] Liu S. An adaptive Kalman filter for dynamic estimation of harmonic signals[C]. 8th International Conference on Harmonics and Quality of Power, Athens, Greece, 1998. [49] Yu K K C, Watson N R, Arrillaga J. An adaptive Kalman filter for dynamic harmonic state estimation and harmonic injection tracking [J]. IEEE Trans on Power Delivery, 2005, 20(2): 1577-1584. [50] José A, Rosendo Macías, Antonio Gómez Expósito. Self-tuning of Kalman filters for harmonic computation[J]. IEEE Trans on Power Delivery, 2006, 21(1): 501-503. [51] Dash P K, Chilukuri M V. Hybrid S-transform and Kalman filtering approach for the detection and measurement of short duration disturbances in power networks [J]. IEEE Trans on Instrumentation and Measurement, 2004, 53(2): 588-595. [52] Barros J, Peñrez E. A combined wavelet-Kalman filtering scheme for automatic detection and analysis of voltage dips in power systems [C]. 2005 IEEE Russia Power Tech, Petersburg, Russia, 2005. [53] Kumar A, Das B, Sharma J. Dynamic state estimation of power system harmonics with bad data[J]. Electric Power Components and Systems, 2005, 33(12): 1281-1295. [54] Kumar A, Das B, Sharma J. Robust dynamic state estimation of power system harmonics[J]. International Journal of Electrical Power & Energy Systems, 2006, 28(1): 65-74. [55] Julier S J, Uhlmann J K, Durrant-Whyte H F. A new approach for filtering nonlinear systems[C]. Proceedings of the 1995 American Control Conference, Seattle, WA, 1995. [56] Julier S J, Uhlmann J K. Reduced sigma point filters for the propagation of means and covariances through nonlinear transformations[C]. Proceedings of the 2002 American Control Conference, Anchorage AK, 2002. [57] Julier S J, Uhlmann J K. The scaled unscented transformation [C]. Proceedings of the 2002 American Control Conference, Anchorage AK, 2002. [58] Julier S J, Uhlmann J K. A consistent, debiased method for converting between polar and Cartesian coordinate systems[C]. Proceedings of the Conference on Acquisition, tracking, and pointing XI, Orlando, USA, 1997. [59] Merwe R, Wan E. The square-root unscented Kalman filter for state and parameter-estimation[C]. IEEE International Conference on Acoustics, Speech, and Signal Processing, Salt Lake City, Utah, 2001.

本刊中的类似文章