

本期目录 | 下期目录 | 过刊浏览 | 高级检索

[打印本页] [关闭]

量子物理

(2+1)维非线性发展方程的对称约化和显式解

张颖元, 刘希强, 王岗伟

聊城大学数学科学学院, 山东 聊城 252059

摘要:

利用相容方法, 得到了(2+1)维非线性发展方程的对称, 并根据相应的特征方程组得到了(2+1)维非线性发展方程的相似约化, 同时得到了一些新的显式解.

关键词: (2+1)维非线性发展方程 对称约化 显式解

Symmetry reductions and explicit solutions of the (2+1)-dimensional nonlinear evolution equation

Zhang Ying-yuan, Liu Xi-qiang, Wang Gang-wei

School of Mathematical Science, Liaocheng University, Liaocheng 252059, China

Abstract:

Using the compatibility method, we obtain the symmetry of the nonlinear evolution equation. By solving the corresponding characteristic equations associated with symmetry equations, symmetry reductions of the (2+1)-dimensional nonlinear evolution equation are given first, then some special type of new explicit solutions are presented.

Keywords: (2+1)-dimensional nonlinear evolution equation symmetry reduction explicit solutions

收稿日期 2011-06-21 修回日期 2012-03-05 网络版发布日期 2012-07-01

DOI:

基金项目:

国家自然科学基金和中国工程物理研究院联合基金资助项目(11076015)

通讯作者: 刘希强 (1957-)教授, 博士, 研究方向为非线性微分方程系统。

作者简介: 张颖元 女, 山东济南人, 硕士, 研究方向为微分方程理论与应用. E-mail:

zhangyingyuanok@126.com

作者Email: liuxiqiang@sina.com.cn

扩展功能

本文信息

► Supporting info

► PDF(379KB)

► [HTML全文]

► 参考文献[PDF]

► 参考文献

服务与反馈

► 把本文推荐给朋友

► 加入我的书架

► 加入引用管理器

► 引用本文

► Email Alert

► 文章反馈

► 浏览反馈信息

本文关键词相关文章

► (2+1)维非线性发展方程

► 对称约化

► 显式解

本文作者相关文章

► 张颖元

► 刘希强

► 王岗伟

PubMed

► Article by Zhang,Y.Y

► Article by Liu,X.J

► Article by Yu,G.W

参考文献:

- [1] Liu Xiqiang. New explicit solutions of the (2+1)-dimensional Broer-Kaup equations [J]. J. Partial Diff. Eqs, 2004, 17: 1-9.
- [2] Tian Guichen, Liu Xiqiang. Exact solutions of the general variable coefficient Kdv equation with external force term [J]. Chinese Journal of Quantum Electromics (量子电子学报), 2005, 22: 339-343 (in Chinese).
- [3] Fan Engui, Zhang Jian. Applications of the Jacobi elliptic function method to special-type nonlinear equations [J]. Phys. Lett. A, 2002, 305: 383-392.
- [4] Dong Zhongzhou, Yu Xichang, et al. Exact traveling wave solutions of the nonlinear coupled Kdv equations [J]. Chinese Journal of Quantum Electromics (量子电子学报), 2006, 23: 31-34 (in Chinese).

- [5] Olver P J. Applications of Lie Groups to Differential Equations [M]. Berlin: Springer-Verlag, 1986.
- [6] Wazwaz Abdul-Majid. Multiple kink solutions and multiple singular kink solutions for (2+1)-dimensional nonlinear models generated by the Jaulent-Miodek hierarchy [J]. Phys. Lett. A, 2009, 373: 1844-1846.
- [7] Chen Huaitang, Zhang Hongqing. New multiple soliton solutions to the general Burgers-Fisher equation and the Kuramoto-Sivashinsky equation [J]. Chaos, Solitons & Fractals, 2004, 19: 71-76. [8] Abdou M A, Elhanbaly A. Construction of periodic and solitary wave solutions by the extended Jacobi elliptic function expansion method [J]. Applied Mathematics and Computation, 2007, 12: 1229-1241.
- [9] Liu Na, Liu Xiqiang. Symmetries, new exact solutions and conservation laws of (2+1)-dimensional Boiti-Leon-Manna-Pempinelli equation [J]. Chinese Journal of Quantum Electromics (量子电子学报), 2008, 25(5): 546-552 (in Chinese).

本刊中的类似文章

Copyright by 量子电子学报