

172 AutoCAD(W g櫻葦80緋 -N到揀(u 200200 7-9 鵲戢CSCW到o怵N柳10S T R怪賃誰|xvz NmWS' Yf[f[
•134-136 禱|x香湯寶(uw嶠?g到|xvz 61-65 B1翌 YBgb_秋遠l廠0葦緒跋oW翹判到療賃誰|24-26 penc c樞
(W5uP[FU -N到揀(u 梃:g揀(u xvz(緋ib,g) 263-265 TX _w嶠?gCAD鹼邁L1-2 b喫Y? 鵲戢Kerberos到
r0 NQ 埴hQ!j婁□r 梃:g館 z N揀(u 200207 169~172AEfficient Constraint-based exploratory mining on
large data cubes?the Proceedings of the 6th Pacific-Asia Conference. (PAKDD 2002) 200208 381-
392 v^L垢enc觀捩ParaWare鹼邁耗劫|88-90 ,{ NUSMO P[碯碯鋳;?j判-R怪9e蹠|44-45 鵲戢-Y魚姑) pe
嚮判v^L圖ataCube梃誰●154-157 b?T襜鯨判o怵N柳10S T R怪|xvz q\ N ^ ?Yf[f[(限6q禱f[Hr)
200209 19-22 N載nx歎睭!j婁汗-N腓到療賃誰-r療€b/g療館z?30-31 AutoCAD(W筭hV{| 罷緋 -N到揀
(u 200210 8-9 條Pg條蠶判 梃:g!j遙€b/g :g^禱禱f[N€b/g 200301 124-125 _警決ārpenc捩N揀(u怵
N 扞r z判賃誰NULL N載NO b,g到r^n捩)nKm鹼邁|xvz b煨Lr _wm梃r|瞞r^裏^X \縹M? \penc Y to怵N_襪
N揀(u q\ N' Yf[f[-200302 69-71 0C諳?z廢緋 0槁捩N嚮wS鹼邁-200303 74~77 婿3t 錄tb
java Y縹 z:g6R蕻vQ揀(u fkIl t館' Yf[f[|38-41 vfSO 判^樞` (W豐悞5u飴-N到\0(u R怪 r q\ N^怵r
Nf[f[f[|72-74 0C諳?z廢緋 0Yef[9ei?b濟□r-N齋Ye臉-t箕Bg警-200304 44 0 梃:g喫rS鵲@x 0Yef
[9ei檢T湯儵|38-39 C諳?z廢緋 Yef[xvz b濟LrY[*m銀 r5uP[FU 埴hQ NPKI 鈴錘5uP[€b/g 20-23
梃:g喫rS鵲@xYef[9ei檢T湯儵|r(uAutoCAD狼6R鯉鯨鯨判€b罇•r:g^鯉鯨鯨rNLu 36-37 0uf[鯉r^侵f T裏鬻劫
-R怪o怵N_襪N揀(u 梃:g N揀(u Sf[200305 320-322 衍貧 梃:g鵲@x饗Yef[(峭懣e誰判 ▼ N湯儵
-200306 58~59 U0裙▼Z 佻h垆l(W c垆Yef[-N到揀(u 95-98 (u 梃:gnx歎 YBgb_秋遠l廠0葦馭跋oW:\鴉到
gHe賃誰 r;映S緋•Y N6R 悞b/g 65-66 條Pg條蠶▼u 到 梃:g N w 0 S鹼邁判_襪-200307 214-
216 FORTRAN90判蓄 z療yr此-r榭' Yf[f[-200308 352 0畫箕喫苳-rPCcluster瘁憊 N鵲戢-Y魚pe嚮判
DataCube梃誰□r胜5uP[f[N 梃:g 1-5 嫌隸zf蠶rS鵲緋 肩蹠?bOW -N襪U\ -N齋?bOW r↑R l 寅f蠶
rS€b/g(W?bOW y舞v-N到揀(u 200309 N載鵲戢 _g到-Y魚penc _8^箕rC樞賃誰|r怵Nf[1571-1577 N f
[r↑R _ ,A Multi-Agent Cooperative Design Environment Proceeding of CAID & CD 2003 200310 169-
175 箕 0C諳?z廢緋 0到 sTYef[73 62-63 nx歎 YBgb_秋遠l廠0葦緒跋oW:\鴉到 梃:gAutoCAD賃誰|57-
58 C z廢判郟戢L屢嫻e誰-200311 21-22 埴hQ 0 NQ 判-R怪N緋 r 梃:g揀(u xvz(漫 R) 157~158 3u
宝-r鵲戢UART香DNP3. 0到埴縹限≡ S葉食 -快OP[鹼邁判|x6R 5u l限≡ S 200312 74-76 鎢駛規!r鵲戢弄!k
縹`^亭侏V判邁N5u蠶(峭懣c6RhV 5u汗鹼邁蕻vQ限≡ Sf[|29-33 搨eQ 睭 bc:g判! 睭 -t賃
Hh xvz 32-37 _/c漑ārn載湯齡2NL?_ek 快0到o怵N賃誰|71-74(Fair Scheduling in Input-Queued
SwitchesL2nd International Conference on Information Technology & Applications(ICITA) 200401 102-
2 簡遠縹{|S0鯨判 梃:g 甫W xvz 21-24 _鞣銀|r^h判WienerIndex 悞唱携{誰判N泠9e蹠|r 梃:g禱f
[-N \ 0 Npenc觀捩鵲緋高翌硃}Y到\$N*N頤鳩|r q\ N:g^|43-44 驪級 QY(Fibonacci)pe R到揀
(u xvz 200402 73-75, 98 睭狃汗-N腓香葦緒oW:\鴉 梃:gB1翌鹼邁判_襪|11-13 鵲戢AutoCADs^餽判蓮l
廠0葦80跋oW 梃:g鹼邁判_襪-r胜 梃:g酌^ 102-103 \$\漑q\ 鵲戢Kb:g韜垆o^判 f嫻|邁判緋 N湯齡
r|penc捩€b/g(W 0 N -t硃V{/e c鹼邁-N到揀(u 58-60 hg蓆 rpeW[蛎^ N魚蛻齡U\ :y鹼邁•r119 121 'Y
媼鳩/?zte*NC諳奩ef[;m≡賃誰判 ▼ N湯儵-200403 50~51 砵宝 r5u飴緋 -N到鯨廢頤槁◀r鵲戢CSCW到鵲Q{緋
鹼邁劫?xvz 18-21 鵲戢Visual LISP判婁汗-N腓 梃:g 恨l鹼邁(CAD) 114-115 NB\ R ^ _?U酌^ -t
鹼邁判緋 N湯齡□r 梃:g揀(u No怵N 56-57 101 QXb_ b婁 梃:g;悞?0 S鹼邁判_襪香揀(u 梃:g厘
ln緋 N佻b_f[f[•371-374 At88sCrF256-12 \悞as磨榜鹼邁判< r襪-rNNSf[/g箕
[W 200404 42 StarCube:N載貧He判penc蠶賃SO湯齡賃誰•587-593 鵲戢AutoCAD判 N魚遠SO判 梃:g限≡
S u b 78-79 39 40 戢 b療rHQ蹠€b/g鸞齡錘irAm 0 N到\0(u 禱f[N -tFResearch on a model
of component-based cooperative design of buildings\Proceedings of 8th International Conference on
Computer Supported Cooperative Work in Design 200405 181-186>Supporting design in an agent based
collaborative environment 348-355 湯齡蛎^ -t酌^ S判-Rek xvz -N齋•h芊rS 鵬鵲c?A Research
on the System of the CSCW-based Design of Buildings Proceeding of CAID&CD 2003 200406 90-
95 DNP3. 0(W鵲戢DSP判FTU-N到湯齡-r5uP[€b/g揀(u 25-27 GSM韜酌€b/g(Wr|h堺|邁-N到揀(u 28-
30 dlSfuQ Mscomm NC(W禱 鹼邁香zf蠶闢h垆v2NL?甚?N到揀(u 17-20 齋級 rMVC緋 !j _ xvz 49-
51 SQL SERVER 2000 N _劫penc怵KN紋判 0搨l靡c€b/g 52-54 _} XML(W5uP[?e -N到揀(u 61-63
貧!h5uP[FU 湯寶 鵲緋!j _ ▼ 95--98 f:y 扞 6R判湯齡↑r!j遙f廢r bb_判 N魚簡箏 梃:g鵲!j賃誰
|67-69 peW[蛎^e?a酌^ N魚of睭▼u b鹼邁•136-138 Y[? Z peW[蛎^ -N' Y|i判 梃:g N魚蛻鵲€b/g 6-9
peW[佻fN啓te T湯儵N ` € 佻fN啓Bg警|44-49 N*N/e c R ^ _OS T鵲Q{緋 判!j婁|xvz 10-13 Y[誦
rNg ↑rN載 梃:g埴hQ襪U\到療€b/g 筭館MQ玘|76-790Proceedings of 2004 International Conference on
Management Science &Engineering 200407 217 219)R(uDelphi_襪鵲戢MIDAS香ADO€b/g判 NB\ (u(u 109-
111 Em 擘噴b鈴湯(VR)€b/g鸞貧I{Ye臉判q_歧ā酌^FU罷 !!f判酌^`柳'鎧`-R怪 rNLu h芊rS N(峭懣
{-t -N齋Ye臉N Yef[200408 58 \頃penc蠶賃SO€b/g xvz 1165-1171 Y[罽禱r鵲戢JSSE判SSLOS畫判
r|xvz N湯齡r胜:g襪U\ 120-122)R(upsQT€ t箕歎蟒膝鱗 悞b汝揀FU判梃誰|xvz 90-92 婿◀T埴Lr|] 蠶
▼w N載ibU\到館\OAm;m≡鬻劫!j婁|xvz 200409 Internet N|i嘯限≡ S鹼邁判*geg zf蠶鵲Q

€b/g 200410 36-40 hgR? Intranet瘁傍 N鵠戛蚰\OAm判鹼邁-R怪□_rwm決館 z' Yf[f[]閉鷓齋]_rROLAP瘁傍
Npenc蠶笄SO判 梃Fh耗|93-95 Rwi ? 4b堙~g 踉鞞館→Nf[b杆[兕_r鵠戛Km蟒判 砢 6R笄Hh況儆¶xvz
\媵睦媵 梃:g鹼邁-200411 1938-1942 270-272 281 Y[Sf f Ou蠶決]_r鵠戛Z嘖b闕hV判IEC5u媵陸豐Km
蟒¶xvz 5uKm N闕h? 50-52 35 N魚簡遠b_SO 哺W判N載 梃:g梃誰|_r 梃:g館 z 158-159 _0? 限≡
6R t箕湯寶闕hVKm譜o怵N判湯齡→_r 0q\ N鷓Q{館 zf[b杆[01999^ 2003t^ _喫-R怪-200412 95 98 ?bOW
y蕪v判 梃:g厘ln颯L?` xvz !j蕪芴□T t箕(W鵠戛,gSO判銓苳類"}-N判揆(u 貧€b/g 慧? 漫 R 493-
495 N魚簡筍 哺W判 梃:g袖¶xvz 17-19 Ng f鰭+_r鶯:g^_rO N哺UO揆鷲Q 勝蝨Nm判鷓畫-200501 36
37 40 112-114 200-201, 51 Ng鷓決¶_r鍾9ei?R瘵判緇^yZP}Yf[u館\O 瘵b_縹 N貧!hf[u館\O xvz 233
238 賬41 S惕媼S判瘵笄誰|_r鵠緋醇o` 200502 98 鵠戛yr此媼 CQ }判(u7b媼 Z€{|笄誰¶xvz 85-
87, 91 Ng][箭|_rEm ?YB\00□鷓Q{賬拊41緋 判郵*N頤鳩|40-41 Y[0? 0(uGSM(u7bt扒g:g6R9e又SSL塹hQ`判
¶xvz 110-112 袂(u朕-tHe揆 衍貧 -tHe啤•_rYe臉蝨Nm N -tMSemi-
ClosedCube:AnEffectiveApproachtoTradeOffDataCubeSizeandQueryResponseTime 200503 367-372 豐媵
hVzz}?T鴛鴦5u蠶(嶠戛唱?xvz 5u汗限≡ S縹•Y 41-43 嫌¶lProceedings of 2006 Asia-Pacific Services
Computing Conference 200612 64-69 H柵zOehAn Efficient Approach to Web Services Discovery and
Composition When Large Scale Services are Available 34-41GEfficient Indexing Structures for Web
Service Discovery and Composition, Journal of Computational Information Systems 1283-1289*Fuzzy
Similarity From Conceptual Relations 3-10 *N` SpeW[佻fn啓 |P滄|邁-N(u7b鳩皓fs^ 7 R室_r
•7 g R荃蓆_r •7 _r堙蕩_r •7 Rim 7 ^N-N 7 29-32 7 笄囑*
7 73-75 7 \g鄉薙_r •7 4bE\ON 7 hg蓆_r •7 R縹wZ 7 Z嘖b齡湯€b/g
蘇vQ揆(u 7 20-23 30 7o Rim 7 4bE\ON 7 b喫Y? 7 107-108
7 R縹wZ 7 R^堙_r •7 \$灑q\ 7I TMS320F2812判燧-t蘇vQ(W2NL?悞O-N判€{US揆(u
7q\ 75-77 7L? _鷓_r •7 0u=N 7揆|+|晚NS規_r •7緋|+|封e齋_r •7緋|+|晚NS規_r •71 1殢
[▼0 7 u歲y斟_r •7 迹堙_r •7 hg b蓆_r •7判|+hg b蓆_r •7誰|+|1厥f Z 7邁|+|媵3t 7
邁□|+q\ N鷓Q{Yf[f[_r •7 NgSf頤_r •7f[_r堙蕩_r •7? SARS齡a?N緇^y喫¶r鷓緋_r •7 Ng f鰭_r
•77 Y[Y?t 77 貧Sf ? 77 UO褙▼Z 7f[怙蹙_r •7f[_警決_r •7f[躑lr 1 7f
[Rim 7f[R縹wZ 7f[赧R? 7 u哪e 7!j Rf[7!j u嗒? •7銜|+|b喫
Y? 7 T b喫Y? 7誰|+|\g TNS 7誰|+|u歲y斟_r •7誰|+|↑Rim 7誰|+|↑Rf[7判|+|u哪e 7判
|+|Ou蠶決_r •7 Ng堙駟_r •7 |+|Ng焮_r •7 |+|騾縹wm 7 T Y[Tof 7鹼|+|}v? 7鹼|+|媵裏齋
•77鹼|+|Y[Tof 7限|+|}v? 7限|+| z=N ? 7限|+|鷲瘵鷓_r •7-N 8h朕▼g R 7揆|+|1殢Q 7?
1殢Q 7醇|+|1殢Q 7vz 1殢Q 7判|+|↑R^堙_r •7"} 鋸_儻s 7 鵠戛XML判zf蠶醇o`類"}
NZE{|¶xvz 7暉|+|馨禰IN 7-N T:_ 7 R R 7▼ _警決_r •7▼ Ng躑i` 7▼
Y Oo? 7▼ \g鄉薙_r •7 螿→R 7 Y[0? 7 Y[罨禡_r •7湯|+|鷲P[Vf 7湯|+|鋸
駛規_r •7塹|+|翌s倏? •7 x u喊mc? 7 x 0 7筭|+|j1? ? 7 >皓fs^ 7 _ Y[Sf f
7誰|+|Ou=N 7vz j1? ? 7判|+|H椰S 7判|+|Ng fN 7闕|+|媵wm m 7\$ 媵Sf穉_r •7
媵堙規_r •7 hg蓆_r •7I 鏃邁hT 7湯|+|ActiveX 鯨緋 -N(u7bLub慘^6R`蠶判↑0 S 7斟|+|}Y Oo?
7狼 |B-shell焠蠶ibU\ 7 Y Oo? 7 200510 7 Y Oo? 7 媵暉_r •7 _蚱
pQ 7 齋鋸□ T€鹼 NOR燧\O € _r •7 1殢[▼0 7u 0u=N 7u 媵nf 76R 梃:g
館 z 7? 181-183 70 ,{N\0 € 7 u華^oy 7 u華^oy 7 h 醜帛_r
•7 h Ng0e 7 hT規_r •7 200406 7 R鵠堙_r •7 eQ孺類Km-N!j _9SM憲{誰判¶xvz
7堙|+|↑Rwi ? 7 41-43 7 u嗒? •7 騾Bh4Z 71 dlSfuQ 7 R^堙_r •7 砢
室_r •7 S q\ N鷓Q{館 zf[b杆[_r •7齡|+|hQ齋`▼g R 7 q\ N鷓Q{館 zf[b杆[_r •7 鏃邁hT
7 Ouf[鯁_r •7? Ng b h 7袖|+|躑lr 1 7? :嚏Q 7? q\ N鷓Q{館 zf[b杆[_r
•7 R 1 7 R 1 7_ R 1 7| _鷓_r •7|]SfR? 7| 醜KQ~t
7 輻Sf暉_r •7媵|+|_決_r •7? 齋鋸_r •7 hQ齋`▼g R 7鋸|+|_}r •7 ,{N 0弄\O €
7蒂|+|螿Y? 7 潰f3? 7 Y[0 0 7 q\ N鷓Q{Yf[f[_r •7\$ 8h朕▼g R 7
\$ 1g'Y頂_r •7 hQ齋`▼g R 7判|+|hQ齋`▼g R 7? _警決_r •7 hg蓆_r •7 媵Y? 7
Ng裏塹_r •7 _r堙蕩_r •7 H肱Q駁_r •7-N 媵暉_r •7aS _r堙蕩_r •7邁|+|怙蹙_r •7邁|+|58-
58 7` u哪e 7 b喫Y? 7 hT刃堙_r •7 -N齋禡€b醇o` 7 騾縹9e魅(W Y t湯寶
penc鯨判揆(u 7 l u嶠?u 7 躑lr 1 7 u峇e鋸_r •7\ _r81刃_r •7 R鬱↔g
7 u峇e鋸_r •7齋|+|↑R鬱↔g 7齋|+|T駛鋸_r •7齋|+|_r81刃_r •7齋|+|CCED喫鯨錘GPqN w鏢熒苳_r •7?
u?k 77 u?k 7 媵Sf穉_r •7 \g鄉薙_r •7 u歲y斟_r •7 u咽[f 7 匱_
苳_r •7 鹹≡Agent蘇vQQ 勝揆(u xvz 7苳 |+|q\ N鷓Q{館 zf[b杆[_r •7 200112 7 24-
27 7 0 7 u歲y斟_r •7 u咽[f 7 梃:g N N湯寶Yef[9ei?xvz 7 禱翳hQ
7i? Ng焮_r •7 禱鴉zf 7鹼 |+|lgeP 0怙罨5?0砢室_r •7 芴 %f 7 _珽斟_r •7 躑
lr 1 7`N 1 7 怙蹙_r •7c? 〃魴y梓_r •7 Z嘖b闕hV€b/g(W限≡ 6R燧-t湯寶-N判揆(u 7枰

Microsoft Excel@ -??@^?z ? ? 帳謔.←+掇□+, 0
P X p x € ?▲+WwW.YlmF.CoM ? Sheet1 工作表
*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNopqrstuvwxyz[\]^_`abcdefghijklmnopqrstuvwxyz{|}~ €? ? ?
? ? ?

Root Entry

7

Workbook
DocumentSummaryInformation8

SummaryInformation(+)