RESEARCH NOTES

一种分离纯化天然药物紫杉醇的新方法

肖剑, 韩金玉, 马沛生

College of Chemical Engineering, Tianjin University, Tianjin 300072, China

收稿日期 修回日期 网络版发布日期 接受日期

摘要 A pharmacological interaction target (PIT) method for solving the difficult problem in the separation of taxol from cephalonmanine was proposed. A two-phase extraction technique was

used to carry out the PIT separation process. The effects of buffer, temperature and protein on the separation were investigated. Feasible disassembly conditions were also discussed. The final purity of taxol can reach 95% or higher.

关键词 <u>taxol</u> <u>purification</u> <u>pharmacological interaction target method</u> 分类号

DOI:

A New Method for Isolating and Purifying Natural Drug Taxol

XIAO Jian, HAN Jinyu, MA Peisheng

College of Chemical Engineering, Tianjin University, Tianjin 300072, China

Received Revised Online Accepted

Abstract A pharmacological interaction target (PIT) method for solving the difficult problem in the separation of taxol from cephalonmanine was proposed. A two-phase extraction technique was used to carry out the PIT separation process. The effects of buffer, temperature and protein on the separation were investigated. Feasible disassembly conditions were also discussed. The final purity of taxol can reach 95% or higher.

Key words taxol; purification; pharmacological interaction target method

通讯作者:

肖剑 <u>xiaojian@mail.com</u>

作者个人主页: 肖剑; 韩金玉; 马沛生

扩展功能

本文信息

- ► Supporting info
- ▶ PDF(875KB)
- ▶ [HTML全文](OKB)
- ▶参考文献

服务与反馈

- ▶把本文推荐给朋友
- ▶加入我的书架
- ▶加入引用管理器
- ▶引用本文
- ▶ Email Alert
- ▶ 文章反馈
- 浏览反馈信息

相关信息

▶ 本刊中 包含 "taxol"的 相关文章

▶本文作者相关文章

- · 肖剑
- · 韩金玉
- 马沛生