

Dehydration of xylose to furfural using a Lewis or Brønsted acid catalyst and N₂ stripping

Iker AGIRREZABAL-TELLERIA^a, Cristina GARCÍA-SANCHO^b, Pedro MAIRELES-TORRES^b, Pedro Luis ARIAS^a

^a Department of Chemical and Environmental Engineering, Engineering School, University of the Basque Country (EHU/UPV), Alameda Urquijo s/n, 480¹ Bilbao, Spain;

^b Department of Inorganic Chemistry, Crystallography and Mineralogy (Unit Associated to ICP-CSIC), Science Faculty, University of Málaga, Campus Teas/n, 29071, Málaga, Spain

Dehydration of xylose to furfural using a Lewis or Brønsted acid catalyst and N₂ stripping

Iker AGIRREZABAL-TELLERIA^a, Cristina GARCÍA-SANCHO^b, Pedro MAIRELES-TORRES^b, Pedro Luis ARIAS^a

^a Department of Chemical and Environmental Engineering, Engineering School, University of the Basque Country (EHU/UPV), Alameda Urquijo s/n, 480¹ Bilbao, Spain;

^b Department of Inorganic Chemistry, Crystallography and Mineralogy (Unit Associated to ICP-CSIC), Science Faculty, University of Málaga, Campus Teas/n, 29071, Málaga, Spain

[摘要](#) [图/表](#) [参考文献](#) [相关文章 \(2\)](#)