



福建師範大學 物理与能源学院
FUJIAN NORMAL UNIVERSITY College of Physics and Energy

福建省太阳能转换与储能工程技术研究中心

Fujian Provincial Engineering Technology Research Center of Solar Energy Conversion and Energy Storage

福建省量子调控与新能源材料重点实验室

Fujian Provincial Laboratory of Quantum Manipulation and New Energy Materials

[学院首页](#)

[学院概况](#)

[本科教育](#)

[研究生教育](#)

[学科建设](#)

[科学研究](#)

[招生就业](#)

[党团工作](#)

[校友之窗](#)

[院务公开](#)

[图书资料](#)

李加新

时间: 2018-09-04 浏览: 2293



李加新，1984年7月生，博士/副教授/硕士生导师。近年来，主要从事碳基材料及其复合物的制备及应用在锂离子电池、锂空气电池及超级电容等储能方面的研究，主持国家自然科学基金1项(21203025，2012~2015年，结题)和福建省自然科学基金项目1项，作为学术骨干参与973项目子课题、中科院纳米先导项目子课题及国家自然科学基金项目多项。在J. Mater. Chem. (A)、Chem. Comm.、ACS Appl. Mater.Interfaces、Electrochem. Comm.、J.

Phys. Chem. C、Electrochim. Acta、J Power Sources等发表第一作者及通讯作者论文近 30 篇，申请专利 3 项；2009 年以来，论文被引用逾 1500 次，H 因子 23；其中，第一作者论文 1 篇最高被引 145 次，1 篇被 NPG Asia Materials 亮点评论 1 次，1 篇为 J. Mater. Chem. 杂志月度阅读量排名前 10 论文。

E-mail: ljx0721@qq.com, lijiaxin@fjnu.edu.cn.

主要论文:

- [1] **Li J.X.**, Lai H., Fan B.Q., Guan L.H., Huang Z.G.*. Urea melt electrodeposition of RE-IG(RE=La,Sm,Gd; IG=Fe,Co,Ni) amorphous alloy films. *J. Alloy. Comp.*, 2009, 477, 547.
- [2] **Li J.X.**, Wu CX, Guan LH.*. Lithium insertion/extraction properties of nano-carbon materials, *J. Phys. Chem. C.*, 2009, 113 (42), 18431.
- [3] **Li J.X.**, Zhao Y, Guan LH.*. Lithium storage in single-walled carbon nanotubes, *Electrochem. Comm.*, 2010, 12, 592.
- [4] **Li J.X.**, Zhao Y., Wang N., Guan L.H.*. A high performance carrier for SnO₂ particles used in lithium ion battery. *Chem. Comm.*, 2011, 47, 5238.
- [5] **Li J.X.**, Wang N., Zhao Y., Ding Y.H., Guan LH.*. MnO₂ nanoflake coated on multi-walled carbon nanotubes for rechargeable lithium-air battery, *Electrochem. Comm.*, 2011, 13(7), 698.
- [6] **Li J.X.**, Zhao Y., Wang N., Ding Y. H., Guan L.H.*. Enhanced performance of a MnO₂/Graphene-Sheet cathode for lithium ion batteries using sodium alginate as a binder. *J. Mater. Chem.*, 2012, 22, 13002.
- [7] **Li J.X.**, Zhao Y., Ding Y. H., Guan L.H.*. Fe₂O₃ nanoparticles coated on ferrocene-encapsulated single-walled carbon nanotubes as stable anode materials for long-term cycling, *RSC Advances*, 2012, 2, 4205.
- [8] **Li J.X.**, Zou M.Z., Zhao Y, Lin Y.B., Lai H., Guan LH.*, Huang Z.G.*. Coaxial MWNTs@MnO₂ confined in conducting PPy for kinetically efficient and long-term lithium ion storage. *Electrochimica. Acta.*, 2013, 111, 165.
- [9] **Li J.X.**, Zhao Y, Wu C.X., Lai H., Huang Z.G, Guan LH.*. Recent progress in carbon-based cathode for lithium-air batteries with organic electrolyte solution. *Chin Sci Bull* (Chin Ver., review), 2013, 58: 3189.

- [10] **Li J.X.**, Zou M.Z., Zhao, Y., Huang Z.G.*, Guan L.H.*. A simple integrated design and manufacture by electrospinning of stabilized lithium battery tin-based anodes. *RSC Advances*, 2013, 3, 19251.
- [11] **Li J.X.**, Zou M.Z., Chen L.Z., Huang Z.G.*, Guan L.H.*. An efficient bifunctional catalyst of Fe/Fe₃C carbon nanofibers for rechargeable Li-O₂ batteries. *J. Mater. Chem. A.*, 2014, 2, 10634.
- [12] **Li J.X.**, Zou M.Z., Wen W.W., Zhao Y., Lin Y.B., Huang Z.G.*, Guan L.H.*, Spinel MFe₂O₄(M = Co,Ni) nanoparticles coated on multi-walled carbon nanotubes as electrocatalysts for Li-O₂ batteries. *J. Mater. Chem. A.*, 2014, 2, 10257.
- [13] **Li J.X.**, Zhao Y., Zou M.Z., Huang Z.G.*, Guan L.H.*. An effective integrated design for enhanced cathodes of Ni foam-supported Pt/Carbon nanotubes for Li-O₂ batteries. *ACS Appl. Mater. Interfaces.*, 2014, 6, 12479.
- [14] **Li J.X.**, Wen W.W., Xu G.G., Zou M.Z., Guan L.H.*, Huang Z.G., Fe-added Fe₃C carbon nanofibers as anode for Li ion batteries with excellent low-temperature performance *Electrochimica. Acta.*, 2015, 153, 300.
- [15] **Li J.X.**, Wen W.W., Zou M.Z., Guan L.H., Huang Z.G.*. MWNT-supported bifunctional catalyst of β-FeOOH nanospindles for enhanced rechargeable Li-O₂ batteries. *J. Alloy. Comp.*, 2015, 639, 428.
- [16] Zou M.Z., **Li J.X.***, Wen W.W., Lin Y.B., Lai H., Huang Z.G.*. Free-standing anode of N-doped carbon nanofibers containing SnO_x for high-performance lithium batteries. *Mater. Res. Bull.*, 2014, 60, 868.
- [17] Wen W.W., Zou M.Z., Feng, Q., **Li J.X.***, Guan L.H., Lai H., Huang Z.G.*. Cu particles decorated pomegranate-structured SnO₂@C composites as anode for lithium ion batteries with enhanced performance. *Electrochimica. Acta.*, 2015, 182, 272.
- [18] Wen W.W., Zou M.Z., Feng, Q., **Li J.X.***, Lai H., Huang Z.G.*. SnO₂ nanospheres among GO and SWNTs networks as anode for enhanced lithium storage performances. *J. Ener. Chem.*, 2016, 25, 45.
- [19] Zou M.Z., Wen W.W., **Li J.X.***, Lai H., Huang Z.G.*. Electric Cu nanoparticles decorated V₂O₅ spheres as high performance cathodes for lithium ion batteries. *J. Alloys Compounds.*, 2016, 681, 268.
- [20] Zou M.Z., Wang L.L., **Li J.X.***, Guan L.H., Huang Z.G.*. Enhanced Li-ion battery performances of yolk-shell Fe₃O₄@C anodes with Fe₃C catalyst. *Electrochimica. Acta.*, 2017, 233, 85.

[21] **Li J.X.**, Huang W.J., Zou M.Z., Wu C.X., Zhao Y., Guan L.H.*, Huang Z.G.*. Iron encapsulated in single-walled carbon nanotubes for obtaining the evidence of improved coulombic efficiency and improving the lithium battery performance of ZnO anodes. *RSC Advances*, 2018, 8, 11566.

版权所有 © 福建师范大学物理能源学院 | 地址：福建省福州市大学城科技路1号福建师范大学旗山校区(350117)

闽ICP备05000146号 | 闽公网安备 35010402350565号