



STATE KEY LABORATORY OF FIRE SCIENCE

求真务实，开拓创新



学术论文

2000年及之前

2001年

2002年

2003年

2004年

2005年

2006年

2007年

2008年

















2009年

2010年























2011年

首页 > 科学研究 > 学术论文 > 2004年

2004年

-  Asif A, Shi WF (2004) UV curable waterborne polyurethane acrylate dispersions based on hyperbranched aliphatic polyester: effect of molecular structure on physical and thermal properties. *Polymers for Advanced Technologies* 15 (11), 669-675. [In English]  
 论文链接: <http://dx.doi.org/10.1002/pat.528>
-  Chen HX, Liu NA, Shu LF, Zong RW (2004) Smoothing and differentiation of thermogravimetric data of biomass materials. *Journal of Thermal Analysis and Calorimetry* 78(3), 1029-1041. [In English]  
 论文链接: <http://dx.doi.org/10.1007/s10973-004-0468-6>
-  Chen SN, Sun JH, Wang QS (2004) 'Mechanism research of boiling liquid expanding vapor explosion.' (Science Press Beijing: Beijing) 2154-2158
-  Chen T, Yuan HY, Su GF, Fan WC (2004) An automatic fire searching and suppression system for large spaces. *Fire Safety Journal* 39(4), 297-307. [In English]  
 论文链接: <http://dx.doi.org/10.1016/j.firesaf.2003.11.007>
-  Chen W, Feng L, Qu BJ (2004a) In situ synthesis of poly(methyl methacrylate)/MgAl layered double hydroxide nanocomposite with high transparency and enhanced thermal properties. *Solid State Communications* 130(3-4), 259-263. [In English]  
 论文链接: <http://dx.doi.org/10.1016/j.ssc.2004.01.031>
-  Chen W, Feng L, Qu BJ (2004b) Preparation of nanocomposites by exfoliation of ZnAl layered double hydroxides in nonpolar LLDPE solution. *Chemistry of Materials* 16(3), 368-370. [In English]  
 论文链接: <http://dx.doi.org/10.1021/cm0303484>
-  Chen W, Qu BJ (2004) LLDPE/ZnAlLDH-exfoliated nanocomposites: effects of nanolayers on thermal and mechanical properties. *Journal of Materials Chemistry* 14(11), 1705-1710. [In English]  
 论文链接: <http://dx.doi.org/10.1039/b401790k>
-  Chen XJ, Yang LZ, Deng ZH, Fan WC (2004) A multi-layer zone model for predicting temperature distribution in a fire room. *Progress in Natural Science* 14(6), 536-540. [In English]  
 论文链接: <http://dx.doi.org/10.1080/10020070412331343901>
-  Cong BH, Liao GX (2004) 'Numerical simulation on fire suppression modeling by water sprays.' (Science Press Beijing: Beijing) 1257-1265
-  Deng J, Shi WF (2004) Synthesis and effect of hyperbranched (3-hydroxyphenyl) phosphate as a curing agent on the thermal and combustion behaviours of novolac epoxy resin. *European Polymer Journal* 40(6), 1137-1143. [In English]  
 论文链接: <http://dx.doi.org/10.1016/j.eurpolymj.2003.12.015>
-  Deng J, Zhu SW, Shi WF (2004) Effect of molecular chain structure of the cured epoxy resin containing hyperbranched (3-hydroxyphenyl) phosphate on expansion and flame retardance. *Journal of Applied Polymer Science* 94(5), 2065-2070. [In English]  
 论文链接: <http://dx.doi.org/10.1002/app.21152>
-  Ding J, Shi WF (2004) Thermal degradation and flame retardancy of hexaacrylated/hexaethoxyl cyclophosphazene and their blends with epoxy acrylate. *Polymer Degradation and Stability* 84(1), 159-165. [In English]  
 论文链接: <http://dx.doi.org/10.1016/j.polymdegradstab.2003.10.006>
-  Fang J, Shu XM, Yuan HY, Zheng X (2004) Self-preserving size distribution of fire soot fractal coagulation in flaming combustion. *Journal of Fire Sciences* 22(1), 53-68. [In English]  
 论文链接: <http://dx.doi.org/10.1177/0734904104039250>
-  Fang J, Yuan HY, Su GF (2004) 'Numerical and experimental study of fire smoke plumes in stably thermally stratified environments.' (Science Press Beijing: Beijing) 1272-1276
-  Fu MZ, Qu BJ (2004) Synergistic flame retardant mechanism of fumed silica in ethylene-vinyl acetate/magnesium hydroxide blends. *Polymer Degradation and Stability* 85(1), 633-639. [In English]  
 论文链接: <http://dx.doi.org/10.1016/j.polymdegradstab.2004.03.002>
-  Hu LH, Huo R, Li YZ, Wang HB (2004) Experimental study on the burning characteristics of wood cribs in a confined



- space. *Journal of Fire Sciences* 22(6), 473-489. [In English]  
论文链接: <http://dx.doi.org/10.1177/0734904104042595>
-  Hu LH, Li YZ, Huo R, Yi L, Shi CL, Chow WK (2004) Experimental studies on the rise-time of buoyant fire plume fronts induced by pool fires. *Journal of Fire Sciences* 22(1), 69-86. [In English]  
论文链接: <http://dx.doi.org/10.1177/0734904104039696>
-  Kang P, Chen CN, Hao LY, Zhu CL, Hu Y, Chen ZY (2004) A novel sonication route to prepare anthracene nanoparticles. *Materials Research Bulletin* 39(4-5), 545-551. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.materresbull.2003.12.013>
-  Kou HG, Shi WF (2004) Photorefractivity of hyperbranched polyisophthalate endcapped with pendant carbazolyl and azobenzene groups. *European Polymer Journal* 40(7), 1337-1342. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.eurpolymj.2004.02.017>
-  Lei S, Yuan H, Lin ZH, Xuan SY, Wang SF, Chen ZY, Fan WC (2004) Preparation and properties of halogen-free flame-retarded polyamide 6/organoclay nanocomposite. *Polymer Degradation and Stability* 86(3), 535-540. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.polymdegradstab.2004.06.007>
-  Li YL, Lu SX, Fan WC (2004) 'Boiling evaporation of typical fuel leaked on heated surface.' (Science Press Beijing: Beijing) 1459-1464
-  Li ZZ, Qu BJ (2004) Effects of gamma irradiation on the properties of flame-retardant EVM/magnesium hydroxide blends. *Radiation Physics and Chemistry* 69(2), 137-141. [In English]  
论文链接: [http://dx.doi.org/10.1016/s0969-806x\(03\)00446-8](http://dx.doi.org/10.1016/s0969-806x(03)00446-8)
-  Liang H, Shi WF (2004) Thermal behaviour and degradation mechanism of phosphate di/triacrylate used for UV curable flame-retardant coatings. *Polymer Degradation and Stability* 84(3), 525-532. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.polymdegradstab.2003.11.006>
-  Liang HB, Ding J, Shi WF (2004) Kinetics and mechanism of thermal oxidative degradation of UV cured epoxy acrylate/phosphate triacrylate blends. *Polymer Degradation and Stability* 86(2), 217-223. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.polymdegradstab.2004.04.014>
-  Liu J, Hu Y, Wang SF, Song L, Chen ZY, Fan WC (2004) Preparation and characterization of nylon 6/Cu<sup>2+</sup>-exchanged and Fe<sup>3+</sup>-exchanged montmorillonite nanocomposite. *Colloid and Polymer Science* 282(3), 291-294. [In English]  
论文链接: <http://dx.doi.org/10.1007/s00396-003-0978-y>
-  Liu N, Chen HX, Shu LF, Zong RW, Yao B, Statheropoulos M (2004) Gaussian smoothing strategy of thermogravimetric data of biomass materials in an air atmosphere. *Industrial & Engineering Chemistry Research* 43(15), 4087-4096. [In English]  
论文链接: <http://dx.doi.org/10.1021/ie049932s>
-  Liu RX, Liu XP, Zhang L, Wang ZF (2004) Tracking and reconstruction methods for moving-interfaces. *Applied Mathematics and Mechanics-English Edition* 25(3), 307-321. [In English]
-  Liu XF, Zhang J, Zhang HP (2004) Studies on flame retardancy of HIPS/montmorillonite composites. *Acta Polymerica Sinica*(5), 650-655. [In Chinese]
-  Liu XY, Lu SX, Qin J, Guo ZR (2004a) 'Experimental study on suppression of methane flame propagating by water mist.' (Science Press Beijing: Beijing) 1493-1498
-  Liu YJ, Fan WC, Li HN (2004) 'Finite element analysis of 3D temperature fields in structures subjected to fire.' (Science Press Beijing: Beijing) 592-596
-  Liu ZG, Lu P, Yuan L, Dai GL, Shi BM, Tu M (2004b) 'Research on gas drainage technology of first mined coal seam.' (A a Balkema Publishers: Leiden) 199-203  
论文链接: <http://dx.doi.org/10.1201/9780203022528.ch39>
-  Lu HD, Hu Y, Kong QH, Cai YB, Chen ZY, Fan WC (2004a) Influence of gamma irradiation on high density polyethylene/ethylene-vinyl acetate/clay nanocomposites. *Polymers for Advanced Technologies* 15(10), 601-605. [In English]  
论文链接: <http://dx.doi.org/10.1002/pat.518>
-  Lu HD, Hu Y, Yang L, Chen ZY, Fan WC (2004b) Performance of polyethylene/magnesium hydroxide sulfate hydrate-whisker composites. *Materials Research Innovations* 8(4), 163-163. [In English]
-  Lu HD, Hu YA, Yang L, Wang ZZ, Chen ZY, Fan WC (2004c) Study of the fire performance of magnesium hydroxide sulfate hydrate whisker flame retardant polyethylene. *Macromolecular Materials and Engineering* 289(11), 984-989. [In English]  
论文链接: <http://dx.doi.org/10.1002/mame.200400165>
-  Lu P, Li P, Zhu GW, Liao GX (2004) 'Slide weakening model of coal and gas outburst.' (Science Press Beijing: Beijing) 578-582
-  Lu P, Liao G, Sun JH, Li PD (2004) Experimental research on index gas of the coal spontaneous at low-temperature stage. *Journal of Loss Prevention in the Process Industries* 17(3), 243-247. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.jlp.2004.03.002>
-  Lv J, Qiu LZ, Qu BJ (2004) Controlled synthesis of magnesium hydroxide nanoparticles with different morphological structures and related properties in flame retardant ethylene-vinyl acetate blends. *Nanotechnology* 15(11), 1576-1581. [In English]  
论文链接: <http://dx.doi.org/10.1088/0957-4484/15/11/035>
-  Lv J, Qu LZ, Qu BJ (2004) Controlled growth of three morphological structures of magnesium hydroxide nanoparticles by wet precipitation method. *Journal of Crystal Growth* 267(3-4), 676-684. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.jcrysgr.2004.04.034>

-  Sun JH, Li XR, Hasegawa K, Liao GX (2004) Thermal hazard evaluation of complex reactive substance using calorimeters and Dewar vessel. *Journal of Thermal Analysis and Calorimetry* 76(3), 883-893. [In English]  
论文链接: <http://dx.doi.org/10.1023/B:JTAN.0000032272.60526.7c>
-  Tang Y, Hu Y, Li BG, Liu L, Wang ZZ, Chen ZY, Fan WC (2004a) Polypropylene/montmorillonite nanocomposites and intumescent, flame-retardant montmorillonite synergism in polypropylene nanocomposites. *Journal of Polymer Science Part a-Polymer Chemistry* 42(23), 6163-6173. [In English]  
论文链接: <http://dx.doi.org/10.1002/pola.20432>
-  Tang Y, Hu Y, Wang JZ, Zong RW, Gui Z, Chen ZY, Zhuang YL, Fan WC (2004b) Influence of organophilic clay and preparation methods on EVA/montmorillonite nanocomposites. *Journal of Applied Polymer Science* 91(4), 2416-2421. [In English]  
论文链接: <http://dx.doi.org/10.1002/app.13401>
-  Tang Y, Hu Y, Zhang R, Gui Z, Wang ZZ, Chen ZY, Fan WC (2004c) Investigation on polypropylene and polyamide-6 alloys/montmorillonite nanocomposites. *Polymer* 45(15), 5317-5326. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.polymer.2004.03.090>
-  Tang Y, Hu Y, Zhang R, Wang ZZ, Gui Z, Chen ZY, Fan WC (2004d) Investigation into poly(propylene)/montmorillonite/calcium carbonate nanocomposites. *Macromolecular Materials and Engineering* 289(2), 191-197. [In English]  
论文链接: <http://dx.doi.org/10.1002/mame.200300157>
-  Wang J, Hua JS, Kumar K (2004a) 'Modeling of smoke propagation in multiple compartment using combined field and zone model.' (Science Press Beijing: Beijing) 1158-1163
-  Wang J, Hua JS, Kumar K, Kumar S (2004b) 'Modeling and validation of fire induced airflow in a room.' (Science Press Beijing: Beijing) 1164-1170
-  Wang JH, Hu Y, Li BG, Gui Z, Chen ZY (2004a) Preparation of polyacrylamide and gamma-zirconium phosphate nanocomposites by intercalative polymerization. *Ultrasonics Sonochemistry* 11(5), 301-306. [In English]  
论文链接: [http://dx.doi.org/10.1016/s1350-4177\(03\)00172-x](http://dx.doi.org/10.1016/s1350-4177(03)00172-x)
-  Wang JW, Liu CQ (2004) Local discontinuous Galerkin method for radial porous flow with dispersion and adsorption. *Applied Mathematics and Mechanics-English Edition* 25(9), 977-982. [In English]
-  Wang JZ, Hu Y, Song L, Chen ZY (2004b) Sonochemical preparation of nanocomposite of gamma-zirconium phosphate (gamma-ZrP) and Cu<sub>2</sub>O/CuO embedded polyaniline. *Solid State Ionics* 167(3-4), 425-430. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.ssi.2004.01.028>
-  Wang JZ, Hu Y, Zhang R, Song L, Chen ZY (2004c) Sonochemical preparation of net-lead zirconate titanate (PZT). *Journal of Crystal Growth* 263(1-4), 377-384. [In English]  
论文链接: <http://dx.doi.org/10.1016/j.jcrysgro.2003.11.097>
-  Wang QS, Sun JH, Chen SN (2004) 'Fault tree analysis and countermeasures for lithium-ion battery explosion.' (Science Press Beijing: Beijing) 2014-2018

