

[1]殷淑燕,黄春长,查小春.论极端性洪水灾害与全球气候变化——以汉江和渭河洪水灾害为例[J].自然灾害学报,2012,05:41-48.

YIN Shuyan,HUANG Chunchang,ZHA Xiaochun.On extreme flood disasters and global climate change:a case study of floodings of Hanjing River and Weihe River[J].,2012,05:41-48.

[点击复制](#)

## 论极端性洪水灾害与全球气候变化——以汉江和渭

[\(PDF\)](#)

《自然灾害学报》[ISSN:/CN:23-1324/X] 期数: 2012年05期 页码: 41-48 栏目: 出版日期: 2012-10-31

Title: On extreme flood disasters and global climate change:a case study of floodings of Hanjing River and Weihe River

作者: [殷淑燕](#); [黄春长](#); [查小春](#)  
陕西师范大学 旅游与环境学院, 陕西 西安 710062

Author(s): [YIN Shuyan](#); [HUANG Chunchang](#); [ZHA Xiaochun](#)  
College of Tourism and Environmental Science, Shaanxi Normal University, Xi' an 710062, China

关键词: [洪水](#); [气候灾害](#); [气候转型期](#)

Keywords: [flood](#); [climate disaster](#); [climate transitional period](#)

分类号: P467

DOI: -

文献标识码: -

摘要: 对古洪水、历史洪水及现代洪水的深入研究结果表明:大洪水的发生,并不是在气候湿润时期频率最大,而是在气候转型期,以及气候突变期频率最大。气候由暖湿向冷干转化,或由冷干向暖湿、暖干转化期间,大洪水都会明显增加。气候的异常波动变化导致降水量年内和年际分配不均匀,是造成极端性暴雨洪水及大洪灾频繁发生的主要原因,因此导致大洪水在气候转型期、突变期出现频率高,气候平稳期出现频率较低。在气候转型期,洪水、干旱、寒冻等极端性气候灾害频发,是一种具有普遍性的自然现象。

Abstract: Deep studies on ancient, historic and modern floodings showed that, the highest occurrence rates of heavy floodings are not in the humid climate periods, but in the transitional climate periods and the abrupt climate change periods. The occurrence rates of heavy floodings are increased significantly during the transformation phases from warm-humid to cold-dry, or from cold-dry to warm-humid or to warm-dry climates. The unusual fluctuation changes of climate could lead to non-uniform precipitation distribution during intra-annual and inter-annual intervals, which is a reason for the frequent occurrence of heavy rains and floodings. Therefore, the rates of heavy floodings are higher during climate transition and mutation periods, and lower in climate steady periods. In climate transition period, extreme climate meteorological disasters, such as floodings, droughts, colds and frosts etc., occur more frequently. This is a natural phenomenon with generality.

导航/NAVIGATE

[本期目录/Table of Contents](#)

[下一篇/Next Article](#)

[上一篇/Previous Article](#)

工具/TOOLS

[引用本文的文章/References](#)

[下载 PDF/Download PDF\(994KB\)](#)

[立即打印本文/Print Now](#)

[推荐给朋友/Recommend](#)

统计/STATISTICS

摘要浏览/Viewed 407

全文下载/Downloads 209

[评论/Comments](#)



- [1] 竺可桢.中国近五千年来气候变迁的初步研究[J].考古学报,1972(1):15-38. ZHU Kezhen. Primary research of climate change in recent 5 thousands years in China[J]. Journal of Archaeology, 1972(1): 15-38.
- [2] 张丕远,葛全胜,张时煌,等. 2000年来我国旱涝气候演化的阶段性和突变[J]. 第四纪研究, 1997,17(1):12-20.(in Chinese) ZHANG Peiyuan,GE Quansheng,ZHANB Shihuang et al.The modes and abrupt changes of climate in China during recent 2000 years[J].Quaternary Sciences, 1997, 17 (1):12-20.
- [3] 葛全胜,方修琦,郑景云.中国过去3ka冷暖千年周期变化的自然证据及其集成分析[J].地球科学进展,2002, 17(1): 96-103. GE Quansheng, FANG Xiuqi, ZHENG Jingyun. Warm-cold change in millenarian cycle derived from natural proxy data in China during the past 3000 years[J]. Advaazce in Earth Sciences, 2002, 17(1): 96-103.(in Chinese)
- [4] 陈隆勋,朱文琴,王文,等. 中国近45年来气候变化的研究[J]. 气象学报, 1998, 56(3): 257-271. CHEN Longxun,ZHU Wenqin,WANG Wen,et al.Studies on climate change in China in recent 45 years[J].Acta Meteorologica Sinica,1998,56 (3):257-271.(in Chinese)
- [5] 延军平. 渭河谷地的气候干暖化与未来趋势[J].环境科学,1999,20(2):85-87. YAN Junping. Drying and warming of climate and it' s tendency in the Weihe River Basin[J].Chinese Journal of Environmental Science,1999,20(2):85-87.(in Chinese)
- [6] 李胜利,赵景波.渭河西安高陵耿镇历史时期古洪水研究[J].中国沙漠, 2007, 27(3): 379-384. Li Shengli ZHAO Jingbo.Historical flood change of Weihe River at Genzheng town section in Gaoling county of Xi' an[J]. Journal of Desert Research, 2007, 27(3): 379-384.(in Chinese)
- [7] 黄忠恕.长江流域历史水旱灾害分析[J].人民长江,2003,34(2):1-3. HUANG Zhongshu. The analyses of waterlog and drought in history in Yangtze River Basin[J]. People' s Yangtze River, 2003, 34(2): 1-3.(in Chinese)
- [8] 雷兴鹤.清代甘肃陇东地区水旱灾害成因探析[J].西安石油大学学报:社会科学版, 2011(5):106-112. LEI Xinghe.An analysis on the Causes of flood and draught in the eastern area of Gansu in Qing Dynasty[J].Journal of Xi' an Shiyou University:Social Sciences,2011(5):106-112.(in Chinese)
- [9] Thorndycraft V R,Benito G,Rico M,et al.A long-term flood discharge record derived from slackwater flood deposits of the Llobregat River,NE Spain[J]. Journal of Hydrology,2005,313:16-31.
- [10] James C K.Sensitivity of modern and Holocene floods to climate change[J]. Quaternary Science Reviews,2000,19:439-457.
- [11] Yang D Y,Ge Y,Xie Y B,et al.Sedimentary records of large Holocene floods from the middle reaches of the Yellow River, China[J]. Geomorphology 2000, 33 (1/2):73-88.
- [12] Huang C C,Pang J L,Zha X C,et al.Impact of monsoonal climatic change on Holocene overbank flooding along Sushui River,middle reach of the Yellow River, China [J].Quaternary Science Reviews,2007,26:2247-2264.
- [13] Huang C C,Jia Y F,Pang J L,et al.Holocene colluviation and its implications for tracing human-induced soil erosion and redeposition on the piedmont loess lands of the Qinling Mountains,northern China[J]. Geoderma, 2006, 136:838-851.
- [14] 查小春,黄春长,庞奖励.关中西部漆水河全新世特大洪水与环境演变[J].地理学报, 2007, 62(3):291-300. ZHA Xiaochun,HUANG Chunchang,PANG Jiangli,et al.Holocene extreme floods and environmental change of Qishuihe River in western Guanzhong Basin[J]. Acta Geographica Sinica,2007,62(3):291-300.(in Chinese)
- [15] 姚平,黄春长,庞奖励,等.北洛河中游黄陵洛川段全新世古洪水研究[J].地理学报, 2008,63(11):1198-1206. YAO Ping,HUANG Chunchang,PANG Jiangli,et al. Palaeoflood hydrological studies in the middle reaches of the Beiluohe River[J].Acta Geographica Sinica, 2008, 63 (11):1198-1206.(in Chinese)
- [16] 李瑜琴,黄春长,查小春,等.泾河中游龙山文化晚期特大洪水水文学研究[J].地理学报,2009,64(5):541-552. LI Yuqin,HUANG Chunchang,ZHA Xiaochun,et al. Palaeoflood occurrence in the late period of the Longshan Culture in the middle reaches of the Jinghe River[J]. Acta Geographica Sinica,2009,64(5):541-552.(in Chinese)
- [17] 李晓刚,黄春长,庞奖励,等.黄河壶口段全新世古洪水事件及其水文学研究[J].地理学报, 2010, 65(11): 1371-1380. LI Xiaogang,HUANG Chunchang,PANG Jiangli,et al.Hydrological Studies of the Holocene Palaeoflood in the Hukou Reach of the Yellow River[J]. Acta Geographica Sinica,2010, 65(11): 1371-1380.(in Chinese)
- [18] Huang C C,Pang J L,Zha X C,et al.Extraordinary floods of 4100-4000 a BP recorded at the Late Neolithic ruins in the Jinghe River gorges,middle reach of the Yellow River, China[J]. Palaeogeography, Palaeoclimatology, Palaeoecology,2010, 289(3):1-9.
- [19] 杨晓燕,夏正楷,崔之久.黄河上游全新世特大洪水及其沉积特征[J].第四纪研究, 2005, 25(1):80-85. YANG Xiaoyan,XIA Zhengkai,CUI Zhijiu. Holocene extreme floods and its sedimentary characteristic in the upper reaches of the Yellow River[J]. Quaternary Sciences,2005,25(1):80-85.(in Chinese)
- [20] 李长安,黄俊华,张玉芬,等.黄河上游末次冰盛期古洪水事件的初步研究[J].地球科学:中国地质大学学报,2002,27(4):456-458. LI Changan,HUANG Junhua,ZHANG Yufen,et al.Preliminary study of paleoflood of Last Glacial Maximum in upper reaches of the Yellow River[J].Earth Science:Journal of China University of Geosciences,2002,27(4):456-458.(in Chinese)
- [21] 黄春长.渭河流域3100年前资源退化与人地关系演变[J].地理科学, 2001, 21(1): 30-35. HUANG Chunchang.The

- [J].Scientia Geographica Sinica,2001,21(1):30-35.
- [22] 黄春长,庞奖励,陈宝群,等.渭河流域先周-西周时代环境和水土资源退化及其社会影响[J].第四纪研究,2003,23(4):404-414. HUANG Chunchang,PANG Jiangli,CHEN Baoqun,et al. Land degradation and its social impact in the Weihe River Drainage Basin during the Predynastic Zhou- Western Zhou Dynasty[J].Quaternary Sciences,2003,23(4):404-414. (in Chinese)
- [23] 周群英,黄春长,庞奖励,等.黄土高原褐土和黑垆土剖面中Rb和Sr分布与全新世成土环境变化[J],土壤学报,2003,40(4):490-496. Zhou Qunying,Huang Chunchang,Pang Jiangli,et al. Distribution of Rb and Sr elements in soil profiles changes in Holocene pedogenic environment on the loess plateau[J].Acta Pedologica Sinica,2003,40(4):490-496. (in Chinese)
- [24] O' Brien S R, Mayewski P A, Meeker L D,et al., Complexity of Holocene climate as reconstructed from a Greenland ice core[J]. Science, 1995. 270: 1962 -1964.
- [25] Haug G H,Hughen K A,Sigman D H,et al.,Southward migration of the intertropical convergence zone through the Holocene[J]. Science, 2001,293: 1304 -1308.
- [26] 胡双熙,徐齐治,张维祥,等.青藏高原东北部边缘区栗钙土的历史演变[J],土壤学报,1991,28(2):202-210. HU Shuangxi,XU Qizhi,ZHANG Weixiang,et al. Historic evolution of chestnut soil in the northeastern marginal area of the Qinghai-Tibet Plateau[J].Acta Pedologica Sinica,1991,28(2):202-210. (in Chinese)
- [27] 孔昭宸,杜乃秋,许清海,等.中国北方全新世大暖期植物群的古气候波动[C]//施雅凤.中国全新世大暖期气候与环境.北京:科学出版社,1992.72-80. KONG Zhaochen,DU Naiqiu,XU Qinghai,et al. Paleoclimatic fluctuation on flora of Holocene Megathermal in Northern China[C]//SHI Yafeng. Climate and Environment of Holocene Megathermal in China. Beijing: Science Press,1992,72-80. (in Chinese)
- [28] 任国玉.科尔沁沙地东南缘近3000年来植被演化与人类活动[J].地理科学,1999,19(1):42-48. REN Guoyu. Influence of human activities on the late Holocene vegetation changes at Mailli,Northeast China[J].Scientia Geographica Sinica,1999,19(1):42-48. (in Chinese)
- [29] 徐叔鹰,张维信,徐德馥.青藏高原东北边缘地区冰缘发展探讨[J],冰川冻土,1984,6(2):15-25. XU Shuiying,ZHANG Weixin,XU Defu,et al. Discussion on the periglacial development in the northeast marginal region of Qinghai-Xizang Plateau[J]. Journal of Glaciology and Geocryology,1984,6(2):15-25. (in Chinese)
- [30] 谭亮成,安芷生,蔡演军,等.4.2ka BP气候事件在中国的降雨表现及其全球联系[J],地质论评,2008,54(1):94-104. TAN Liangcheng, AN Zhisheng,CAI Yanjun,et al. The hydrological exhibition of 4.2 ka BP event in China and its global linkages [J].Geological Review,2008,54 (1):94-104. (in Chinese)
- [31] 吴文祥,刘东生.4000a.B.P.前后东亚季风变迁与中原周围地区新石器文化的衰落[J].第四纪研究,2004,24(3):278-284. WU Wenxiang,LIU Dongsheng.Variations in East Asia Monsoon around 4000 a B.P.and the collapse of Neolithic Cultures around Central Plains[J]. Quaternary Sciences, 2004, 24(3):278-284. (in Chinese)
- [32] Yin S Y, Huang C C, Li X Y. Historical drought and water disasters in the Weihe Plain[J]. Journal of Geographical Sciences,2005, 15(1): 97-105.
- [33] 殷淑燕,黄春长.两汉时期长安与洛阳都城水旱灾害对比研究[J].自然灾害学报,2008,17(4):66-71. YIN Shuyan,HUANG Chunchan. Comparative study of drought and flood in capitals Chang'an/Luoyang in the West and East Han Dynasties [J].Journal of natural disasters,2008,17(4):66-71. (in Chinese)
- [34] 王绍武.小冰期气候的研究[J].第四纪研究,1995(3):202-212. WANG Shaowu. Studies on climate of the Little Ice Age [J].Quaternary Sciences,1995(3):202-212. (in Chinese)
- [35] 朱士光,王元林,呼林贵.历史时期关中地区气候变化的初步研究[J].第四纪研究,1998,2(1):1-11. ZHU Shiguang,WANG Yuanlin,HU Lingui. Study on climate variations in the re-gion of Guanzhong in the historical period[J].Quaternary Sciences,1998,2(1):1-11. (in Chinese)
- [36] 黄春长,延军平.气候突变的哲学启示[J].自然辩证法研究,1997,13(3):19-22. HUANG Chunchang,YAN Junping. The philosophy revelation of climate sudden change [J]. Journal of Natural Dialectics Research, 1997, 13(3): 19-22. (in Chinese)
- [37] 周晓红,赵景波.关中地区1500年来洪水灾害与气候变化分析[J].干旱地区农业研究,2008,26(2):247-250. ZHOU Xiaohong, ZHAO Jingbo. Analysis about relationship between flood disaster and climate change in Guanzhong region within 1500 year[J].Agricultural Research in the Arid Areas,2008,26(2):247-250. (in Chinese)
- [38] 殷淑燕,王海燕,王德丽,等.陕南汉江上游历史洪水灾害与气候变化[J].干旱区研究,2010,27(04):522-528. YIN Shuyan,WANG Haiyan,WANG Deli,et al. Study on historical flood disasters and climate change in the upper reaches of the Hanjiang River[J].Arid Zone Research, 2010,27(4):522-527. (in Chinese)
- [39] 骆承政.中国历史大洪水调查资料汇编[M].北京:中国书店,2006:357-358. LUO Chengzheng. The Research Data Assembly of Big Floods in Chinese History[M]. Beijing: Chinese Bookstore Publishing,2006:357-358. (in Chinese)
- [40] 李幼木,安康水电厂水调班.汉江安康流域洪水规律分析及水库对安康城区的防洪作用[J].陕西电力,2007,35(10):37-40. LI Youmu. Analysis on flood law in Ankang Basin of Hanjiang River & the effect of reservoir upon flood prevention in Ankang Urban Area[J]. Shaanxi Province Electric Power, 2007, 35(10): 37-40. (in Chinese)

- [41] 安康市地方志编纂委员会,安康县志[M].第三篇 自然灾害.西安:陕西人民教育出版社,1989:1-961. Ankang area compilation volunteers. Ankang county Annals[M].The third volume, natural disasters. Xi'an: Shaanxi People and Education Press, 1989:1-961. (in Chinese)
- [42] 何佳,牛玉梅.华北地区夏季降水变化特征和极端降水多、少年环流异常特征分析[J].宁夏技术工程,2010,9(3):197-201. HE Jia, NIU Yumei, Characteristics of Summer Rainfall variety in North China and signature analysis on circulation anomaly in years of extreme precipitation[J]. Ningxia Engineering Technology, 2010, 9(3):197-201. (in Chinese)
- [43] 赵德芳, 孙虎, 延军平等. 陕南汉江谷地近40年气候变化及其生态环境意义[J]. 山地学报, 2005, 23(3):313-318. ZHAO Defang, SUN Hu, YAN Junping, et al. The tendency of climatic change and its effect on ecosystem environment in the Past 40 Years of Hanjiang Valley South, Shaanxi[J]. Journal of Mountain Science, 2005, 23(3):313-318. (in Chinese)
- [44] 殷淑燕,黄春长.汉江上游近50年降水变化与暴雨洪水发生规律[J].水土保持通报,2012,32(1):1-7. YIN Shuyan, HUANG Chunchang. Precipitation change and the occurrence of storm rains and floods in the upper reaches of the Hanjiang River during the Last 50 Years[J]. Bulletin of Soil and Water Conservation, 2012, 32(1):1-7. (in Chinese)
- [45] 列宁.列宁全集[M].第55卷,北京:人民出版社,1990:306. Lenin, Lenin Complete Works[M]. Vol. 55, Beijing: People's Publishing House, 1990:306. (in Chinese)
- [46] 施雅风,沈永平,李栋梁,等.中国西北气候由暖干向暖湿转型的特征和趋势探讨[J].第四纪研究, 2003, 23(2):152-164. SHI Yafeng, SHEN Yongping, LI Dongliang, et al. Discussion on the present climate change from warm-dry to warm-wet in Northwest China. Quaternary Sciences[J]. 2003, 23(2):152-164. (in Chinese)
- [47] 宋正海.中国古代重大自然灾害和异常年表总集[M].广州:广东教育出版社, 1992: 1-657. SONG Zhengha. The General Chronology of Significant Natural Disasters and Abnormal Year[M]. Guangzhou: Guangdong Education Press, 1992: 1-657. (in Chinese)

---

备注/Memo: 收稿日期:2011-12-17;改回日期:2012-2-3。

作者简介:殷淑燕(1970-),女,教授,博士,主要从事环境变迁研究.E-mail:yinshy@snnu.edu.cn

---