

当前位置: 首页 (<http://www.kib.cas.cn/yjsjy/>) > 招生信息 (<http://www.kib.cas.cn/yjsjy/zs/>) > 导师介绍 (<http://www.kib.cas.cn/yjsjy/zs/dsjj/>)

## 研究生教育

### 招生信息

[概況](http://www.kib.cas.cn/yjsjy/zs/)

[导师介绍](http://www.kib.cas.cn/yjsjy/gk/)

[培养方案](http://www.kib.cas.cn/yjsjy/zs/dsjj/)

[学位委员会](http://www.kib.cas.cn/yjsjy/xwpy/)

[毕业就业](http://www.kib.cas.cn/yjsjy/xwwyh/)

[留学](http://www.kib.cas.cn/yjsjy/byjy/)

[博士后流动站](http://www.kib.cas.cn/yjsjy/lxs/)

[研究生会](http://www.kib.cas.cn/yjsjy/bshldz/)

(<http://www.kib.cas.cn/yjsjy/yjsh/>)

## 生物化学与分子生物学专业



姓 名: 齐金峰

学 科: 生物化学与分子生物学

电话/传真: 0871-65229552

电子邮件: [qijinfeng@mail.kib.ac.cn](mailto:qijinfeng@mail.kib.ac.cn) ([./t20180412\\_4995952.html](#))

通讯地址: 云南省昆明市蓝黑路132号 650201

### 更多信息:

#### 简历:

2003年9月-2007年6月, 山东农业大学植物保护学院, 植物保护, 学士

2007年9月-2012年6月, 浙江大学农业与生物技术学院, 农业昆虫与害虫防治, 博士

2012年7月-2016年12月, 中国科学院昆明植物研究所, 博士后

2017年1月-2017年12月, 中国科学院昆明植物研究所, 助理研究员

2018年1月-至今, 中国科学院昆明植物研究所, 副研究员

2019年6月- 中国科学院昆明植物研究所, 硕士生导师

**研究领域:**

玉米抗虫分子机理解析、寄生植物介导的寄主信号和微生物介导的植物抗虫反应等。

**获奖及荣誉:**

获中国科学院昆明植物研究所第三届人才培养荣誉奖励、入选中国科学院青年创新促进会会员及云南省“云岭青年人才”计划，获得云南省优秀青年科学基金资助。

**代表论著:**

1. Malook, S.(#), Qi, JF. (#), Hettenhausen, C. (#), Xu, Y., Zhang, C., Zhang, J., Lu, C., Li, J., Wang, L., Wu, J.\* (2019) The oriental armyworm (*Mythimna separata*) feeding induces systemic defense responses within and between maize leaves. *Philosophical Transactions of the Royal Society B* 374: 20180307 (Co-first author)

<https://royalsocietypublishing.org/doi/10.1098/rstb.2018.0307>

2. Qi, JF., Malook, S., Shen, G., Gao, L., Zhang, C., Li, J., Zhang, J., Wang, L., Wu, J.\* (2018) Current understanding of maize and rice defense against insect herbivores. *Plant Diversity* 40: 189-195. (Review)

<https://www.sciencedirect.com/science/article/pii/S2468265918300696>

3. Guo, JF., Qi, JF., He, KL., Wu, JQ., Bai, SX., Zhang, TQ., Zhao, JR., et al. (2018). The Asian corn borer *Ostrinia furnacalis* feeding increases the direct and indirect defense of mid-whorl stage commercial maize in the field. *Plant Biotechnology Journal*. DOI: 10.1111/pbi.12949

<https://onlinelibrary.wiley.com/doi/full/10.1111/pbi.12949>

4. Qi, JF., Zhang, M., Lu, CK., Hettenhausen, C., Tan, Q., Cao, G.Y., et al. (2018). Ultraviolet-B enhances the resistance of multiple plant species to lepidopteran insect herbivory through the jasmonic acid pathway. *Scientific Reports*. 8.

<https://www.nature.com/articles/s41598-017-18600-7>

5. Lu, CK., Qi, JF., Hettenhausen, C., Lei, Y., Zhang, J., Zhang, M., et al. (2018). Elevated CO<sub>2</sub> differentially affects tobacco and rice defense against lepidopteran larvae via the jasmonic acid signaling pathway. *Journal of Integrative Plant Biology*.

<http://onlinelibrary.wiley.com/doi/10.1111/jipb.12633/epdf>

6. Sun, G., Xu, Y., Liu, H., Sun, T., Zhang, J., Hettenhausen, C., Shen, G., Qi, JF Qin, Y., Li, J., Wang, L., Chang, W., Guo, Z., Baldwin, I.T., and Wu, J. (2018). Large-scale gene losses underlie the genome evolution of parasitic plant *Cuscuta australis*. *Nat Commun* 9: 2683.

<https://www.ncbi.nlm.nih.gov/pubmed/29992948>

7. Hettenhausen, C., Li, J., Zhuang, H., Sun, H., Xu, Y., Qi, JF, et al. (2017) Stem parasitic plant *Cuscuta australis* (dodder) transfers herbivory-induced signals among plants. *Proc Natl Acad Sci U S A*. 114: E6703-E6709.

<http://www.pnas.org/content/early/2017/07/20/1704536114.short>

8. Wang H.(#), Qi JF.(#), Xiao DR., Wang ZB., Tian K., (2017) A re-evaluation of dilution for eliminating PCR inhibition in soil DNA samples, *Soil Biology and Biochemistry*, 106: 109~118. (Co-first author)

<http://www.sciencedirect.com/science/article/pii/S0038071716307763>

9. Qi JF.(#), Sun GL. (#), Wang L. (#), Zhao CX.(#), Hettenhausen C., Schuman M.C., . . . Wu JQ. (2016) Oral secretions from *Mythimna separata* insects specifically induce defence responses in maize as revealed by high-dimensional biological data. *Plant Cell & Environment* 39:1749-1766. <http://www.ncbi.nlm.nih.gov/pubmed/26991784>

10. Qi JF.(#), Li JC. (#), Han X.(#), Li R., Wu J., Yu H., . . . Lou YG. (2016) Jasmonic acid carboxyl methyltransferase regulates development and herbivory-induced defense response in rice. *Journal of Integrative Plant Biology* 58: 564-576.

<http://www.ncbi.nlm.nih.gov/pubmed/26466818>

11. Hettenhausen C., Sun, GL., He, YB., Zhuang, HF., Sun, T., Qi, JF., Wu, JQ. (2016) Genome-wide identification of calcium-dependent protein kinases in soybean and analyses of their transcriptional responses to insect herbivory and drought stress, *Scientific Reports*, 18973.

<https://www.nature.com/articles/srep18973>

12. Zhang DL(#), Qi JF(#), Yue J.P., Huang J.L., Sun T., Li S.P., . . . Sun G.L. (2014) Root parasitic plant Orobanche aegyptiaca and shoot parasitic plant Cuscuta australis obtained Brassicaceae-specific strictosidine synthase-like genes by horizontal gene transfer. *Bmc Plant Biology* 14: 19. (Co-first author)  
<http://www.ncbi.nlm.nih.gov/pubmed/24411025>
13. Qi JF, Zhou GX, Yang LJ, Erb M, Lu YH, Sun XL, Cheng JA, Lou YG (2011) The chloroplast-localized phospholipases d alpha 4 and alpha 5 regulate herbivore-induced direct and indirect defenses in rice. *Plant Physiology* 157: 1987-1999 <http://www.ncbi.nlm.nih.gov/pubmed/21984727>
14. Tong X.H(#), Qi JF, (#), Zhu XD, Zeng LJ, Wang BH, Li Q, Zhou GX, Mao BZ, Lou YG, He ZH (2012) The rice hydroperoxide lyase OsHPL3 functions in defense responses by modulating the oxylipin pathway. *Plant Journal* 71: 763-775 (Co-first author) <http://www.ncbi.nlm.nih.gov/pubmed/22519706>
15. Zhou GX, Qi JF,, Ren N, Cheng JA, Erb M, Mao BZ, Lou YG (2009) Silencing OsHI-LOX makes rice more susceptible to chewing herbivores, but enhances resistance to a phloem feeder. *Plant Journal* 60: 638-648 <http://www.ncbi.nlm.nih.gov/pubmed/19656341>
16. Zhang T, Luan JB, Qi JF,, Huang CJ, Li M, Zhou XP, Liu SS (2012) Begomovirus-whitefly mutualism is achieved through repression of plant defences by a virus pathogenicity factor. *Molecular Ecology* 21: 1294-1304 <http://www.ncbi.nlm.nih.gov/pubmed/22269032>
17. Xin ZJ, Yu ZN, Erb M, Turlings TCJ, Wang BH, Qi JF,, Liu SN, Lou YG (2012) The broad-leaf herbicide 2,4-dichlorophenoxyacetic acid turns rice into a living trap for a major insect pest and a parasitic wasp. *New Phytologist* 194: 498–510  
<http://www.ncbi.nlm.nih.gov/pubmed/22313362>

#### **承担科研项目情况:**

先后主持中国博士后科学基金面上项目和特别资助项目、国家自然科学基金青年项目及面上项目、云南省科技厅基础研究面上项目、云南省优秀青年科学基金以及来自企业及高校的横向项目等。

版权所有 Copyright © 2002-2016 中科院昆明植物研究所 (<http://www.kib.cas.cn/>), All Rights Reserved 【滇ICP备05000394号  
(<http://www.miibeian.gov.cn/>)】

地址：中国云南省昆明市蓝黑路132号 邮政编码：650201 点击这里联系我们 () 手机版 (<http://m.kib.cas.cn/>)   
([https://www.cnzz.com/stat/website.php?web\\_id=3995199](https://www.cnzz.com/stat/website.php?web_id=3995199))