

全国中文核心期刊
中国科技核心期刊
中国农业核心期刊
RCCSE中国核心学术期刊
中国科学引文数据库 (CSCD) 期刊
CAB International 收录期刊
美国《生物学文摘》收录期刊
美国《化学文摘》(CA) 收录期刊

首页 (/) 期刊介绍 (/Corp/10.aspx) 编委会 投稿须知 期刊订阅 广告合作 联系我们 返回主站 (/Corp/3600.aspx) (/Corp/5006.aspx) (/Corp/50.aspx) (<http://www.haasep.cn/>)

<上一篇 (DArticle.aspx?
type=view&id=201202032)
下一篇 (DArticle.aspx?
type=view&id=201202034)



PDF下载 (pdfdown.aspx?
Sid=201202033)

+分享

([http://www.jiathis.com/share?](http://www.jiathis.com/share?uid=1541069)
uid=1541069)



微信公众号：大豆科学

[1]曹永强,宋书宏,董丽杰.大豆蛋白质和油分含量遗传研究进展[J].大豆科学,2012,31(02):316-319.[doi:10.3969/j.issn.1000-9841.2012.02.033]
CAO Yong-qiang, SONG Shu-hong, DONG Li-jie. Research Progress on Heredity of Protein and Oil Content in Soybean [J]. Soybean Science, 2012, 31(02): 316-319. [doi:10.3969/j.issn.1000-9841.2012.02.033]

点击复制

大豆蛋白质和油分含量遗传研究进展

《大豆科学》 [ISSN:1000-9841 /CN:23-1227/S] 卷: 第31卷 期数: 2012年02期 页码: 316-319 栏目:
出版日期: 2012-04-25

Title: Research Progress on Heredity of Protein and Oil Content in Soybean

文章编号: 1000-9841 (2012) 02-0316-04

作者: 曹永强 (KeySearch.aspx?type=Name&Sel=曹永强); 宋书宏 (KeySearch.aspx?type=Name&Sel=宋书宏); 董丽杰 (KeySearch.aspx?type=Name&Sel=董丽杰)
辽宁省农业科学院 作物研究所, 辽宁 沈阳 110161

Author(s): CAO Yong-qiang (KeySearch.aspx?type=Name&Sel=CAO Yong-qiang); SONG Shu-hong (KeySearch.aspx?type=Name&Sel=SONG Shu-hong); DONG Li-jie (KeySearch.aspx?type=Name&Sel=DONG Li-jie)
Crop Institute of Liaoning Academy of Agricultural Sciences, Shenyang 110161, Liaoning, China

关键词: 大豆 (KeySearch.aspx?type=KeyWord&Sel=大豆); 蛋白质 (KeySearch.aspx?type=KeyWord&Sel=蛋白质); 油分 (KeySearch.aspx?type=KeyWord&Sel=油分); 遗传 (KeySearch.aspx?type=KeyWord&Sel=遗传)

Keywords: Soybean (KeySearch.aspx?type=KeyWord&Sel=Soybean); Protein content (KeySearch.aspx?type=KeyWord&Sel=Protein content); Oil content (KeySearch.aspx?type=KeyWord&Sel=Oil content); Heredity (KeySearch.aspx?type=KeyWord&Sel=Heredity)

分类号: S565.1

DOI: 10.3969/j.issn.1000-9841.2012.02.033 (<http://dx.doi.org/10.3969/j.issn.1000-9841.2012.02.033>)

文献标志码: A

摘要: 蛋白质和油分含量是大豆2个重要品质性状,其遗传研究对大豆品质改良尤为重要。该文从表型遗传分离规律、基因遗传模型、基因作用方式、遗传相关、遗传力及QTL定位等方面,概括了大豆蛋白质、油分含量的遗传研究进展。并提出利用野生大豆资源研究大豆蛋白质和油分含量遗传机理,为大豆品质改良提供理论参考。

Abstract: Protein and oil content are two important quality characters of soybean. Genetic research is very important to soybean quality improvement. The research progress on heredity of protein and oil content were summarized in this paper, through analyzing the phenotype segregation, genetic model, genes effecting pattern, heredity correlation, heritability and QTL mapping. Furthermore, wild soybean was proposed to be used in researching on heredity of soybean quality characters.

参考文献/References:

- [1]Weber C R. Inheritance and interrelation of some agronomic and chemical characters in an interspecific cross in soybeans G. max×G. ussuriensis [J]. Towa Agricultural Experiment Research Bulletin, 1950, 374:767-816.
- [2]胡明祥,于德洋,孟祥勋,等.大豆杂种后代籽粒蛋白质含量遗传研究[J].中国农业科学,1984,17(6):40-44.
(Hu M X, Yu D Y, Meng X X, et al. Genetic studies on seed protein content of hybrid progenies in soybean[J]. Scientia Agricultura Sinica. 1984, 17(6):40-44.)
- [3]陈恒鹤.大豆蛋白质、脂肪含量及其农艺性状遗传规律的轮配分析[J].中国农业科学,1987,20(1):32-38.
(Cheng H H. Diallel analysis on some genetic parameters of protein and oil contents in soybeans[J]. Scientia Agricultura Sinica, 1987, 20(1):32-38.)
- [4]王新风,富健,孟凡刚,等.大豆高蛋白组合杂交后代的蛋白质含量遗传研究—杂种F2代蛋白质含量与亲本的相关性分析[J].作物研究,2007(3):165-166. (Wang X F, Fu J, Meng F G, et al. Genetic studies on protein content of hybrid progenies in high protein soybean crosses-correlation of protein content between hybrid progenies and parents at F₂[J]. Crop Research, 2007 (3):165-166.)
- [5]陈新,朱成松,顾和平,等.大豆蛋白质含量遗传变异特点及早代选择效果的研究[J].大豆科学,1997,16(4):328-333. (Chen X, Zhu C S, Gu H P, et al. Genetic variability of protein content and its selection efficiency in the early generations of soybean crosses [J]. Soybean Science, 1997, 16(4):328-333.)
- [6]刘丽君.中国东北优质大豆[M].哈尔滨:黑龙江科学技术出版社,2007. (Liu L J. High quality soybean in northeast of China[M]. Harbin: Heilongjiang Science Technology Press, 2007.)

- [7] 刘顺潮, 周瑞宝, 盖钧镒. 大豆蛋白质有关性状遗传的分离分析[J]. 作物学报, 2009, 35(11):1958-1966. (Liu S H, Zhou R B, Gai J Y. Segregation analysis for inheritance of protein related traits in soybean[Glycine max(L.)Merr.][J]. Acta Agronomica Sinica, 2009, 35(11):1958-1966.)
- [8] 姜振峰. 大豆油分和蛋白质含量遗传效应及与环境互作效应QTL分析[D]. 哈尔滨:东北林业大学, 2010. (Jiang Z F. QTL analysis on the genetic effect and their environmental interactions of oil and protein content in soybean[D]. Harbin:Northeast Forestry University, 2010.)
- [9] Xin H Y, Tony J V. Relationships of isoflavone, oil, and protein in seed with yield of soybean[J]. Agronomy Journal, 2005, 97:1314-1321.
- [10] 张君, 王丕武, 袁冬生, 等. 大豆不同杂交组合农艺和品质性状的遗传分析[J]. 大豆科学, 2009, 28(6):994-999. (Zhang J, Wang P W, Yan D S, et al. Genetic analysis on agronomic and quality traits in different soybean combinations[J]. Soybean Science, 2009, 28(6):994-999.)
- [11] 宁海龙, 李文霞, 李文滨, 等. 不同环境条件下大豆籽粒蛋白质和油分含量与指数的遗传效应分析[J]. 作物学报, 2005, 31(7):948-951. (Ning H L, Li W X, Li W B, et al. Analysis of genetic effects on contents and indexed of protein and oil in soybean seeds in different environments[J]. Acta Agronomica Sinica, 2005, 31(7):948-951.)
- [12] Diers B W. RFLP analysis of soybean seed protein and oil content [J]. Theoretical Applied Genetics, 1992, 83:608-612.
- [13] Lee S H, Bailey M A, Mian M A R, et al. RFLP loci associated with soybean seed Protein and oil content across populations and locations [J]. Theoretical Applied Genetics, 1996, 93:649-657.
- [14] Brummer E C, Graef G L, Orf J, et al. Mapping QTL for seed protein and oil content in eight soybean populations[J]. Crop Science, 1997, 37:370-378.
- [15] Orf J H, Chase K, Jarvik T, et al. Genetics of soybean gronomic traits:I. comparisons of three related recombinant inbred populations [J]. Crop Science, 1999, 39:1642-1651.
- [16] Hyten D L, Pantalone V R, Sams C E, et al. Seed quality QTL in a prominent soybean population[J]. Theoretical and Applied Genetics, 2004, 109:552-561.
- [17] 吴晓雷, 王永军, 贺超英, 等. 大豆重要农艺性状的QTL分析[J]. 遗传学报, 2001, 28(10):947-955. (Wu X L, Wang Y J, He C Y, et al. QTLs mapping of some agronomic traits of soybean[J]. Acta Genetica Sinica, 2001, 28(10):947-955.)
- [18] 张忠臣, 战秀玲, 陈庆山, 等. 大豆油分和蛋白性状的基因定位[J]. 大豆科学, 2004, 23(2):81-85. (Zhang Z C, Zhan X L, Chen Q S, et al. QTL mapping of seed oil and protein content of soybean[J]. Soybean Science, 2004, 23(2):81-85.)
- [19] 杨喆, 关荣霞, 王跃强, 等. 大豆遗传图谱的构建和若干农艺性状的QTL 定位分析[J]. 植物遗传资源学报, 2004, 5(4):309-314. (Yang Z, Guan R X, Wang Y Q, et al. Construction of genetic map and QTL analysis for some agronomic traits in soybean[J]. Journal of Plant Genetic Resource, 2004, 5(4):309-314.)
- [20] 杨喆, 刘丽君, 高明杰, 等. 大豆高蛋白基因分子标记及其在大豆育种中的应用[J]. 大豆科学, 2008, 27(2):186-189. (Yang Z, Liu L J, Gao M J, et al. QTL tagging for high protein gene and using molecular marker assistant selection in soybean breeding[J]. Soybean Science, 2008, 27(2):186-189.)
- [21] Zhang W K, Wang Y J, Luo G Z. QTL mapping of ten agronomic traits on the soybean genetic map and their association with EST markers [J]. Theoretical and Applied Genetics, 2004, 108:1131-1139.
- [22] 宛燃嵩. 大豆遗传图谱的构建及若干农艺性状的QTL定位分析[D]. 北京:中国农业科学院, 2002. (Wan Y S. Construction of soybean genetic map and QTL analysis of some agronomic traits[D]. Beijing:Chinese Academy of Agricultural Sciences, 2002.)
- [23] 陈庆山, 张忠臣, 刘春燕, 等. 大豆主要农艺性状的QTL分析[J]. 中国农业科学, 2007, 40(1):41-47. (Chen Q S, Zhang Z C, Liu C Y, et al. QTL analysis of major agronomic traits in soybean[J]. Scientia Agricultura Sinica, 2007, 40(1):41-47.)
- [24] 单大鹏, 朱荣胜, 陈立君, 等. 大豆蛋白质含量相关QTL间的上位效应和QE互作效应[J]. 作物学报, 2009, 35(1):41-47. (Shan D P, Zhu R S, Chen L J, et al. Epistatic effects and QE interaction effects of QTLs for protein content in soybean[J]. Acta Agronomica Sinica, 2009, 35(1):41-47.)
- [25] 林延慧, 张丽娟, 李伟, 等. 大豆蛋白质含量的QTL定位[J]. 大豆科学, 2010, 29(2):207-209. (Lin Y H, Zhang L J, Li W, et al. QTLs mapping related to protein content of soybeans[J]. Soybean Science, 2010, 29(2):207-209.)
- [26] 姚丹, 王丕武, 袁伟, 等. 完备区间作图法定位大豆含油量QTL及标记辅助选择[J]. 中国油料作物学报, 2010, 32(3):369-373. (Yao D, Wang P W, Yan W, et al. Marker assistant selection and soybean oil content by QTL location using inclusive composite intervalmapping[J]. Chinese Journal of Oil Crop Sciences, 2010, 32(3):369-373.)
- [27] Liang H Z, Yu Y L, Wang S F, et al. QTL mapping of isoflavone, oil and protein contents in soybean(Glycine max?L. Merr.)[J]. Agricultural Sciences in China, 2010, 9(8):1108-1116.
- [28] 孟凡钢, 富健, 王新风, 等. 大豆高脂肪组合初世代脂肪含量遗传与亲本相关性研究: I. F₂代脂肪含量遗传与亲本相关性初探[J]. 大豆科学, 2007, 26(1):75-77. (Meng F G, Fu J, Wang X F, et al. Study on the heredity and parental correlation of the oil content of the beginning with the generation at high oil content soybean:I. Heredity and parental correlation of the oil content of F₂ generation[J]. Soybean Science, 2007, 26(1):75-77.)
- [29] 孟凡钢, 富健, 王新风, 等. 大豆高脂肪组合F₃代脂肪含量遗传与亲本相关性研究[J]. 大豆科学, 2008, 27(2):354-356. (Meng F G, Fu J, Wang X F, et al. Heredity and parental correlation of the oil content in F₃ generation of high oil content soybean[J]. Soybean Science, 2008, 27(2):354-356.)
- [30] 孟凡钢, 富健, 王新风, 等. 大豆高脂肪组合F₄代脂肪含量遗传及亲本相关性[J]. 大豆科学, 2009, 28(2):346-348. (Meng F G, Fu J, Wang X F, et al. Heredity and parental correlation of oil content in F₄ generation of high oil soybean[J]. Soybean Science, 2009, 28(2):346-348.)
- [31] Feng L, Burton J W, Carter T E, et al. Recurrent half-sib selection with testcross evaluation for increased oil content in soybean[J]. Crop Science, 2004, 44:63-69.

- [32] Mazhar U H, Antonio P M. Response of soybean grain oil and protein concentrations to foliar and soil fertilization[J]. *Agronomy Journal*, 2005, 97:910-918.
- [33] Yan Z, Joseph G L, Roger B, et al. Effects of genotype×environment interaction on agronomic traits in soybean[J]. *Crop Science*, 2010, 50:696-702.
- [34] 郑永战, 盖鹤鑑, 周瑞宝, 等. 大豆脂肪及脂肪酸组分含量的遗传分析[J]. *大豆科学*, 2007, 26(6):801-806. (Zheng Y Z, Gai J Y, Zhou R B, et al. Inheritance of fat and fatty acid composition contents in soybean[J]. *Soybean Science*, 2007, 26(6):801-806.)
- [35] 杨喆, 刘丽君, 高明杰, 等. 大豆高油相关QTL分子标记辅助选择研究[J]. *大豆科学*, 2008, 27(4):921-924. (Yang Z, Liu L J, Gao M J, et al. Molecular marker assisted selection for high oil QTL in soybean[J]. *Soybean Science*, 2008, 27(4):921-924.)
- [36] 徐鹏, 王慧, 李群, 等. 大豆油份含量QTL 的定位[J]. *遗传*, 2007, 29(1):92-96. (Xu P, Wang H, Li Q, et al. Mapping QTLs related to oil content of soybeans [J]. *Hereditas*, 2007, 29(1):92-96.)
- [37] 薛永国, 刘丽君, 杨喆, 等. 大豆油分含量QTL分析[J]. *东北农业大学学报*, 2007, 38(6):721-724. (Xue Y G, Liu L J, Yang Z, et al. Soybean oil QTL analysis[J]. *Journal of Northeast Agricultural University*, 2007, 38(6):721-724.)
- [38] Csanidi G, Vollmann J, Stir G, et al. Seed quality QTLs identified in a molecular map of early maturing soybean[J]. *Theoretical and Applied Genetics*, 2001, 103:912-919.
- [39] Chapman A, Pantalone V R, Ustun A, et al. Quantitative trait loci for agronomic and seed quality traits in an F₂ and F₄:6 soybean population[J]. *Euphytica*, 2003, 129:387-393.
- [40] Panthee D R, Pantalone V R, West D R, et al. Quantitative trait loci for seed protein and oil concentration and seed size in soybean[J]. *Crop Science*, 2005, 45:2015-2022.
- [41] 齐宁, 林红, 魏淑红, 等. 利用野生大豆资源创新优质抗病大豆新种质[J]. *植物遗传资源学报*, 2005, 6(2):200-203. (Qi N, Lin H, Wei S H, et al. Using wild soybean resources to develop the new soybean germplasm of high quality and diseases resistance [J]. *Journal of Plant Genetic Resources*, 2005, 6(2):200-203.)
- [42] 杨光宇, 王洋, 马晓萍, 等. 野生大豆种质资源评价与利用研究进展[J]. *吉林农业科学*, 2005, 30(2):61-63. (Yang G Y, Wang Y, Ma X P, et al. Progress of evaluation and applying of germplasm resources of wild soybean[J]. *Jilin Agricultural Sciences*, 2005, 30(2):61-63.)
- [43] 曹永强, 宋书宏, 王文斌, 等. 拓宽大豆育种遗传基础研究进展[J]. *辽宁农业科学*, 2005(6):34-36. (Cao Y Q, Song S H, Wang W B, et al. Study progress on broadening genetic base of soybean breeding[J]. *Liaoning Agricultural sciences*, 2005(6):34-36.)

相似文献/References:

- [1] 刘章雄,李卫东,孙石,等. 1983~2010年北京大豆育成品种的亲本地理来源及其遗传贡献[J]. ([darticle.aspx?type=view&id=201301001](#)) *大豆科学*, 2013, 32(01):1. [doi:10.3969/j.issn.1000-9841.2013.01.002]
LIU Zhang-xiong, LI Wei-dong, SUN Shi, et al. Geographical Sources of Germplasm and Their Nuclear Contribution to Soybean Cultivars Released during 1983 to 2010 in Beijing[J]. *Soybean Science*, 2013, 32(02):1. [doi:10.3969/j.issn.1000-9841.2013.01.002]
- [2] 李彩云,余永亮,杨红旗,等.大豆脂质转运蛋白基因GmLTP3的特征分析[J]. ([darticle.aspx?type=view&id=201301002](#)) *大豆科学*, 2013, 32(01):8. [doi:10.3969/j.issn.1000-9841.2013.01.003]
LI Cai-yun, YU Yong-liang, YANG Hong-qi, et al. Characteristics of a Lipid-transfer Protein Gene GmLTP3 in Glycine max[J]. *Soybean Science*, 2013, 32(02):8. [doi:10.3969/j.issn.1000-9841.2013.01.003]
- [3] 王明霞,崔晓霞,薛晨晨,等.大豆耐盐基因GmHAL3a的克隆及RNAi载体的构建[J]. ([darticle.aspx?type=view&id=201301003](#)) *大豆科学*, 2013, 32(01):12. [doi:10.3969/j.issn.1000-9841.2013.01.004]
WANG Ming-xia, CUI Xiao-xia, XUE Chen-chen, et al. Cloning of Halotolerance 3 Gene and Construction of Its RNAi Vector in Soybean (Glycine max)[J]. *Soybean Science*, 2013, 32(02):12. [doi:10.3969/j.issn.1000-9841.2013.01.004]
- [4] 张春宝,李玉秋,彭宝,等.线粒体ISSR与SCAR标记鉴定大豆细胞质雄性不育系与保持系[J]. ([darticle.aspx?type=view&id=201301005](#)) *大豆科学*, 2013, 32(01):19. [doi:10.3969/j.issn.1000-9841.2013.01.005]
ZHANG Chun-bao, LI Yu-qiu, PENG Bao, et al. Identification of Soybean Cytoplasmic Male Sterile Line and Maintainer Line with Mitochondrial ISSR and SCAR Markers[J]. *Soybean Science*, 2013, 32(02):19. [doi:10.3969/j.issn.1000-9841.2013.01.005]
- [5] 卢清瑶,赵琳,李冬梅,等.RAV基因对拟南芥和大豆不定芽再生的影响[J]. ([darticle.aspx?type=view&id=201301006](#)) *大豆科学*, 2013, 32(01):23. [doi:10.3969/j.issn.1000-9841.2013.01.006]
LU Qing-yao, ZHAO Lin, LI Dong-mei, et al. Effects of RAV gene on Shoot Regeneration of Arabidopsis and Soybean [J]. *Soybean Science*, 2013, 32(02):23. [doi:10.3969/j.issn.1000-9841.2013.01.006]
- [6] 杜景虹,刘丽君.大豆fad3c基因沉默载体的构建[J]. ([darticle.aspx?type=view&id=201301007](#)) *大豆科学*, 2013, 32(01):28. [doi:10.3969/j.issn.1000-9841.2013.01.007]
DU Jing-hong, LIU Li-jun. Construction of fad3c Gene Silencing Vector in Soybean[J]. *Soybean Science*, 2013, 32(02):28. [doi:10.3969/j.issn.1000-9841.2013.01.007]
- [7] 张力伟,樊颖伦,牛腾飞,等.大豆“冀黄13”突变体筛选及突变体库的建立[J]. ([darticle.aspx?type=view&id=201301008](#)) *大豆科学*, 2013, 32(01):33. [doi:10.3969/j.issn.1000-9841.2013.01.008]
ZHANG Li-wei, FAN Ying-lun, NIU Teng-fei, et al. Screening of Mutants and Construction of Mutant Population for Soybean Cultivar "Jihuang13" [J]. *Soybean Science*, 2013, 32(02):33. [doi:10.3969/j.issn.1000-9841.2013.01.008]
- [8] 盖江南,张彬彬,吴璐,等.大豆不定胚悬浮培养基因型筛选及基因枪遗传转化的研究[J]. ([darticle.aspx?type=view&id=201301009](#)) *大豆科学*, 2013, 32(01):38. [doi:10.3969/j.issn.1000-9841.2013.01.009]
GAI Jiang-nan, ZHANG Bin-bin, WU Yao, et al. Screening of Soybean Genotypes Suitable for Suspension Culture with Adventitious Embryos and Genetic Transformation by Particle Bombardment[J]. *Soybean Science*, 2013, 32(02):38. [doi:10.3969/j.issn.1000-9841.2013.01.009]
- [9] 王鹏飞,刘丽君,唐晓飞,等.适于体细胞胚发生的大豆基因型筛选[J]. ([darticle.aspx?type=view&id=201301010](#)) *大豆科学*, 2013, 32(01):43. [doi:10.3969/j.issn.1000-9841.2013.01.010]
WANG Peng-fei, LIU Li-jun, TANG Xiao-fei, et al. Screening of Soybean Genotypes Suitable for Somatic Embryogenesis [J]. *Soybean Science*, 2013, 32(02):43. [doi:10.3969/j.issn.1000-9841.2013.01.010]
- [10] 刘德兴,年海,杨存义,等.耐酸铝大豆品种资源的筛选与鉴定[J]. ([darticle.aspx?type=view&id=201301011](#)) *大豆科学*, 2013, 32(01):46. [doi:10.3969/j.issn.1000-9841.2013.01.011]
LIU De-xing, NIAN Hai, YANG Cun-ye, et al. Screening and Identifying Soybean Germplasm Tolerant to Acid Aluminum [J]. *Soybean Science*, 2013, 32(02):46. [doi:10.3969/j.issn.1000-9841.2013.01.011]
- [11] 任红玉,周丽华,朱晓鑫,等.在UV-B辐射增强条件下稀土镧对大豆品质的影响[J]. ([darticle.aspx?type=view&id=201303014](#)) *大豆科学*, 2013, 32(03):345. [doi:10.11861/j.issn.1000-9841.2013.03.0345]
REN Hong-yu, ZHOU Li-hua, ZHU Xiao-xin, et al. Effect of La on the Soybean Quality under Elevated Ultraviolet-B

- Radiaion[J]. Soybean Science, 2013, 32(02):345. [doi:10.11861/j.issn.1000-9841.2013.03.0345]
- [12] 葛振宇, 刘晓冰, 刘宝辉, 等. 大豆种子蛋白质和油份性状的QTL定位[J]. (darticle.aspx?type=view&id=201106003) 大豆科学, 2011, 30(06):901. [doi:10.11861/j.issn.1000-9841.2011.06.0901]
- GE Zhen-yu, LIU Xiao-bing, LIU Bao-hui, et al. QTL Mapping of Protein and Oil Content in Soybean[J]. Soybean Science, 2011, 30(02):901. [doi:10.11861/j.issn.1000-9841.2011.06.0901]
- [13] 邱强, 刘宪虎, 张伟, 等. 吉林省不同大豆品种脂肪和蛋白质含量生态分析[J]. (darticle.aspx?type=view&id=201205012) 大豆科学, 2012, 31(05):749. [doi:10.3969/j.issn.1000-9841.2012.05.012]
- QIU Qiang, LIU Xian-hu, ZHANG Wei, et al. Ecological Analysis on Oil and Protein Content of Soybeans in Jilin Province[J]. Soybean Science, 2012, 31(02):749. [doi:10.3969/j.issn.1000-9841.2012.05.012]
- [14] 刘硕, 罗玲, 刘章雄, 等. 大豆蛋白质含量QTL的“整合”及Overview分析[J]. (darticle.aspx?type=view&id=201101001) 大豆科学, 2011, 30(01):1. [doi:10.11861/j.issn.1000-9841.2011.01.0001]
- LIU Shuo, LUO Ling, LIU Zhang-xiong, et al. Integration of QTLs Related to Soybean Protein Content and "Qualification" of Them by Overview Method[J]. Soybean Science, 2011, 30(02):1. [doi:10.11861/j.issn.1000-9841.2011.01.0001]
- [15] 林长库, 姚鑫淼, 陈凤山, 等. 黑龙江省大豆区域试验品种品质现状分析[J]. (darticle.aspx?type=view&id=200906018) 大豆科学, 2009, 28(06):1031. [doi:10.11861/j.issn.1000-9841.2009.06.1031]
- LIN Chang-ku, YAO Xin-miao, CHEN Feng-shan, et al. Grain Quality of Recent Soybean Varieties (Lines) in Heilongjiang Province[J]. Soybean Science, 2009, 28(02):1031. [doi:10.11861/j.issn.1000-9841.2009.06.1031]
- [16] 任红玉, 高振宇, 潘小燕, 等. 稀土镧和铈对大豆品质的影响[J]. (darticle.aspx?type=view&id=201404029) 大豆科学, 2014, 33(04):603. [doi:10.11861/j.issn.1000-9841.2014.04.0603]
- REN Hong-yu, GAO Zhen-yu, PAN Xiao-yan, et al. Effect of Lanthanum and Cerium on Soybean Quality[J]. Soybean Science, 2014, 33(02):603. [doi:10.11861/j.issn.1000-9841.2014.04.0603]
- [17] 李文滨, 郑宇宏, 韩英鹏. 大豆种质资源脂肪酸组分含量及品质性状的相关性分析[J]. (darticle.aspx?type=view&id=200805003) 大豆科学, 2008, 27(05):740. [doi:10.11861/j.issn.1000-9841.2008.05.0740]
- LI Wen-bin, ZHENG Yu-hong, HAN Ying-peng. Analysis of Fatty Acid Composition and Other Quality Traits in Soybean Varieties Developed in Heilongjiang Province[J]. Soybean Science, 2008, 27(02):740. [doi:10.11861/j.issn.1000-9841.2008.05.0740]
- [18] 闫龙, 蒋春志, 于向鸿, 等. 大豆粗蛋白、粗脂肪含量近红外检测模型建立及可靠性分析[J]. (darticle.aspx?type=view&id=200805022) 大豆科学, 2008, 27(05):833. [doi:10.11861/j.issn.1000-9841.2008.05.0833]
- YAN Long, JIANG Chun-zhi, YU Xiang-hong, et al. Development and Reliability of Near Infrared Spectroscopy (NIS) Models of Protein and Oil Content in Soybean[J]. Soybean Science, 2008, 27(02):833. [doi:10.11861/j.issn.1000-9841.2008.05.0833]
- [19] 闫春娟, 韩晓增, 王树起, 等. 钾对大豆干物质积累、产量及品质的影响[J]. (darticle.aspx?type=view&id=200801021) 大豆科学, 2008, 27(01):113. [doi:10.11861/j.issn.1000-9841.2008.01.0113]
- YAN Chun-juan, HAN Xiao-zeng, WANG Shu-qi, et al. Effect of Potassium Fertilizer on Dry Matter Accumulation, Yield and Quality of Soybean[J]. Soybean Science, 2008, 27(02):113. [doi:10.11861/j.issn.1000-9841.2008.01.0113]
- [20] 刘娟娟, 翟亚萍, 李鸣雷. 陕西省大豆品种资源蛋白质和脂肪含量研究[J]. (darticle.aspx?type=view&id=200704016) 大豆科学, 2007, 26(04):533. [doi:10.3969/j.issn.1000-9841.2007.04.016]
- LIU Meng-juan, ZHAI Ya-ping, LI Ming-lei. A STUDY ON PROTEIN AND FAT CONTENTS OF SHANXI SOYBEAN ACCESSIONS [J]. Soybean Science, 2007, 26(02):533. [doi:10.3969/j.issn.1000-9841.2007.04.016]

备注/Memo 基金项目：辽宁省科技攻关项目（2008201005）。

第一作者简介：曹永强（1977-），男，硕士，副研究员，从事大豆遗传育种工作。E-mail: yongqiangcao@hotmail.com。

通讯作者：宋书宏（1964-）男，博士，研究员，从事大豆遗传育种工作。E-mail: sshun@163.com。

更新日期/Last Update: 2014-08-16