


[Available Issues](#) | [Japanese](#)
[>> Publisher Site](#)

 Author: [ADVANCED](#)

 Volume Page

 Keyword:


[TOP](#) > [Available Issues](#) > [Table of Contents](#) > [Abstract](#)

ONLINE ISSN : 1349-1008

PRINT ISSN : 1343-943X

Plant Production Science

Vol. 11 (2008) , No. 4 481-486

[\[PDF \(497K\)\]](#) [\[References\]](#)

Use of Near-infrared Reflectance Spectroscopy for the Estimation of the Isoflavone Contents of Soybean Seeds

[Tetsuo Sato](#)¹⁾, [Kentaro Eguchi](#)¹⁾, [Tetsuya Hatano](#)¹⁾ and [Yoichi Nishiba](#)¹⁾

 1) National Agricultural Research Center for Kyushu Okinawa Region (KONARC),
National Agriculture and Food Research Organization (NARO)

(Received: February 25, 2008)

Keywords: [Analysis](#), [Glycine max L.](#), [Isoflavone](#), [Near-infrared](#), [Nondestructive](#),
[Soybean](#), [Spectroscopy](#)
[\[PDF \(497K\)\]](#) [\[References\]](#)

 Download Meta of Article [\[Help\]](#)
[RIS](#)
[BibTeX](#)

To cite this article:

 Tetsuo Sato, Kentaro Eguchi, Tetsuya Hatano and Yoichi Nishiba: "Use of Near-infrared Reflectance Spectroscopy for the Estimation of the Isoflavone Contents of Soybean Seeds".
Plant Production Science, Vol. **11**, pp.481-486 (2008) .

doi:10.1626/pps.11.481

JOI JST.JSTAGE/pps/11.481

Copyright (c) 2008 by The Crop Science Society of Japan



[Japan Science and Technology Information Aggregator, Electronic](#)

