

[Available Issues](#) | [Japanese](#)>> [Publisher Site](#)Author: Keyword:

Search

[ADVANCED](#)[TOP](#) > [Available Issues](#) > [Table of Contents](#) > [Abstract](#)

ONLINE ISSN : 1882-4757

PRINT ISSN : 0372-798X

Journal of Weed Science and Technology

Vol. 53 (2008) , No. 4 pp.200-203

[\[PDF \(508K\)\]](#) [\[References\]](#)**Differential response of five morningglory (*Ipomoea*) species to temperature on germination**Tomoko Shibuya¹⁾, Motoaki Asai¹⁾, Keiko Nakatani¹⁾ and Shigenori Miura¹⁾

1) National Agricultural Research Center

(Received: April 29, 2008)

(Accepted: August 8, 2008)

Keywords: morningglory, germination temperature, dormancy, hard seed[\[PDF \(508K\)\]](#) [\[References\]](#)Download Meta of Article [\[Help\]](#)[RIS](#)[BibTeX](#)

To cite this article:

Tomoko Shibuya, Motoaki Asai, Keiko Nakatani and Shigenori Miura 2008. Differential response of five morningglory (*Ipomoea*) species to temperature on germination . J. Weed Sci. Tech. 53, 200-203 .

doi:10.3719/weed.53.200

JOI JST.JSTAGE/weed/53.200

Copyright (c) 2009 The Weed Science Society of Japan

