Log in

Home About Us People News Events Research Education Service

Home

News

Livestock-uproot-protected-wildlife

# Livestock can uproot protected wildlife from prime real estate



March 21, 2017

The story of wildlife conservation is usually framed as man vs. treasured wildlife. But there's growing evidence that the narrative deserves to have leading roles for livestock such as sheep, yaks or cows.

A group of researchers from Michigan

State University (MSU) and China are building the case that allowing livestock to graze and forage amidst protected wildlife disrupts wildlife already struggling for survival – and that different wildlife react to livestock invasions in different ways. The work is published in the most recent edition of *Biological Conservation*.

"We are continuing to understand how to strike a balance between letting humans make a living while protecting wildlife in the same coupled human and natural system," said Jianguo "Jack" Liu, director of MSU's Center for Systems Integration and Sustainability and one of the paper's authors. "The balance is dynamic, as shown in China – where giant pandas are protected – people are challenged to find new ways to prosper, and new situations emerge. Such dynamics need to be routinely built into conservation across the world."

## What happens when sheep roam in panda land

The latest findings continue the exploration of the largely unknown impacts of allowing livestock to graze and forage in forests on which fragile wildlife depend. The competition and damage livestock present can disrupt animals already struggling to hold their own. Three years ago, this research group discovered that the horses that farmers introduced to the forest for extra income in effect shoved pandas away from the bamboo buffet in the Wolong Nature Reserve in southwestern China, the famed home of the vulnerable giant pandas, as well as other threatened wildlife.

The knowledge spurred forest managers to change the rules and get horses out of prime panda habitat.






Divergent responses of sympatric species to livestock encroachment at fine spatiotemporal scales

## Camera trapping photo gallery



## In the media

- » ScienceDaily Livestock can uproot protected wildlife from prime real estate
- » ScienMag Livestock can uproot protected wildlife from prime real estate
- » Jersey Tribune Livestock can uproot protected wildlife from prime real estate
- » Long Room Livestock can uproot protected wildlife from prime real estate
- » Phys.Org Livestock can uproot protected wildlife from prime real estate



» October 2018 (1)

» September 2018 (2)

# » July 2018 (2) » June 2018 (1) » May 2018 (4) » April 2018 (3) » March 2018 (3) » February 2018 (4) » January 2018 (1) » December 2017 (3)

9 ... next>

last »



Amazon art Asian carp australia
bamboo Blog Book Boone and
Crockett Brazil carbon emissions
Carnivores CHANS China
climate change collective
action conservation
conservation policy coupled
human and natural

But other livestock are still there. Beginning in 2011, research associate Jindong Zhang and his colleagues were using motion-detecting camera traps to document the movement of animals in Hetaoping, a roughly 15 square-mile area in the northeastern portion of the reserve. They focused on an area with a stream, which is crucial to a wide variety of animals, especially in the winter. Midway through their four-year study, there was a change in policy in the reserve and residents there were encouraged to allow livestock to graze there.

Suddenly, sheep, yaks and cows were wandering into the camera's range.

And the giant pandas, red pandas and golden snub-nosed monkeys started to disappear, but in different ways. Sambas – a type of deer – still showed up for pictures, but shifted to evening hours, presumably to dodge the livestock.

From this tableau that evolves over 1,588 photos, researchers deduct that it's not just that the wildlife may be affected by their less rare and more domesticated forest mates, but that they react differently, and thus need different types of policies.

"Usually, several species of wildlife live in a forest habitat, due to their biological traits like life history, strategy and diet, and their responses to livestock introduction are different too," said Zhang, who also is an associate professor in China West Normal University. "Researchers and managers should consider comprehensively the divergent needs and behavioral responses of those protected animals to livestock and other human activities. Just focusing on a single species might mislead the managers to implement policies that protect one species at the expense of other species."

### Wildlife react differently to domestic competition

The giant pandas, which wield the greatest clout in wildlife management privilege, and red pandas left the valuable real estate to the livestock, likely because both need to camp out in one place to plow through the massive amounts of bamboo they require to survive. Zhang said fecal analysis indicated the giant pandas shifted to nearby areas that were less desirable, so it appeared the livestock were forcing them to downgrade their living conditions.

For the monkeys, it appeared easy to just hop over to quieter tree stands, since their population isn't dense there, and food readily available. The sambars elected to put up with their new neighbors, but opted to graze in evening hours when the livestock would have called it a day.


The sambars' behavior had been seen years earlier, when CSIS-member Neil Carter found that tigers in Nepal shifted their movements to the night to avoid human disturbances.

In addition to Liu and Zhang, "Divergent responses of sympatric species to livestock encroachment at fine spatiotemporal scales" was written by Vanessa Hull, Zhiyun Ouyang, Rengui Li, Thomas Connor, Hongbo Yang, Zejun Zhang, Brad Silet and Hemin Zhang,

The work was funded by the National Science Foundation, NASA, the National Natural Science Foundation of China, Michigan AgBioResearch, the Michigan State University Distinguished Fellowship Program, the William W. and Evelyn M. Taylor International Engagement Program.

## Contact:

Sue Nichols, nichols@msu.edu



systems CSIS Divorce ecosystem services energy energy policy environment Fish fisheries fisheries conservation fish habitat Fishing forest recovery habitat humanwildlife conflict hyenas inland fisheries invasive species Kirtland's warbler Nepa Panda pandas pandas and people plant diversity Policy pollution Rachel Carson remote sensing research scholarship species diversity student student awards Students sustainability Telecoupling Tigers Tourism Water wildlife wildlife conservation Wolong Wolong Nature Reserve

## About the Center

The Center for Systems Integration and Sustainability at Michigan State University integrates ecology with socioeconomics, demography and other disciplines for ecological sustainability from local, national to global scales.

Coupled Human and Natural Systems (CHANS) are integrated systems in which humans and natural components interact. CHANS research has recently emerged as an exciting and integrative field of cross-disciplinary scientific inquiry to find sustainable solutions that both benefit the environment and enable people to thrive. Visit CHANS-Net, the international network of research on coupled human and natural systems, for information and ways to engage.

## Contact Us

Center for Systems Integration and Sustainability Michigan State University 115 Manly Miles Building 1405 S. Harrison Rd. East Lansing, MI 48823, USA

(517) 432-5025