中国农学通报 2011, 27(第11期5月) 50-53 DOI: ISSN: 1000-6850 CN: 11-1984/S

本期目录 | 下期目录 | 过刊浏览 | 高级检索

[打印本页] [关闭]

#### 兽医-研究报告

### 慢病毒介导的shRNA对MFC细胞生长抑素的沉默及对细胞增殖的影响

马强1, 于浩1, 曹婧华1, 王楠3, 刘松财1, 张永亮1,2, 郝林琳1

- 1. 吉林大学畜牧兽医学院
- 2. 吉林大学

2. HAP

### 摘要:

SS能够抑制肿瘤细胞的增殖,其与肿瘤的关系已成为肿瘤学的研究热点。本研究将包装获得的靶向生长抑素的 lv-shRNA病毒液感染肿瘤细胞MFC,同时,以pcDNA3.1-SS(pSS)转染细胞组作为SS过表达细胞对照,通过 荧光显微镜观察到了GFP的高效表达,RIA检测发现49.55%(P<0.05)的SS受到了抑制。MTT法绘制细胞的生长曲线可知,pSS转染细胞的生长明显受到抑制,抑制效率为8.14%(P<0.05);而LV-shRNA组细胞的生长密度比对照组细胞提高了19.27%(P<0.05)。表明SS对肿瘤细胞的增殖具有抑制作用。本研究首次采用SS过表达和低表达细胞表型同时验证SS对细胞的作用,为SS及其类似物在肿瘤方面的治疗提供了理论依据。

关键词: 细胞增殖

the Effects of Lentiviral-directed shRNA on Somatostatin Silencing and the Cell Proliferation of MFC Cells

# Abstract:

Somatostatin could inhibit the growth of the tumor cell, and the correlation between somatostatin and the tumor is becoming a hot topic in oncology. In our research, MFC cells were infected with the lv-shRNA viral stocks targeting somatostatin with pcDNA3.1-SS transfected cells as the positive controls. The results showed that high infection efficiency was gained at 96 h with the fluorescence observation. SS protein level in LV-shRNA infected cells were reduced 49.55% in protein level (P<0.05) detected with RIA. Cell growth curve measured using the MTT assay showed that high levels of SS inhibit the cell growth ability significantly (8.14%, P<0.05). Reversely, lowering SS could stimulate the cell growth ability (19.27%, P<0.05), which identified that SS could inhibit the growth of the tumor cells MFC. This is the first research of the inhibition effects of SS on cell growth via high and ow levels of SS in vitro, and lays theoretical basis for the SS or the SS analogue on the oncotherapy.

Keywords: cell proliferation

收稿日期 2010-11-26 修回日期 2010-12-08 网络版发布日期 2011-05-15

DOI:

#### 基金项目:

抗体封闭猪垂体SSTR2和5方法的建立及其对猪生长的影响

通讯作者: 张永亮

作者简介:

作者Email: zhangyl@scau.edu.cn

#### 参考文献:

[1] Krantic S. Peptides as regulators of the immune system: emphasis on somatostatin[J]. Peptides,2000, 21(12): 1941-1964.

# 扩展功能

# 本文信息

- Supporting info
- PDF<u>(734KB)</u>
- [HTML全文]
- ▶参考文献[PDF]
- ▶参考文献

# 服务与反馈

- 把本文推荐给朋友
- 加入我的书架
- ▶加入引用管理器
- ▶ 引用本文
- Email Alert
- 文章反馈
- ▶浏览反馈信息

#### 本文关键词相关文章

▶细胞增殖

#### 本文作者相关文章

- ▶郝林琳
- ▶于浩
- ▶曹婧华
- ▶王楠
- ▶杨翌
- ▶刘松财
- ▶张永亮

#### PubMed

- Article by Hao,L.L
- Article by Yu,g
- Article by Cao, J. H
- Article by Yu,n
- Article by Yang, y
- Article by Liu,S.C.
- Article by Zhang,Y.L

- [2] Brazeau P, Vale W, Burgus R, et al. Hypothalamic polyeptide that inhibits the secretion of immunoreactive pituitary growth hormone[J]. Science, 1973, 179(68): 77-79.
- [3] 林岩,李光伟,肖锋刚.胃泌素、生长抑素的表达与胃癌生物学行为相关性研究[J],齐齐哈尔医学院学报,2004,25(2):129-131.
- [4] Ferone D, Arvigo M, Semino C, et al. Somatostatin and dopamine receptor expression in lung carcinoma cells and effects of chimeric somatostatin-dopamine molecules on cell proliferation[J]. Am J Physiol Endocrinol Metab, 2005, 289: 1044-1050.
- [5] Stewart SA, Dykxhoorn DM, Palliser D et al. Lentivirus-delivered stable gene silencing by RNAi in primary cells[J]. RNA, 2003, 9: 493-501.
- [6] F. 奥斯伯, R. 布伦特, R. E. 金斯顿, 等. 精编分子生物学实验指南[M]. 中国科学出版社, 1998: 123-162.
- [7] Nagy P, Arndt DJ, Jovin TM. Small interfering RNAs suppress the expression of endogenous and GFP-fused epidermal growth factor receptor (erbB1) and induce apoptosis in erbB1-overexpressing cells[J]. Exp Cell Res, 2003, 285(1): 39-49.
- [8] Ferjoux G, Bousquent C, Cordeller P, et al. Signal transduction of somatostatin receptors negatively controlling cell proliferation[J]. J Phyol Paris, 2000, 94: 205-210.

# 本刊中的类似文章

1. 田野,,崔言顺,娄华,,李建亮,杨萍萍.胶体金对小鼠细胞免疫的影响[J].中国农学通报,2007,23(6):7-7

Copyright by 中国农学通报