

非甾体抗炎药物注射制剂的开发与临床应用

[立刻下载](#)**Preparation development and clinical application of non-steroidal anti-inflammatory injections**

李健和;胡焰;曹俊华;易利丹;彭六保;

摘要:

非甾体抗炎药物注射制剂的临床试验结果表明其镇痛、解热、抗炎作用良好,不良反应少,为不能服用口服制剂的患者提供了选择空间。但目前有些研究涉及的患者数量相对较少,治疗时间也相对较短,使其不良反应难以察觉,故上市后的监测将至关重要。本文综述了非甾体抗炎药物注射制剂的研究进展,供临床和新药研发参考,以促进临床安全合理用药。

关键词: 消炎药,非甾类;注射剂;制剂开发;临床试验

基金项目:

通讯作者:李健和;

Email:**参考文献:**

- [1]黄世杰.FDA批准对乙酰氨基酚注射液[J].国际药学研究杂志,2011,38(2):160-160.
- [2]SINATRA RS,JAHR JS,REYNOLDS L,et al.Intravenousacetaminophen for pain after major orthopedic surgery:anexpanded analysis[J].Pain Pract,2012,12(5):357-365.
- [3]WININGER ST,MILLER H,MINKOWITZ HS,et al.Arandomized,double-blind,placebo-controlled,multicenter,repeat-dose study of two intravenous acetaminophen dosingregimens for the treatment of pain after abdominal laparoscopic surgery[J].Clin Ther,2010,32(14):2348-2369.
- [4]PEACOCK WF,BREITMEYER JB,PAN C,et al.A randomizedstudy of the efficacy and safety of intravenous acetaminophen compared to oral acetaminophen for the treatment of fever[J].Acad Emerg Med,2011,18(4):360-366.
- [5]BOYLE M,NICHOLSON L,O'BRIEN M,et al.Paracetamolinduced skin blood flow and blood pressure changes in febrileintensive care patients:an observational study[J].Aust Crit Care,2010,23 (4):208-214.
- [6]ANON.Intravenous ibuprofen(Caldolor)[J].Med Lett Drugs Ther,2010,52(1329):3-4.
- [7]李健和,曹俊华,易利丹,等.布洛芬静脉注射制剂的开发与临床应用[J].中国新药与临床杂志,2011,30(8):584-587.
- [8]SOUTHWORTH S,PETERS J,ROCK A,et al.A multicenter,randomized,double-blind,placebo-controlled trial ofintravenous ibuprofen 400 and 800 mg every 6 hours in themanagement of

扩展功能**● 本文信息**[PDF\(453K\)](#)**参考文献****● 服务与反馈****引用本文****● 本文关键词相关文章**[消炎药,非甾类](#)[注射剂](#)[制剂开发](#)[临床试验](#)**● 本文作者相关文章**[李健和](#)[胡焰](#)[曹俊华](#)[易利丹](#)[彭六保](#)**● 中国知网**[李健和](#)[胡焰](#)

postoperative pain[J].Clin Ther,2009,31(9):1922-1935.

[9]BOOKSTAVER PB,MILLER AD,RUDISILL CN,et al.Intravenous ibuprofen:the first injectable product for the treatment of pain and fever[J].J Pain Res,2010,3:67-79.

[10]MORRIS PE,PROMES JT,GUNTUPALLI KK,et al.A multicenter,randomized,double-blind,placebo-controlled trial of the efficacy,safety, and pharmacokinetics of intravenous ibuprofen for the treatment of fever in critically ill and non-critically ill adults[J].Crit Care,2010,14(3):R125.

[11]GURFINKEL EP,GUERLLOY FP,MAUTNER B.Suppression of life-threatening tachyarrhythmias, and atrio-ventricular ischemic block following the administration of anti-inflammatory intravenous drug[J].Int J Cardiol,2007,114(2):E56-E57.

[12]吴亚中,钟秀丹,张蕾蕾.注射用萘普生钠治疗肾绞痛临床观察[J].临床急诊杂志,2007,8(3):180-181.

[13]兀效儒,左文君,路晓东.注射用萘普生配伍芬太尼术后镇痛的临床观察[J].临床麻醉学杂志,2010,26(4):357-368.

[14]OHMUKAI O.Lipo-NSAID preparation[J].Adv Drug Deliv Rev,1996,20(2-3):203-207.

[15]酆锋.消炎、镇痛药—氟比洛芬[J].山东医药工业,1998,17(1):35-36.

[16]徐国柱,李晓玲,段砾瑕,等.氟比洛芬酯脂微球载体注射液治疗中度术后疼痛的Ⅱ期临床试验[J].中国新药杂志,2004,13(9):846-848.

[17]ESME H,KESLI R,APILIOGULLARI B,et al.Effects of flurbiprofen on CRP,TNF- α ,IL-6, and postoperative pain of thoracotomy[J].Int J Med Sci,2011,8(3):216-221.

[18]KIMURA M,OKAMOTO T,TSUKAGOSHI H,et al.Effect of flurbiprofen,metoclopramide and droperidol for nausea and emesis during cesarean section under spinal anesthesia[J].J Anesth,2011,25(5):692-697.

[19]ZHANG Z,ZHAO H,WANG C,et al.Lack of preemptive analgesia by intravenous flurbiprofen in thyroid gland surgery:a randomized,double-blind and placebo-controlled clinical trial[J].Int J Med Sci,2011,8(5):433-438.

[20]FUJII Y,SHIGA Y.Flurbiprofen axetil preceded by venous occlusion in the prevention of pain on propofol injection in the hand:a prospective,randomized,double-blind,vehicle controlled,dose-finding study in Japanese adult surgical patients[J].Clin Ther,2005,27(5):588-593.

[21]FUJII Y.Pretreatment with flurbiprofen axetil and venous occlusion to reduce pain during injection of propofol[J].Can J Anaesth,2004,51(10):1047-1048.

[22]谢俊,周建平,黄春玉.复方双氯芬酸钠注射液的研制[J].中国新药杂志,2003,12(12):1018-1021.

[23]邵洁莹,陈带·奥尔芬-75与度冷丁两种针剂治疗肾绞痛的疗效比较[J].广东医学院学报,2005,23(3):300-301.

[24]黄建林,古洁若,毋静,等.双氯芬酸钠利多卡因注射液治疗强直性脊柱炎的多中心随机双盲试验[J].中国新药与临床杂志,2006,25(7):519-522.

[25]李明全,赵磊,王哲,等.双氯芬酸钠利多卡因注射液治疗膝关节骨性关节炎的有效性和安全性[J].第四军医大学学报,2005,26(9):834-836.

[26]ALINO SF,IRUARRIZAGA A,ALFARO J,et al.Antimetastatic effects of liposome entrapped indomethacin[J].Life Sciences,1991,48(2):149-154.

[27]邓意辉,李焕秋,张瑞香,等.吲哚美辛脂质体注射液的制备,含量测定及稳定性[J].沈阳药科大学学报,1996,13(2):79-81.

[28]庄庆平,殷乐平,张瀛杰,等.国产消炎痛注射液退热镇痛疗效[J].新药与临床,1985,4(6):329-330.

[29]ANDRIEU V,FESSI H,DUBRASQUET M,et al.Pharmacokinetic evaluation of indomethacin nanocapsules[J].Drug Des Deliv,1989,4(4):295-302.

[30]GHOZLAN PR,BERNHARDT M,VELICITAT P,et al.Tolerability of multiple administration of intramuscular meloxicam:A comparison with intramuscular piroxicam in patients with rheumatoid arthritis

or osteoarthritis[J].Br J Rheumatol,1996,35 Suppl 1:51-55.

[31]REGINSTER JY,DISTEL M,BLUHMKI B.A double-blind,three-week study to compare the efficacy and safety of meloxicam 7.5 mg and meloxicam 15 mg in patients with rheumatoid arthritis[J].Br J Rheumatol,1996,35 Suppl 1:17-21.

[32]王碧波,张伟滨.美洛昔康针剂用于骨科术后镇痛效果及安全性研究[J].国际骨科学杂志,2011,32(1):57-59.

[33]王小树.一种氯诺昔康冻干粉针剂及其制备方法.中国.200810126749[P],2009-11-18.

[34]STAUNSTRUP H,OVESEN J,LARSEN UT,et al.Efficacy and tolerability of lornoxicam versus tramadol in postoperative pain[J].J Clin Pharmacol,1999,39(8):834-841.

[35]NORHOLT SE,SINDET-PEDERSEN S,LARSEN U,et al.Pain control after dental surgery:a double-blind,randomised trial of lornoxicam versus morphine[J].Pain,1996,67(2-3):335-343.

[36]NORHOLT SE,SINDET-PEDERSEN S,BUGGE C,et al.A randomized,double-blind,placebo-controlled,dose-response study of the analgesic effect of lornoxicam after surgical removal of mandibular third molars[J].J Clin Pharmacol,1995,35(6):606-614.

[37]MENTES O,BAGCI M.Postoperative pain management after inguinal hernia repair:lornoxicam versus tramadol[J].Hernia,2009,13(4):427-430.

[38]楼红英.氯诺昔康在人流术中的应用[J].南京部队医药,2001,20(3):251-252.

[39]龚志毅,叶铁虎,于广祥,等.氯诺昔康用于妇科开腹手术后病人自控镇痛的临床研究[J].中华麻醉学杂志,2001,21(9):531-533.

[40]ELHAKIM M,FATHY A,ELKOTT M,et al.Intra-articular tenoxicam relieves post-arthroscopy pain [J].Acta Anaesthesiol Scand,1996,40(10):1223-1226.

[41]COLBERT ST,CURRAN E,O'HANLON DM,et al.Intra-articular tenoxicam improves postoperative analgesia in knee arthroscopy[J].Can J Anaesth.1999,46(7):653-657.

[42]QUIJADA-CARRERA J,VALENZUALA-CASTANO A,POVEDANO-GOMEZ J,et al.Comparison of tenoxicam and bromazepam in the treatment of fibromyalgia:a randomized,double-blind,placebo-controlled trial[J].Pain,1996,65(2-3):221-225.

[43]HUANG YC,TSAI SK,HUANG CH,et al.Intravenous tenoxicam reduces uterine cramps after cesarean delivery[J].Can J Anaesth,2002,49(4):384-387.

[44]ELHAKIM H,FATHY A,AMINE H,et al.Effect of i.v.tenoxicam during caesarean delivery on platelet activity[J].Acta Anaesthesiol Scand,2000,44(5):555-559.

[45]封宇飞,雷静,吕俊玲,等.特异性环氧酶-2抑制剂-帕瑞昔布[J].中国临床药理学杂志,2003,19(3):207-210.

[46]尹智,刘慧.一种新的非甾体抗炎药-帕瑞昔布[J].华西医学,2005,20(4):814-815.

[47]BARTON SF,LANGELAND FF,SNABES MC,et al.Efficacy and safety of intravenous parecoxib sodium in relieving acute postoperative pain following gynecologic laparotomy surgery [J].Anesthesiology,2002,97(2):306-314.

[48]TANG J,LI S,WHITE PF,et al.Effect of parecoxib,a novel intravenous cyclooxygenase type-2 inhibitor, on the postoperative opioid requirement and quality of pain control[J].Anesthesiology,2002,96(6):1305-1309.

[49]RASMUSSEN GL,STECKNER K,HOGUE C,et al.Intravenous parecoxib sodium for acute pain after orthopedic knee surgery[J].Am J Orthop,2002,31(6):336-343.

[50]MALAN TP Jr,MARSH G,HAKKI SI,et al.Parecoxib sodium,a parenteral cyclooxygenase 2 selective inhibitor,improves morphine analgesia and is opioid-sparing following total hip arthroplasty [J].Anesthesiology,2003,98(4):950-956.

[51]HUBBARD RC,NAUMANN TM,TRAYLOR L,et al.Parecoxib sodium has opioid-sparing effects in patients undergoing total knee arthroplasty under spinal anaesthesia[J].Br J Anaesth,2003,90(2):166-

- [52]DANIELS SE,GROSSMAN EH,KUSS ME,et al.A double-blind,randomized comparison of intramuscularly and intravenously administered parecoxib sodium versus ketorolac and placebo in a post-oral surgery pain model[J].Clin Ther,2001,23(7):1018-1031.
- [53]CHEER SM,GOA KL.Parecoxib(parecoxib sodium).Drugs,2001,61(8):1133-1141.
- [54]MEHLISCH DR,DESJARDINS PJ,DANIELS S,et al.Singledoses of parecoxib sodium intravenously are as effective as ketorolac in reducing pain after oral surgery[J].J Oral MaxillofacSurg,2003,61(9):1030-1037.
- [55]ELSEIFY ZA,EL-KHATTAB SO,KHATTAB AM,et al.Combined parecoxib and I.V.paracetamol provides additionalanalgesic effect with better postoperative satisfaction in patientsundergoing anterior cruciate ligament reconstruction[J].Saudi JAnaesth,2011,5(1):45-49.
- [56]AKARAVIPUTH T,LEELOUHAPONG C,LOHSIRIWAT V,etal.Efficacy of perioperative parecoxib injection on postoperativepain relief after laparoscopic cholecystectomy:a prospective,randomized study[J].World J Gastroenterol,2009,15(16):2005-2008.
- [57]蔡明雪,李雅兰,林宏生,等.帕瑞昔布钠在后路脊柱术后镇痛的疗效观察[J].南方医科大学学报[J],2010,30(6):1323-1325.
- [58]KHALIL MW,CHATERJEE A,MACBRYDE G,et al.Singledose parecoxib significantly improves ventilatory function in earlyextubation coronary artery bypass surgery:a prospectiverandomized double blind placebo controlled trial[J].Br J Anaesth,2006,96(2):171-178.