



期刊导读

6卷23期 2012年12月 [最新]



期刊存档
查看目录

期刊订阅



作者中心

- [资质及晋升信息](#)
- [作者查稿](#)
- [写作技巧](#)
- [投稿方式](#)
- [作者指南](#)

编委会

期刊服务

- [建议我们](#)
- [会员服务](#)
- [广告合作](#)
- [继续教育](#)

您的位置: [首页](#)>> 文章摘要

依托咪酯和咪唑安定对不停跳冠状动脉旁路搭桥手术气管插管期间心率和血压影响的比较

余奇劲, 杨洁, 陈娟, 尹述洲

Department of Anesthesiology, Renmin Hospital of Wuhan University(YU Qi-jin, YANG Jie, CHEN Juan), Wuhan 430060, China, Department of Anesthesiology, Suzhou Kowloon Hospital, Shanghai Jiao Tong University Sch

YU Qi-jin, Email:yqj2566@sina.com

摘要: Objective To compare the effect of etomidate and midazolam on heart rate and blood pressure during tracheal intubation in off-pump coronary artery bypass graft. Methods Sixty patients scheduled for coronary artery bypass graft surgery without cardiopulmonary bypass shunt were randomly and double-blindly divided into etomidate group (Group E, n=30) and midazolam group (Group M, n=30) based on the anesthetic used for induction. Electrocardiogram, systolic blood pressure (SBP), diastolic blood pressure (DBP), heart rate (HR) and pulse oximetry saturation (SpO₂) were measured and recorded continuously, as well as the value of rate-pressure product (RPP). The time used for tracheal intubation was also recorded. Results In Group M, compared with pre-tracheal intubation, the SBP and DBP of all patients decreased remarkably at the beginning of tracheal intubation ($P<0.05$). At 1 minute post-tracheal intubation, the SBP, DBP and HR increased remarkably ($P<0.01$); meanwhile, the values of RPP were increased significantly than those at the beginning of tracheal intubation pre-tracheal intubation ($P<0.01$). Compared with the values in Group E, at the beginning of tracheal intubation, the values of SBP and DBP in Group M were significantly decreased ($P<0.05$ and $P<0.01$, respectively), while the values of SBP, DBP and RPP at 1 minute after tracheal intubation were significantly increased ($P<0.05$ and $P<0.01$, respectively). Conclusion Compared with midazolam, etomidate used in anesthetic induction for coronary artery bypass graft surgery without cardiopulmonary bypass shunt may more effectively alleviate the cardiovascular responses to tracheal intubation.

关键词: Etomidate; Midazolam; Coronary artery bypass grafting; Heart rate; Blood pressure

[评论](#) [收藏](#) [全文阅读: FullText](#)

文献标引:余奇劲, 杨洁, 陈娟, 尹述洲. 依托咪酯和咪唑安定对不停跳冠状动脉旁路搭桥手术气管插管期间心率和血压影响的比较[J/CD]. 中华临床医师杂志: 电子版, 2011, 5(20):6046-6051. [复制](#)

参考文献:

- [1] Singh S, Smith JE. Cardiovascular changes after the three staged of nasotracheal intubation. *Anaesth*, 2003, 91:667-671. [\[PubMed\]](#)
- [2] Iannuzzi E, Iannuzzi M, Cirillo V, et al. Peri-intubation cardiovascular response during low dose remifentanil or sufentanil administration in association with propofol TCI. A double blind comparison. *Minerva Anestesio*, 2004, 70:109-115. [\[PubMed\]](#)
- [3] Karki DB, Neopane A. A review on percutaneous coronary intervention vs. coronary artery bypass graft surgery. *Kathmandu Univ Med J (KUMJ)*, 2003, 1:284-287. [\[PubMed\]](#)
- [4] Singh R, Choudhury M, Kapoor PM, et al. A randomized trial of anesthetic induction agents in patients with coronary artery disease and left ventricular dysfunction. *Ann Card Anaesth*, 2010, 13:223. [\[PubMed\]](#)
- [5] Basagan-Mogol E, Goren S, Korfali G, et al. Induction of anesthesia in coronary artery bypass surgery: the hemodynamic and analgesic effects of ketamine. *Clinics (Sao Paulo)*, 2010, 65:133-138. [\[PubMed\]](#)
- [6] Menda F, Kner O, Sayin M, et al. Dexmedetomidine as an adjunct to anesthetic induction to attenuate hemodynamic response to endotracheal intubation in patients undergoing fast-track CABG. *Ann Card Anaesth*, 2010, 13:16-21. [\[PubMed\]](#)
- [7] Mekis D, Kamenik M. A randomised controlled trial comparing remifentanil and fentanyl for induction of anaesthesia in CABG surgery. *Wien Klin Wochenschr*, 2004, 116:484-488. [\[PubMed\]](#)

[8] Sams L, Braun C, Allman D, et al. A comparison of the effects of propofol and etomidate on the induction of anesthesia and on cardiopulmonary parameters in dogs. *Vet Anaesth Analg*, 2008, 35:488–495. [PubMed]

[9] Choi YF, Wong TW, Lau CC. Midazolam is more likely to cause hypotension than etomidate in emergency department rapid sequence intubation. *Emerg Med J*, 2004, 21:700–702. [PubMed]

[10] But AK, Durmus M, Toprak HI, et al. Hemodynamic, hepatorenal, and postoperative effects of desflurane-fentanyl and midazolam-fentanyl anesthesia in coronary artery bypass surgery. *J Cardiothorac Vasc Anesth*, 2005, 19:597–602. [PubMed]

[11] Diaz-Guzman E, Mireles-Cabodevila E, Heresi GA, et al. Comparison of Methohexitone Versus Etomidate for Endotracheal Intubation of Critically ill Patients. *Am J Crit Care*, 2010, 19:48–54. [PubMed]

[12] Zhang MZ, Hang YN, Wang RX. Pharmacodynamics, pharmacokinetics and perioperative circulatory regulation. *Chinese Journal of Clinicians (Electronic Edition)*, 2008, 2:332–339.

[13] Mathieu N, Cnudde N, Engelman E, et al. Intranasal sufentanil is effective for postoperative analgesia in adults. *Can J Anaesth*, 2006, 53:60–66. [PubMed]

[14] Lütsch J. Pharmacokinetic–pharmacodynamic modeling of opioids. *J Pain Symptom Manage*, 2005, 29:S90–103. [PubMed]

[15] Kaneda K, Yamashita S, Woo S, et al. Population Pharmacokinetics and Pharmacodynamics of Brief Etomidate Infusion in Healthy Volunteers. *J Clin Pharmacol*, 2011, 51:482–491. [PubMed]

[16] Nestor VB, Burton JH. ED use of etomidate for rapid sequence induction. *Am J Emerg Med*, 2008, 26:946–950. [PubMed]

[17] Bloomfield R, Noble D. Etomidate and intensive care physicians. *Intensive Care Med*, 2005, 31:113–114. [PubMed]

[18] Tekwani KL, Watts HF, Sweis RT, et al. A comparison of the effects of etomidate and midazolam on hospital length of stay in patients with suspected sepsis: a prospective, randomized study. *Ann Emerg Med*, 2010, 56:481–489. [PubMed]

[19] Patel S, Vargo JJ, Khandwala F, et al. Deep sedation occurs frequently during elective endoscopy with meperidine and midazolam. *Am J Gastroenterol*, 2005, 100:2689–2695. [PubMed]

[20] Liao R, Li JY, Liu GY. Comparison of sevoflurane volatile induction/maintenance anaesthesia and propofol–remifentanil total intravenous anaesthesia for rigid bronchoscopy under spontaneous breathing for tracheal/bronchial foreign body removal in children. *Eur J Anaesthesiol*, 2010, 27:930–934. [PubMed]

论著

shRNA沉默EZH2表达对人肺癌细胞增殖和侵袭能力的影响

张嘉玲, 苏秀兰, 闫美荣, 呼群. . 中华临床医师杂志: 电子版 2011;5(20):5871–5874.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肺肉瘤样癌六例临床分析

夏阳, 白冲, 赵立军, 姚小鹏, 韩一平, 焦洋, 李强. . 中华临床医师杂志: 电子版 2011;5(20):5875–5879.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

膈肌起源的多形性肉瘤一例及文献复习

聂小蒙, 王雨濛, 郑唯强, 金海, 姚小鹏. . 中华临床医师杂志: 电子版 2011;5(20):5880–5883.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

温下方联合顺铂对A549/DDP裸鼠移植瘤的抑制作用及对药物转运蛋白表达的影响

吴智春, 于华芸, 季旭明, 王春燕, 李文华, 欧阳兵. . 中华临床医师杂志: 电子版 2011;5(20):5884–5888.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

自身抗原激活的树突状细胞联合细胞因子诱导杀伤细胞过继免疫治疗晚期前列腺癌的临床研究

闵敏, 张小玉, 冯怀志, 陈健, 孙蕙, 李硕, 钟国成, 杨帆, 朱波. . 中华临床医师杂志: 电子版 2011;5(20):5889–5893.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

胰腺癌中S100A4和Survivin的表达及其与预后关系的研究

贾富鑫, 刘江伟, 张东, 李鹏, 李建瑛, 冯玉玲, 卢开柏. . 中华临床医师杂志: 电子版

2011;5(20):5894-5899.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

环氧化酶-2、血管内皮生长因子-C和CD105在喉癌组织中的表达及与临床病理特征的关系

杨淑娟, 刘钰莹. . 中华临床医师杂志: 电子版

2011;5(20):5900-5903.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

18F-FDG PET/CT在肝转移瘤及其原发灶和肝外转移灶诊断中的价值

罗家伦, 徐慧琴, 黄薇园, 薛央扬, 王雪梅. . 中华临床医师杂志: 电子版

2011;5(20):5904-5908.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肺结核大咯血患者锁骨下动脉造影及其出血分支栓塞的临床意义

敖国昆, 张广宇, 王仲元, 陈红兵, 李强, 黄沁, 谈志远. . 中华临床医师杂志: 电子版

2011;5(20):5909-5912.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肺双重血供的CT灌注技术及其应用于肺结核的初步研究

袁小东, 敖国昆, 全昌斌, 张静, 李红, 田媛, 秦崇, 刘哲, 田梅. . 中华临床医师杂志: 电子版

2011;5(20):5913-5918.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

活动性和非活动性结核的薄层CT特征

董莘, 秦崇, 敖国昆. . 中华临床医师杂志: 电子版

2011;5(20):5919-5924.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

胸壁结核的CT诊断

全昌斌, 敖国昆, 李红, 袁小东, 李利佳. . 中华临床医师杂志: 电子版

2011;5(20):5925-5929.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

多层螺旋CT对泌尿系结核的应用价值

全昌斌, 李红, 董莘, 袁小东, 张杨. . 中华临床医师杂志: 电子版

2011;5(20):5930-5934.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

磁共振成像对鞘内注射治疗结核性脑脊髓膜炎疗效的诊断价值

许国宇, 敖国昆, 王金河, 袁小东, 李红, 乔远罡 田媛 韩冬梅. . 中华临床医师杂志: 电子版

2011;5(20):5935-5938.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

磁共振成像对结核性脑膜炎伴发脑梗死的诊断价值

许国宇, 李红, 敖国昆, 袁小东, 乔远罡, 韩冬梅, 许银伍. . 中华临床医师杂志: 电子版

2011;5(20):5939-5944.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

低颅压综合征的磁共振表现及其病理生理基础

李红, 敖国昆, 全昌斌, 田媛, 许国宇, 乔远罡. . 中华临床医师杂志: 电子版

2011;5(20):5945-5949.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

椎管内皮样囊肿脂滴破入脊髓中央管和蛛网膜下腔的诊断和治疗

初明, 魏兰兰, 胡恩喜, 王殿洪, 于洪伟, 吴培, 徐坤, 李国忠, 钟震宇, 史怀璋, 赵世光. . 中华临床医师杂志: 电子版

2011;5(20):5950-5954.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

缺血前和缺血后联合应用丙泊酚对兔脊髓缺血再灌注损伤的保护作用

余奇劲, 杨洁, 陈娟. . 中华临床医师杂志: 电子版

2011;5(20):5955-5959.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

草酸铂腹腔化疗对大鼠结肠吻合口愈合影响及粒-巨噬细胞集落刺激因子的干预效应

刘勇, 杨阳, 刘辉, 李森, 宋云骏. . 中华临床医师杂志: 电子版
2011;5(20):5960-5963.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

骨髓间充质干细胞移植于大鼠缺血性损伤胆道组织后表达血管内皮细胞表型

赵德芳, 陈大志. . 中华临床医师杂志: 电子版
2011;5(20):5964-5968.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

HCV感染者自身抗体对肝脏损伤的影响

李文淑, 赵景民, 周光德, 刘树红, 郭晓东, 杨建法, 赵雨来. . 中华临床医师杂志: 电子版
2011;5(20):5969-5973.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肾上腺囊肿16例诊疗分析

张开颜, 邢金春, 李伟, 刘荣福, 陈斌, 陈跃东, 王惠强, 刘春晓. . 中华临床医师杂志: 电子版
2011;5(20):5974-5978.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

尿毒症患者血清对人脐静脉内皮细胞凋亡及caspase-12水平的影响及重组人促红细胞生成素的干预作用

黄毅, 甘华, 杜晓刚. . 中华临床医师杂志: 电子版
2011;5(20):5979-5982.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

丹参和黄芪注射液联用对慢性肾脏病基础上急性肾损伤的影响

徐贵华, 李雁, 袁利, 谢平, 陈永华, 赵晋媛. . 中华临床医师杂志: 电子版
2011;5(20):5983-5986.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

心率及心律对320排容积CT冠状动脉血管成像及相关辐射剂量的影响

李敏, 孙钢, 李海军, 彭兆辉, 李理, 姜相森. . 中华临床医师杂志: 电子版
2011;5(20):5987-5992.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

不同左心室构型甲亢性心肌病兔血清肌钙蛋白I水平变化

王亚娟, 礼广森, 孙艳红, 王伟东, 张洁, 毕文君. . 中华临床医师杂志: 电子版
2011;5(20):5993-5996.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

APACHE II评分对全身炎症反应综合征患者预后的评估作用

冷伟建, 宋勇, 刘世峰, 宋娟, 钱文建. . 中华临床医师杂志: 电子版
2011;5(20):5997-6000.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

发育性髋关节异常手法复位并发股骨头缺血性坏死的危险因素及临床意义

徐蕴岚, 王志刚. . 中华临床医师杂志: 电子版
2011;5(20):6001-6006.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

FTO基因多态性与儿童肥胖的关联研究

陈燕燕, 沈月, 李光伟, 王兴宇, 王金平, 姜亚云, 黎辉. . 中华临床医师杂志: 电子版
2011;5(20):6007-6011.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

威海市1636例乳腺癌预后多因素分析

董桂芝, 梁晓玲, 彭辉, 王玲, 王建文, 杜朝晖, 张丽. . 中华临床医师杂志: 电子版
2011;5(20):6012-6016.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

贫血与老年人认知功能障碍的横断面研究

李红, 李玉玲, 胡明均, 覃骏, 董小林, 王黎. . 中华临床医师杂志: 电子版
2011;5(20):6017-6020.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

心房颤动患者的低剂量、大螺距双源CT冠状动脉成像的可行性研究

孙凯, 韩瑞娟, 马利军, 王利军, 李立刚, 陈九宏. . 中华临床医师杂志: 电子版
2011;5(20):6027-6032.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

贫血对冠心病患者冠状动脉介入治疗术后急性造影剂肾损伤的影响

李文华, 李东野, 徐通达, 朱红, 张延斌. . 中华临床医师杂志: 电子版
2011;5(20):6033-6038.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

乳化异氟烷的体内和体外溶血性实验研究

饶艳, 王焱林, 张文胜, 杨小霖, 马汉祥, 杨经文, 杨宗斌, 刘爱杰, 刘进. . 中华临床医师杂志: 电子版
2011;5(20):6039-6045.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

依托咪酯和咪唑安定对不停跳冠状动脉旁路搭桥手术气管插管期间心率和血压影响的比较

余奇劲, 杨洁, 陈娟, 尹述洲. . 中华临床医师杂志: 电子版
2011;5(20):6046-6051.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

重型颅脑损伤患者凝血纤溶标志物动态观察

刘汉, 刘颖, 何小卫. . 中华临床医师杂志: 电子版
2011;5(20):6052-6056.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

植物雌激素染料木素对去卵巢大鼠的骨代谢的影响

孙纪元, 吕勇刚, 李纪鹏, 缪珊, 王四旺, 颉强, 谢艳华, 王剑波, 杨倩. . 中华临床医师杂志: 电子版
2011;5(20):6057-6064.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)