



期刊导读

8卷6期 2014年3月 [最新]



期刊存档

期刊存档

[查看目录](#)

期刊订阅



在线订阅



邮件订阅



RSS

作者中心



资质及晋升信息



作者查稿



写作技巧



投稿方式



作者指南

编委会

期刊服务



建议我们



会员服务



广告合作



继续教育

您的位置: [首页](#)>> [文章摘要](#)[中文](#) [English](#)

微创保胆取石术联合牛磺熊去氧胆酸与腹腔镜胆囊切除术治疗胆囊结石的对比研究

张宏 潘耀振 张浩 詹磊 孙诚谊

550001 贵阳医学院附属医院肝胆外科 贵州省肝胆胰脾疾病研究所

孙诚谊, Email: chengyisun@medmail.com.cn

摘要:目的探讨微创保胆取石术联合牛磺熊去氧胆酸与腹腔镜胆囊切除术治疗胆囊结石的疗效。方法 统计贵阳附属医院2011年5月至2012年5月收治的微创保胆取石治疗胆结石患者100例和腹腔镜胆囊切除术治疗胆结石患者173例患者作为治疗组术后均口服牛磺熊去氧胆酸,胆囊切除患者作为对照组术后给予常规抗炎支持治疗,所有患者均随访时间为1年,统计各组患者胆石症状改善情况和治疗组患者的胆囊壁厚、胆囊功能水平和结石复发率。结论 两组患者手术前胆绞痛、腹胀、右上腹不适发生率分别为47.1%、21.8%、100%,胆囊壁厚为(3.42±0.49)mm,术后胆绞痛、腹胀、右上腹不适发生率分别为2.3%、9.2%、2.3%,胆囊壁厚为(2.57±0.69)mm;胆囊结石患者术后胆囊排空指数为43.11±20.82,保胆取石术后两年患者组胆囊排空指数为56.00±10.77,正常组胆囊排空指数为56.65±13.45,患者手术前后胆石症状、胆囊壁厚的差异均具有统计学意义(P<0.05),保胆取石术后两年患者组胆囊排空指数与正常组差异无统计学意义(P>0.05),而与胆囊结石患者组差异有统计学意义(P<0.05);术后1年治疗组患者腹泻、腹胀、右上腹不适症状发生率分别为2.3%、9.2%、2.3%,对照组患者腹泻、腹胀、右上腹不适症状发生率分别为33.6%、25.5%、17.3%,两组之间胆石症状的差异均具有统计学意义(P<0.05),治疗组患者术后胆固醇结石复发率有降低趋势。结论保胆取石术后口服牛磺熊去氧胆酸对术后患者胆囊功能的恢复及预防胆囊胆固醇结石的复发具有重要意义。

关键词:保胆取石术; 胆囊结石病; 牛磺熊去氧胆酸

[评论](#) [收藏](#) [全文阅读: FullText](#)

文献标引:张宏 潘耀振 张浩 詹磊 孙诚谊.微创保胆取石术联合牛磺熊去氧胆酸与腹腔镜胆囊切除术治疗胆囊结石的对比研究[J].

华临床医师杂志: 电子版, 2014, 8(5):873-878.

[复制](#)

参考文献:

- [1] Gupta N, Arora MP. Single-incision laparoscopic cholecystectomy[J]. Singapore Med J, 2012, 53(10): 856.
- [2] Goldacre MJ, Wotton CJ, Abisgold J, et al. Association between cholecystectomy and intestinal cancer—a national record linkage study[J]. Annals of Surgery, 2012, 256(6): 1068-1072.
- [3] Jimenez-Castro MB, Elias-Miro M, Mendes-Braz M, et al. Tauroursodeoxycholic Acid Affects PPAR α and TLR4 in Steatotic Liver Transplantation[J]. Am J Transplant, 2012, 12(12): 3257-3271.
- [4] Gohlke H, Schmitz B, Sommerfeld A, et al. α (5) β (1) -integrins are sensors for tauroursodeoxycholic acid in hepatocytes[J]. Hepatology, 2012, 9(17): 1-13.
- [5] Dodds WJ, Groh WJ, Darweesh RM, et al. Sonographic measurement of gallbladder volume[J]. AJR Am J Roentgenol, 1985, 145(5): 1009-1011.
- [6] Constantinescu T, Huwood Al Jabouri AK, Brătucu E, et al. Gallstone disease in young population: incidence, complications, therapeutic approach[J]. Chirurgia, 2012, 5(107): 579-582.
- [7] Premkumar M, Sable T. Obesity, dyslipidemia and cholesterol gallstone disease during one year Antarctic residence[J]. Rural Remote Health, 2012, 12(4): 2186.
- [8] Aprea G, Canfora A, Ferronetti A, et al. Morpho-functional gastric pre-and post-operative changes in elderly patients undergoing laparoscopic cholecystectomy for gallstone related disease[J]. BMC Surg, 2012, 12(1): 1-6.

2012, 12 (1): 5.

[9] Mertens MC, Roukema JA, Scholtes VP, et al. Risk assessment in cholelithiasis: is cholecystectomy always to be preferred?[J]. J Gastrointest Surg, 2010, 14(8): 1271-1279.

[10] Mertens MC, Roukema JA, Scholtes VP, et al. Trait anxiety predicts outcome 6 weeks after cholecystectomy. A prospective follow-up study[J]. Ann Behav Med, 2011, 41(2): 264-269.

[11] Navaneethan U, Choure A, Venkatesh PG, et al. Presence of concomitant inflammatory bowel disease associated with an increased risk of postcholecystectomy complications[J]. Inflamm Bowel Dis, 2012, 18(9): 1682-1688.

[12] Jaunoo SS, Mohandas S, Almond LM. Postcholecystectomy syndrome (PCS)[J]. Int J Surg, 2010, 8(1): 15-17.

[13] Wei S. The clinical application of the hard gallbladder endoscope combined with soft choledochoscope in the surgery of laparoscopic microscopic trauma for the removal of calculi and preservation of gallbladder[J]. J Laparoendosc Adv Surg Tech A, 2013, 23(2):106-108.

[14] Kuipers F, Groen AK. Chipping Away at gallstones[J]. Nat Med, 2008, 14(7):715-716.

[15] Biddinger SB, Haas JT, Yu BB, et al. Hepatic insulin resistance directly promotes formation of cholesterol gallstones[J]. Nat Med, 2008, 14(7): 778-782.

[16] Gong RY, Lu ZL, Zhang LD, et al. The synthesis of MP-CDCA conjugates and dissolution kinetics of model cholesterol gallstones[J]. Acta Biomater, 2008, 4(5): 1421-1426.

[17] Portincasa P, Diciaula A, Palmieri V, et al. Tauroursodeoxycholic acid, ursodeoxycholic acid and gallbladder motility in gallstone patients and healthy subjects[J]. Ital J Gastroenterol, 1996, 28(1): 111-113.

临床论著

microRNA-21参与调控膀胱癌细胞增殖及多柔比星敏感性的研究

邓夏珩 李鹏超 陶俊 刘康 秦超 居小兵 李杰 吕强 殷长军. .中华临床医师杂志: 电子版 2014;8(5):810-814.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

社区育龄期女性膀胱过度活动症危险性与分娩相关性的前瞻性研究

陈勇 谢新接 彭宇洁. .中华临床医师杂志: 电子版 2014;8(5):815-819.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

后腹腔镜与开放手术行肾及肾上腺肿瘤切除临床对比研究

熊丙建 唐明忠 江铎 谢蛟魁 陶光晶. .中华临床医师杂志: 电子版 2014;8(5):820-824.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肿瘤坏死因子相关凋亡诱导配体诱导的细胞凋亡在再生障碍性贫血发病中的意义

张娟 张秀莲 张伟华 樊润梅 葛晓静. .中华临床医师杂志: 电子版 2014;8(5):825-829.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

白血病中RNA结合蛋白RNPC1的表达及意义

唐青青 陆伟 张海健 张亚平 刘红 杨露君 袁莹莹 胡成俊 陈秀芳. .中华临床医师杂志: 电子版 2014;8(5):830-833.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

hTERT基因扩增在宫颈癌及宫颈癌前病变中的临床意义

成志强 王洋 王晓玫 俞丽娜 贺黎升 彭全州 胡锦涛 陈灼怀. .中华临床医师杂志: 电子版 2014;8(5):834-838.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

NRF2启动子甲基化与男性不育

刘丹 王芳 龚炜 高兴成 孙筱放 余波澜. .中华临床医师杂志: 电子版 2014;8(5):839-843.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

乙型肝炎病毒感染对体外受精-胚胎移植临床结局的影响

许伟标 杨桂艳 蔡喆 蔡桂丰. .中华临床医师杂志: 电子版

2014;8(5):844-847.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[抗U1核糖核蛋白抗体与系统性红斑狼疮的致病相关性](#)

成娟 陈宏 门剑龙. .中华临床医师杂志: 电子版

2014;8(5):848-852.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[来氟米特联合吗替麦考酚酯治疗狼疮性肾炎的疗效观察](#)

李大军 李云霞 车航. .中华临床医师杂志: 电子版

2014;8(5):853-857.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[Notch-1在木村病中的表达及意义](#)

邓维叶 高云飞 陈艳峰 李浩 杨远忠 郭朱明. .中华临床医师杂志: 电子版

2014;8(5):858-862.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[多西他赛为主的两药与三药方案治疗老年低分化胃癌的疗效及安全性比较](#)

肖寒 方乃青 申小苏. .中华临床医师杂志: 电子版

2014;8(5):863-867.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[肝移植术后肠道菌群失调及其危险因素分析](#)

童荔 杨志勤 易小猛 魏绪霞 蔡常洁. .中华临床医师杂志: 电子版

2014;8(5):868-872.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[微创保胆取石术联合牛磺熊去氧胆酸与腹腔镜胆囊切除术治疗胆囊结石的对比研究](#)

张宏 潘耀振 张浩 詹磊 孙诚谊. .中华临床医师杂志: 电子版

2014;8(5):873-878.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[沐舒坦联合舒利迭对慢性阻塞性肺疾病急性加重期患者肺功能和血气分析的影响](#)

罗进. .中华临床医师杂志: 电子版

2014;8(5):879-882.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[呼吸窘迫综合征早产儿宫外发育迟缓的危险因素分析](#)

崔凤静 杨燕玲 崔兆芳 周继勇 单若冰. .中华临床医师杂志: 电子版

2014;8(5):883-887.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[血清脂蛋白\(a\)水平与血管内超声斑块显像特征的关系](#)

费玲 张军 王长厚 马晓丽 付金国 万艳芳. .中华临床医师杂志: 电子版

2014;8(5):888-890.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[瑞芬太尼靶控浓度对支撑喉镜手术患者皮质醇和白介素-6的影响](#)

王伟芝 罗艳华 孙学成 张彩云 纪凡层. .中华临床医师杂志: 电子版

2014;8(5):891-895.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)