

[本期目录 | 下期目录 | 过刊浏览 | 高级检索]

[打印本页] [关闭]

综述

MicroRNA-29与纤维化疾病

葛燕, 陈国纯, 孙林, 刘伏友

中南大学湘雅二医院肾内科, 中南大学肾脏病研究所, 长沙410011

摘要:

小分子RNA(microRNA,miRNA,miR)是一类由21~23个核苷酸构成的功能性非编码小分子RNA。microRNA-29(miR-29)是新近发现的一类与纤维化疾病密切相关的小分子RNA家族,研究发现miR-29可通过直接抑制多种细胞外基质蛋白表达和调控多种与纤维化相关的信号通路参与纤维化过程,并且循环中miR-29的水平还可反映肝病患者肝硬化的严重程度。

关键词: 小分子RNA-29 纤维化疾病 细胞外基质

MicroRNA-29 and fibrosis diseases

GE Yan, CHEN Guochun, SUN Lin, LIU Fuyou

Department of Nephropathy, Second Xiangya Hospital, Central South University; Renal Institute of Central South University, Changsha 410011, China

Abstract:

MicroRNAs (miRNAs, miR) are small, noncoding RNAs with 21-23 nucleotides. MicroRNA-29 (miR-29), a newly discovered miRNAs, is closely related with fibrosis diseases. MiR-29 directly suppresses the expression of a variety of extracellular matrix components and regulates signaling pathways associated with fibrosis. The serum level of miR-29 in patients with liver disease is consistent with the degree of liver cirrhosis.

Keywords: microRNA-29 fibrosis diseases extracellular matrix

收稿日期 2011-04-20 修回日期 网络版发布日期

DOI: 10.3969/j.issn.1672-7347.2011.09.017

基金项目:

国家自然科学基金(81070610, 30871169); 卫生部临床学科重点项目(2010439)。

通讯作者: 刘伏友,E-mail: Ify410@yahoo.com.cn; 孙林,E-mail: sunlinnwu11@163.com

作者简介: 葛燕,博士,主要从事腹膜透析的研究。

作者Email: Ify410@yahoo.com.cn; sunlinnwu11@163.com

参考文献:

- [1] Kozomara A, Griffiths-Jones S. miRBase: integrating micro-RNA annotation and deep-sequencing data [J]. Nucleic Acids Res, 39(Database issue):D152-157.
- [2] Lagos-Quintana M, Rauhut R, Lendeckel W, et al. Identification of novel genes coding for small expressed RNAs [J]. Science, 2001, 294(5543):853-858.
- [3] Lagos-Quintana M, Rauhut R, Yalcin A, et al. Identification of tissue-specific microRNAs from mouse [J]. Curr Biol, 2002, 12(9):735-739.
- [4] Dostie J, Mourelatos Z, Yang M, et al. Numerous microRNPs in neuronal cells containing novel microRNAs [J]. RNA, 2003, 9(2):180-186.
- [5] Hwang H W, Wentzel E A, Mendell J T. A hexanucleotide element directs microRNA nuclear import [J]. Science, 2007, 315(5808):97-100.
- [6] van Rooij E, Sutherland L B, Thatcher J E, et al. Dysregulation of microRNAs after myocardial infarction reveals a role of miR-29 in cardiac fibrosis [J]. Proc Natl Acad Sci USA, 2008, 105(35):13027-13032.
- [7] Cushing L, Kuang P P, Qian J, et al. miR-29 is a major regulator of genes associated with pulmonary fibrosis [J]. Am J Respir Cell Mol Biol, 2011, 45(2):287-294.
- [8] Roderburg C, Urban G W, Bettermann K, et al. Micro-RNA profiling reveals a role for miR-29 in human and murine liver fibrosis [J]. Hepatology, 2011, 53(1):209-218.

扩展功能

本文信息

► Supporting info

► PDF (929KB)

► [HTML全文]

► 参考文献[PDF]

► 参考文献

服务与反馈

► 把本文推荐给朋友

► 加入我的书架

► 加入引用管理器

► 引用本文

► Email Alert

► 文章反馈

► 浏览反馈信息

本文关键词相关文章

► 小分子RNA-29

► 纤维化疾病

► 细胞外基质

本文作者相关文章

PubMed

- [9] Feldman A L, Dogan A, Smith D I, et al. Discovery of recurrent t(6;7)(p25.3;q32.3) translocations in ALK-negative anaplastic large cell lymphomas by massively parallel genomic sequencing [J]. *Blood*, 2011, 117(3):915-919.
- [10] Wang H, Garzon R, Sun H, et al. NF-kappaB-YY1-miR-29 regulatory circuitry in skeletal myogenesis and rhabdomyosarcoma [J]. *Cancer Cell*, 2008, 14(5):369-381.
- [11] Chang T C, Yu D, Lee Y S, et al. Widespread microRNA repression by Myc contributes to tumorigenesis [J]. *Nat Genet*, 2008, 40(1):43-50.
- [12] Mott J L, Kurita S, Cazanave S C, et al. Transcriptional suppression of mir-29b-1/mir-29a promoter by c-Myc, hedgehog, and NF-kappaB [J]. *J Cell Biochem*, 2010, 110(5):1155-1164.
- [13] Maurer B, Stanczyk J, Jungel A, et al. MicroRNA-29, a key regulator of collagen expression in systemic sclerosis [J]. *Arthritis Rheum*, 2010, 62(6):1733-1743.
- [14] Ogawa T, Iizuka M, Sekiya Y, et al. Suppression of Type I collagen production by microRNA-29b in cultured human stellate cells [J]. *Biochem Biophys Res Commun*, 2010, 391(1):316-321.
- [15] Divakaran V, Adrogue J, Ishiyama M, et al. Adaptive and maladaptive effects of SMAD3 signaling in the adult heart after hemodynamic pressure overloading [J]. *Circ Heart Fail*, 2009, 2(6):633-642.
- [16] Davis B N, Hilyard A C, Lagna G, et al. SMAD proteins control DROSHA-mediated microRNA maturation [J]. *Nature*, 2008, 454(7200):56-61.
- [17] Long J, Wang Y, Wang W, et al. MicroRNA-29c is a signature MicroRNA under high glucose conditions which targets sprouty homolog 1, and its in vivo knockdown prevents progression of diabetic nephropathy [J]. *J Biol Chem*, 2011, 286(13):11837-11848.
- [18] Chendrimada T P, Finn K J, Ji X, et al. MicroRNA silencing through RISC recruitment of eIF6 [J]. *Nature*, 2007, 447(7146):823-828.
- [19] Forman J J, Legesse-Miller A, Coller H A. A search for conserved sequences in coding regions reveals that the let-7 microRNA targets Dicer within its coding sequence [J]. *Proc Natl Acad Sci USA*, 2008, 105(39):14879-14884.
- [20] Ott C E, Grunhagen J, Jager M, et al. MicroRNAs differentially expressed in postnatal aortic development downregulate elastin via 3'UTR and coding-sequence binding sites [J]. *PLoS One*, 2011, 6(1):e16250.
- [21] Bartel D P. MicroRNAs: target recognition and regulatory functions [J]. *Cell*, 2009, 136(2):215-233.
- [22] John B, Enright A J, Aravin A, et al. Human microRNA targets [J]. *PLoS Biol*, 2005, 3(7):e264.
- [23] Kapinas K, Kessler C B, Delany A M. miR-29 suppression of osteonectin in osteoblasts: regulation during differentiation and by canonical Wnt signaling [J]. *J Cell Biochem*, 2009, 108(1):216-224.
- [24] Kapinas K, Kessler C, Ricks T, et al. miR-29 modulates Wnt signaling in human osteoblasts through a positive feedback loop [J]. *J Biol Chem*, 2010, 285(33):25221-25231.
- [25] Sengupta S, den Boon J A, Chen I H, et al. MicroRNA 29c is down-regulated in nasopharyngeal carcinomas, up-regulating mRNAs encoding extracellular matrix proteins [J]. *Proc Natl Acad Sci USA*, 2008, 105(15):5874-5878.
- [26] Li Z, Hassan M Q, Jafferji M, et al. Biological functions of miR-29b contribute to positive regulation of osteoblast differentiation [J]. *J Biol Chem*, 2009, 284(23):15676-15684.
- [27] Fort A, Borel C, Migliavacca E, et al. Regulation of fibrinogen production by microRNAs [J]. *Blood*, 2010, 116(14):2608-2615.
- [28] Park S Y, Lee J H, Ha M, et al. miR-29 miRNAs activate p53 by targeting p85 alpha and CDC42 [J]. *Nat Struct Mol Biol*, 2009, 16(1):23-29.
- [29] Mott J L, Kobayashi S, Bronk S F, et al. mir-29 regulates Mcl-1 protein expression and apoptosis [J]. *Oncogene*, 2007, 26(42):6133-6140.
- [30] Garzon R, Heaphy C E, Havelange V, et al. MicroRNA 29b functions in acute myeloid leukemia [J]. *Blood*, 2009, 114(26):5331-5341.
- [31] Pekarsky Y, Santanam U, Cimmino A, et al. Tcf1 expression in chronic lymphocytic leukemia is regulated by miR-29 and miR-181 [J]. *Cancer Res*, 2006, 66(24):11590-11593.
- [32] Winbanks C E, Wang B, Beyer C, et al. TGF-{beta} regulates miR-206 and miR-29 to control myogenic differentiation through regulation of histone deacetylase 4 (HDAC4) [J]. *J Biol Chem*, 2011, [Epub ahead of print].

[33] Fabbri M, Garzon R, Cimmino A, et al. MicroRNA-29 family reverts aberrant methylation in lung cancer by targeting DNA methyltransferases 3A and 3B [J]. Proc Natl Acad Sci USA, 2007, 104(40):15805-15810.

[34] Gebeshuber C A, Zatloukal K, Martinez J. miR-29a suppresses tristetraprolin, which is a regulator of epithelial polarity and metastasis [J]. EMBO Rep, 2009, 10(4):400-405.

[35] Bettens K, Brouwers N, Engelborghs S, et al. APP and BACE1 miRNA genetic variability has no major role in risk for Alzheimer disease [J]. Hum Mutat, 2009, 30(8):1207-1213.

[36] Verrier J D, Lau P, Hudson L, et al. Peripheral myelin protein 22 is regulated post-transcriptionally by miRNA-29a [J]. Glia, 2009, 57(12):1265-1279.

[37] Xu H, Cheung I Y, Guo H F, et al. MicroRNA miR-29 modulates expression of immunoinhibitory molecule B7-H3: potential implications for immune based therapy of human solid tumors [J]. Cancer Res, 2009, 69(15):6275-6281.

[38] Nathans R, Chu C Y, Serquina A K, et al. Cellular microRNA and P bodies modulate host-HIV-1 interactions [J]. Mol Cell, 2009, 34(6):696-709.

[39] Luna C, Li G, Qiu J, et al. Cross-talk between miR-29 and transforming growth factor-betas in trabecular meshwork cells [J]. Invest Ophthalmol Vis Sci, 2011, 52(6):3567-3572.

[40] Castilla M A, Moreno-Bueno G, Romero-Perez L, et al. Micro-RNA signature of the epithelial-mesenchymal transition in endometrial carcinosarcoma [J]. J Pathol, 2011, 223(1):72-80.

[41] Mizuno H, Nakamura A, Aoki Y, et al. Identification of muscle-specific microRNAs in serum of muscular dystrophy animal models: promising novel blood-based markers for muscular dystrophy [J]. PLoS One, 2011, 6(3):e18388.

本刊中的类似文章

1. 刘映红; 刘伏友; 段绍斌; 肖平; 袁芳; 彭佑铭; 成枚初; 夏家辉; 黄芪对TGF- β 1致人腹膜间皮细胞分泌细胞外基质的影响[J]. 中南大学学报(医学版), 2003, 28(2): 141-
2. 赵元1, 周新民1, 廖晓波1, 杨竹林2.风湿性心脏病致心力衰竭患者心肌组织中基质金属蛋白酶-1,9及其相关因子TIMP-4和EMMPRIN的表达及意义[J]. 中南大学学报(医学版), 2009, 34(08): 790-795
3. 陈卓雄1, 谢晓云1, 喻日成2, 张军1, 雷闽湘1.食饵性高脂血症对糖尿病大鼠肾脏 TGF- β /Smad信号通路的激活[J]. 中南大学学报(医学版), 2008, 33(10): 906-912
4. 吕卫东,吴忠仕,胡铁辉,张明,胡野荣,姜志斌,李伟,刘哲亮,胡建国.去细胞处理对牛颈静脉带瓣管道细胞外基质骨架的影响[J]. 中南大学学报(医学版), 2007, 32(05): 819-823
5. 李新国*, 邹晓晖, 张瑜.TGF β 1在子宫颈鳞癌细胞及细胞外基质中的表达[J]. 中南大学学报(医学版), 2004, 29(1): 44-46
6. 张浩1, 刘伏友2, *, 刘映红2, 龙志高3, 吴鼎文3, 敖翔3, 陈仙花3.TGF- β 1刺激对人腹膜间皮细胞内Smad信号转导通路的影响[J]. 中南大学学报(医学版), 2004, 29(2): 142-147
7. 吴文灿, 刘双珍*, 王剑锋, 谭星平, 江海波.小鸡形觉剥夺性近视眼巩膜基质金属蛋白酶2 mRNA表达[J]. 中南大学学报(医学版), 2004, 29(3): 270-273
8. 袁芳1, 刘伏友1, *, 刘映红1, 段绍斌1, 彭佑铭1, 黄亮群2.TGF β 1反义RNA对腹膜间皮细胞分泌细胞外基质的影响[J]. 中南大学学报(医学版), 2004, 29(5): 548-551