

本期目录 | 下期目录 | 过刊浏览 | 高级检索

[打印本页] [关闭]

综述

IgA肾病免疫机制与治疗靶点研究进展

贺理宇, 刘虹, 彭佑铭

中南大学湘雅二医院肾内科, 长沙 410011

摘要:

IgA肾病是全球最常见的免疫相关性肾小球疾病, 以肾小球系膜区低糖基化IgA1沉积为主要病理特征。免疫调节紊乱在IgA肾病发病机制中起着重要的作用。T和B淋巴细胞的活化异常, 可导致机体产生大量的低糖基化IgA1。

关键词: IgA肾病 免疫学 分子机制 治疗靶点

Immune pathogenesis of IgA nephropathy and its drugable targets

HE Liyu, LIU Hong, PENG Youming

Department of Nephrology, Second Xiangya Hospital, Central South University, Changsha 410011, China

Abstract:

IgA nephropathy (IgAN) is recognized as the most common immune complex related to the cause of glomerulonephritis worldwide. The disease is characterized by the predominant deposition of underglycosylated IgA1 in the mesangial area of glomeruli. Dysregulation of the immune system plays an important role in the pathogenesis of IgAN. Abnormalities restricted to T lymphocytes and/or B lymphocytes activation could be a critical causative factor in the over-production of underglycosylated IgA1.

Keywords: IgA nephropathy immunology molecular mechanism drugable target

收稿日期 2013-08-30 修回日期 网络版发布日期

DOI: 10.11817/j.issn.1672-7347.2014.01.017

基金项目:

国家自然科学基金(81170663, 81373227); 湖南省自然科学基金(12JJ6094)。This work was supported by the National Natural Science Foundation of China (81170663, 81373227) and Natural Science Foundation of Hunan Province, P. R. China(12JJ6094).

通讯作者: 彭佑铭, Email: ympeng2011@aliyun.com

作者简介: 贺理宇, 博士, 医师, 主要从事IgA肾病发病机制的研究。

作者Email: Email: ympeng2011@aliyun.com

参考文献:

- Wyatt RJ, Julian BA. IgA nephropathy [J]. N Engl J Med, 2013, 368(25): 2402-2414.
- Li LS, Liu ZH. Epidemiologic data of renal diseases from a single unit in China: analysis based on 13,519 renal biopsies [J]. Kidney Int, 2004, 66(3): 920-923.
- Pieper K, Grimbacher B, Eibel H. B-cell biology and development [J]. J Allergy Clin Immunol, 2013, 131(4): 959-971.
- Cerutti A, Puga I, Cols M. Innate control of B cell responses [J]. Trends

扩展功能

本文信息

▶ Supporting info

▶ PDF(799KB)

▶ [HTML全文]

▶ 参考文献[PDF]

▶ 参考文献

服务与反馈

▶ 把本文推荐给朋友

▶ 加入我的书架

▶ 加入引用管理器

▶ 引用本文

▶ Email Alert

▶ 文章反馈

▶ 浏览反馈信息

本文关键词相关文章

▶ IgA肾病

▶ 免疫学

▶ 分子机制

▶ 治疗靶点

本文作者相关文章

PubMed

- Immunol, 2011, 32(5): 202-211.
5. Hase H, Kanno Y, Kojima M, et al. BAFF/BLyS can potentiate B-cell selection with the B-cell coreceptor complex
[J]. Blood, 2004, 103(6): 2257-2265.
6. Chappell CP, Clark EA. Survival niches: B cells get MIFed as well as BAFFled by dendritic cells
[J]. Immunol Cell Biol, 2008, 86(6): 487-488.
7. Kalled SL, Ambrose C, Hsu YM. The biochemistry and biology of BAFF, APRIL and their receptors
[J]. Curr Dir Autoimmun, 2005, 8: 206-242.
8. Rahman ZS, Manser T. B cells expressing Bcl-2 and a signaling impaired BAFF-specific receptor fail to mature and are deficient in the formation of lymphoid follicles and germinal centers
[J]. J Immunol, 2004, 173(10): 6179-6188.
9. Goto T, Bandoh N, Yoshizaki T, et al. Therapeutic effects and prognostic factors in tonsillectomy patients with IgA nephropathy
[J]. Nihon Jibiinkoka Gakkai Kaiho, 2007, 110(2): 53-59.
10. Xin G, Shi W, Xu LX, et al. Serum BAFF is elevated in patients with IgA nephropathy and associated with clinical and histopathological features
[J]. J Nephrol, 2013, 26(4): 683-690.
11. Goto T, Bandoh N, Yoshizaki T, et al. Increase in B-cell-activation factor (BAFF) and IFN-gamma productions by tonsillar mononuclear cells stimulated with deoxycytidyl-deoxyguanosine oligodeoxynucleotides (CpG-ODN) in patients with IgA nephropathy
[J]. Clin Immunol, 2008, 126(3): 260-269.
12. Szodoray P, Alex P, Knowlton N, et al. Idiopathic inflammatory myopathies, signified by distinctive peripheral cytokines, chemokines and the TNF family members B-cell activating factor and a proliferation inducing ligand
[J]. Rheumatology (Oxford), 2010, 49(10): 1867-1877.
13. Groom JR, Fletcher CA, Walters SN, et al. BAFF and MyD88 signals promote a lupuslike disease independent of T cells
[J]. J Exp Med, 2007, 204(8): 1959-1971.
14. Good KL, Avery DT, Tangye SG. Resting human memory B cells are intrinsically programmed for enhanced survival and responsiveness to diverse stimuli compared to naive B cells
[J]. J Immunol, 2009, 182(2): 890-901.
15. Doreau A, Belot A, Bastid J, et al. Interleukin 17 acts in synergy with B cell-activating factor to influence B cell biology and the pathophysiology of systemic lupus erythematosus
[J]. Nat Immunol, 2009, 10(7): 778-785.
16. Ettinger R, Sims GP, Robbins R, et al. IL-21 and BAFF/BLyS synergize in stimulating plasma cell differentiation from a unique population of human splenic memory B cells
[J]. J Immunol, 2007, 178(5): 2872-2882.
17. Menegatti E, Nardacchione A, Alpa M, et al. Polymorphism of the uteroglobin gene in systemic lupus erythematosus and IgA nephropathy
[J]. Lab Invest, 2002, 82(5): 543-546.
18. Kobak S, Hudaverdi O, Keser G, et al. Coexistence of systemic lupus erythematosus, Hashimoto's thyroiditis and IgA nephropathy in the same patient
[J]. Mod Rheumatol, 2011, 21(1): 89-91.
19. Suzuki Y, Tomino Y. The mucosa-bone-marrow axis in IgA nephropathy
[J]. Contrib Nephrol, 2007, 157: 70-79.
20. Agrawal S, Gupta S. TLR1/2, TLR7, and TLR9 signals directly activate

- human peripheral blood naive and memory B cell subsets to produce cytokines, chemokines, and hematopoietic growth factors
[J]. *J Clin Immunol*, 2011, 31(1): 89-98.
21. Wu G, Peng YM, Liu FY, et al. The role of memory B cell in tonsil and peripheral blood in the clinical progression of IgA nephropathy
[J].
Hum Immunol, 2013, 74(6): 708-712.
22. Kidd P. Th1/Th2 balance: the hypothesis, its limitations, and implications for health and disease
[J]. *Altern Med Rev*, 2003, 8(3): 223-246.
23. Stavnezer J, Kang J. The surprising discovery that TGF beta specifically induces the IgA class switch
[J]. *J Immunol*, 2009, 182(1): 5-7.
24. Kim RJ, Kim HA, Park JB, et al. IL-4-induced AID expression and its relevance to IgA class switch recombination
[J]. *Biochem Biophys Res Commun*, 2007, 361(2): 398-403.
25. 邱福铭, 李忠朋, 黄建. $\gamma\delta$ T细胞为基础的抗肿瘤免疫治疗研究进展
[J]. *浙江大学学报: 医学版*, 2010, 39(4): 424-429.
QIU Fuming, LI Zhongpeng, HUANG Jian. Research progress of gammadelta T cell-based immunotherapy
[J]. *Journal of Zhejiang University. Medical Science*, 2010, 39(4): 424-429.
26. 程军, 吕国才, 张雯, 等. IgAN患者外周血表达TGF- β 1 功能的研究
[J]. *中华微生物学和免疫学杂志*, 2006, 26(3): 267-268.
CHENG Jun, LV Guocai, ZHANG Wen, et al. The expression and function of TGF- β 1 by PBMC from patients with IgA nephropathy
[J]. *Chinese Journal of Microbiology and Immunology*, 2006, 26(3): 267-268.
27. 程军, 吕国才, 于健宁, 等. 雷公藤多甙对 IgAN患者外周血 $\gamma\delta$ T细胞及其分泌 TGF- β 1 功能的影响
[J]. *中国中医药科技*, 2007, 7(14): 235-237.
CHENG Jun, LV Guocai, YU Jianning, et al. Effects of tripterygium glycosides on $\gamma\delta$ T cells and the secretion of TGF- β -1 from PBCM isolated from IgA nephropathy patients
[J]. *Chinese Journal of Traditional Medical Science and Technology*, 2007, 7(14): 235-237.
28. Toyabe S, Harada W, Uchiyama M. Oligoclonally expanding gammadelta T lymphocytes induce IgA switching in IgA nephropathy
[J]. *Clin Exp Immunol*, 2001, 124(1): 110-117.
29. Dasgupta A, Saxena R. Regulatory T cells: a review
[J]. *Natl Med J India*, 2012, 25(6): 341-351.
30. Wing K, Sakaguchi S. Regulatory T cells exert checks and balances on self tolerance and autoimmunity
[J]. *Nat Immunol*, 2010, 11(1): 7-13.31. Uhlir HH, Coombes J, Mottet C, et al. Characterization of Foxp3+CD4+CD25+ and IL-10-secreting CD4+CD25+ T cells during cure of colitis
[J]. *J Immunol*, 2006, 177(9): 5852-5860.
32. Huang H, Peng Y, Liu H, et al. Decreased CD4+CD25+ cells and increased dimeric IgA-producing cells in tonsils in IgA nephropathy
[J].
J Nephrol, 2010, 23(2): 202-209.
33. Huang H, Peng Y, Long XD, et al. Tonsillar CD4+CD25+ regulatory T cells from IgA nephropathy patients have decreased immunosuppressive activity in experimental IgA nephropathy rats
[J]. *Am J Nephrol*, 2013, 37(5): 472-480.
34. 周乐天, 刘伏友. Th17细胞与肾小球疾病的研究进展

[J]. 中南大

学学报: 医学版, 2013, 38(4): 432-436.

ZHOU Letian, LIU Fuyou. Research progress of Th17 cells and glomerulonephritis

[J]. Journal of Central South University.Medical

Science, 2013, 38(4): 432-436.

35. 刘利, 杨满, 樊均明. Th17细胞在 IgA 肾病发病机制中的作用

[J].

中国中西医结合肾病杂志, 2012, 13(5): 462-464.

LIU Li, YANG Man, FAN Junming. The role of Th17 cells in the pathogenesis of IgA nephropathy

[J]. Chinese Journal of Integrated

Traditional and Western Nephrology, 2012, 13(5): 462-464.

36. Kamdar K, Nguyen V, De Paolo RW. Toll-like receptor signaling and regulation of intestinal immunity

[J]. Virulence, 2013, 4(3): 207-212.

37. Szatmary Z. Molecular biology of toll-like receptors

[J]. Gen Physiol

Biophys, 2012, 31(4): 357-366.

38. Lee JS, Park HK, Suh JS, et al. Toll-like receptor 1 gene polymorphisms in childhood IgA nephropathy: a case-control study in the Korean population

[J]. Int J Immunogenet, 2011, 38(2): 133-138.

39. Park HJ, Hahn WH, Suh JS, et al. Association between toll-like receptor 10 (TLR10) gene polymorphisms and childhood IgA nephropathy

[J].

Eur J Pediatr, 2011, 170(4): 503-509.

40. Coppo R, Camilla R, Amore A, et al. Toll-like receptor 4 expression is increased in circulating mononuclear cells of patients with immunoglobulin A nephropathy

[J]. Clin Exp Immunol, 2010, 159(1): 73-81.

41. Lim BJ, Lee D, Hong SW, et al. Toll-like receptor 4 signaling is involved in IgA-stimulated mesangial cell activation

[J]. Yonsei Med J, 2011,

52(4): 610-615.

42. Suzuki H, Suzuki Y, Narita I, et al. Toll-like receptor 9 affects severity of IgA nephropathy

[J]. J Am Soc Nephrol, 2008, 19(12): 2384-2395.

43. Sato D, Suzuki Y, Kano T, et al. Tonsillar TLR9 expression and efficacy of tonsillectomy with steroid pulse therapy in IgA nephropathy patients

[J]. Nephrol Dial Transplant, 2012, 27(3): 1090-1097.

44. Komatsu H, Fujimoto S. Tonsillectomy combined with steroid pulse therapy induces clinical remission of IgA nephropathy

[J]. Adv

Otorhinolaryngol, 2011, 72: 57-59.

45. Emancipator SN. Prospects and perspectives on IgA nephropathy from animal models

[J]. Contrib Nephrol, 2011, 169: 126-152.

46. 贺敏敏, 董晨, 李俊霞. IgA 肾病小鼠模型的建立与鉴定

[J]. 徐州

医学院学报, 2010, 30(3): 151-154.

HE Minmin, DONG Chen, LI Junxia. The establishment and identification of micemodel of IgA nephropathy

[J]. Acta Academiae Medicinae

Xuzhou, 2010, 30(3): 151-154.

47. Filiopoulos V, Trompouki S, Hadjiyannakos D, et al. IgA nephropathy in association with Crohn's disease: a case report and brief review of the literature

[J]. Ren Fail, 2010, 32(4): 523-527.

48. Zhu M, Brown NK, Fu YX. Direct and indirect roles of the LTbetaR pathway in central tolerance induction

[J]. Trends Immunol, 2010,

31(9): 325-331.

49. Wang J, Anders RA, Wu Q, et al. Dysregulated LIGHT expression

on T cells mediates intestinal inflammation and contributes to IgA nephropathy

[J]. J Clin Invest, 2004, 113(6): 826-835.

50. Kumar S, Wuerffel R, Achour I, et al. Flexible ordering of antibody class switch and V(D)J joining during B-cell ontogeny

[J]. Genes Dev, 2013, 27(22): 2439-2444.

51. Peron S, Laffleur B, Denis-Lagache N, et al. AID-driven deletion causes immunoglobulin heavy chain locus suicide recombination in B cells

[J]. Science, 2012, 336(6083): 931-934.

52. Liu H, Peng Y, Liu F, et al. Expression of IgA class switching gene in tonsillar mononuclear cells in patients with IgA nephropathy

[J]. Inflamm Res, 2011, 60(9): 869-878.

53. Jabara HH, Weng Y, Sannikova T, et al. TRAF2 and TRAF3 independently mediate Ig class switching driven by CD40

[J]. Int Immunol, 2009, 21(4): 477-488.

54. Weidberg H, Elazar Z. TBK1 mediates crosstalk between the innate immune response and autophagy

[J]. Sci Signal, 2011, 4(187): pe39.

55. Jin J, Xiao Y, Chang JH, et al. The kinase TBK1 controls IgA class switching by negatively regulating noncanonical NF-kappaB signaling

[J]. Nat Immunol, 2012, 13(11): 1101-1109.

56. Hall JA, Grainger JR, Spencer SP, et al. The role of retinoic acid in tolerance and immunity

[J]. Immunity, 2011, 35(1): 13-22.

57. Seo GY, Jang YS, Kim HA, et al. Retinoic acid, acting as a highly specific IgA isotype switch factor, cooperates with TGF-beta1 to enhance the overall IgA response

[J]. J Leukoc Biol, 2013, 94(2): 325-335.

本刊中的类似文章

1. 陈进伟, 陶师, 骆蓉, 张广森, 徐运孝. Puerarin 逆转 K562/AO2 耐药的分子机制

[J]. 中南大学学报(医学版), 2008, 33(03): 216-221

2. 孙永超¹, 袁曙光², 许向清². MCP-1 在 IgA 肾病患者肾组织中的表达 [J]. 中南大学学报(医学版), 2009, 34(10): 1023-1028

3. 毛华雄¹, 易著文¹, 梁莉², 贺一薇¹, 党西强¹, 吴小川¹, 何小解¹, 莫双红¹. 94 例小儿 IgA 肾病分析 [J]. 中南大学学报(医学版), 2007, 32(01): 174-178

4. 李颯家, 肖力, 孙林, 刘伏友. IgA 肾病分子遗传学研究新进展 [J]. 中南大学学报(医学版), 2011, 36(11): 1120-1124

5. 陈勇, 李婉婉, 周江蛟, 文字, 苗雄鹰, 熊力. 光动力疗法分子机制研究进展 [J]. 中南大学学报(医学版), 2014, 39(1): 102-108