

[首页](#)[最新一期](#)[期刊动态](#)[过刊浏览](#)[医学视频](#)[在线投稿](#)[期刊检索](#)[期刊订阅](#)[合作科室](#)[期刊导读](#)

7卷22期 2013年11月 [最新]



期刊存档

期刊存档

[查看目录](#)

期刊订阅



在线订阅



邮件订阅



RSS

作者中心



资质及晋升信息



作者查稿



写作技巧



投稿方式



作者指南

编委会

期刊服务



建议我们



会员服务



广告合作



继续教育

您的位置: [首页](#)>> 文章摘要

两性霉素B联合氟胞嘧啶成功治疗基础肾功能异常并氟康唑耐药热带念珠菌尿路感染一例及文献复习

胡志亮, 杨永峰, 柏春琴, 成骢, 池云, 魏洪霞

210003 南京, 东南大学附属南京市第二医院感染科

魏洪霞, Email: wghongxia@sina.com

江苏省卫生厅预防医学科研课题(Y2012073); 南京市医学科技发展项目(YKK12117)

摘要:目的 提高临床医师对氟康唑耐药念珠菌尿路感染的认识, 为如何选择药物提供借鉴经验。方法 回顾性功能异常并氟康唑耐药热带念珠菌尿路感染艾滋病患者的救治过程, 结合文献对念珠菌尿路感染的治疗进行分析, 不推荐对无易感因素的无症状性念珠菌尿进行治疗。对于存在易感因素的患者, 应首先控制易感因素。当患者存在或存在明确的泌尿系统侵袭性感染时, 需要抗念珠菌治疗。选择药物时需要结合药物的代谢动力学特征以及药氟康唑, 氟康唑耐药菌株感染替代治疗方案主要为两性霉素B和氟胞嘧啶。本例有基线肾功能异常的患者能较好耐受足量氟胞嘧啶治疗方案, 且疗效肯定。结论 对于念珠菌尿应首先评估是否需要治疗。氟康唑是首选治疗药物, 两重要的备用治疗药物。本文特殊病例的救治过程, 为有基线肾功能异常并氟康唑耐药念珠菌尿路感染的处理提供

关键词:两性霉素B; 念珠菌; 氟康唑; 抗药性; 泌尿道感染; 获得性免疫缺陷综合征

[评论](#) [收藏](#) [全](#)

文献标引: 胡志亮, 杨永峰, 柏春琴, 成骢, 池云, 魏洪霞. 两性霉素B联合氟胞嘧啶成功治疗基础肾功能异常并氟康唑耐药热带念珠菌尿路感染一例及文献复习[J/CD]. 中华临床医师杂志: 电子版, 2013, 7(21): 9791-9794. [复制](#)

参考文献:

- [1] 陈楠. 尿路感染的抗真菌治疗. 中国感染与化疗杂志, 2011, 11: 119-120.
- [2] Sobel JD, Fisher JF, Kauffman CA, et al. Candida urinary tract infections--e. Infect Dis, 2011, 52 Suppl 6: S433-436.
- [3] 邵敏伟, 梁艳, 周庭银. 2991 份中段尿培养病原菌种类分布与耐药性分析. 中华医院感染学杂志, 2004-2046.
- [4] 邱胜丰, 潘世扬, 顾兵, 等. 泌尿系统感染主要病原菌分布及耐药性分析. 中华临床感染病杂志, 2011, 15(1): 73-76.
- [5] 吴旭丽, 黄琴香, 蔡琳. 泌尿系感染真菌分布及耐药性分析. 中华医院感染学杂志, 2011, 31(12): 2046-2048.
- [6] 李晓哲, 董海新, 高岩, 等. 尿路念珠菌感染的菌种构成及其体外对抗真菌药物耐药性分析. 中华临床感染病杂志, 2010, 31: 939-943.

[7] 胡志亮, 魏洪霞, 成聪, 等. 艾滋病合并隐球菌脑膜炎患者两性霉素B快速加量疗法探讨. *中华传染病杂志*, 2012, 30: 744-747.

[8] Fisher JF, Sobel JD, Kauffman CA, et al. Candida urinary tract infections—trends and risk factors. *Clin Infect Dis*, 2011, 52 Suppl 6: S457-466.

[9] Revankar SG, Hasan MS, Revankar VS, et al. Long-term follow-up of patients with candiduria. *J Clin Microbiol Infect Dis*, 2011, 30: 137-140.

[10] Kauffman CA, Vazquez JA, Sobel JD, et al. Prospective multicenter surveillance of candiduria in hospitalized patients. The National Institute for Allergy and Infectious Diseases Mycoses Study Group. *Clin Infect Dis*, 2000, 30: 14-18.

[11] Sobel JD, Kauffman CA, McKinsey D, et al. Candiduria: a randomized, double-blind, controlled treatment with fluconazole and placebo. The National Institute of Allergy and Infectious Diseases (NIAID) Mycoses Study Group. *Clin Infect Dis*, 2000, 30: 19-24.

[12] Colombo AL, Guimaraes T, Camargo LF, et al. Brazilian guidelines for the management of candidiasis - a joint meeting report of three medical societies: Sociedade Brasileira de Infectologia, Sociedade Paulista de Infectologia and Sociedade Brasileira de Medicina Tropical. *Rev Bras Med*, 2013, 17: 283-312.

[13] Cornely OA, Bassetti M, Calandra T, et al. ESCMID* guideline for the diagnosis and treatment of Candida diseases 2012: non-neutropenic adult patients. *Clin Microbiol Infect*, 2011, 37: 52-63.

[14] Pappas PG, Kauffman CA, Andes D, et al. Clinical practice guidelines for the management of candidiasis: 2009 update by the Infectious Diseases Society of America. *Clin Infect Dis*, 2010, 50: 535-536.

[15] Yang SP, Chen YY, Hsu HS, et al. A risk factor analysis of healthcare-associated candiduria in an intensive care unit: a retrospective cohort study. *BMC Infect Dis*, 2011, 11: 102.

[16] Wynn JL, Tan S, Gantz MG, et al. Outcomes following candiduria in extremely low birth weight infants. *Clin Infect Dis*, 2012, 54: 331-339. doi: 10.1093/cid/cir1800. Epub 2011 Dec 15.

[17] Li Y, Theuretzbacher U, Clancy CJ, et al. Pharmacokinetic/pharmacodynamic parameters of posaconazole. *Clin Pharmacokinet*, 2010, 49: 379-396.

[18] Bruggemann RJ, Alffenaar JW, Blijlevens NM, et al. Clinical relevance of the drug-drug interactions of azole antifungal drugs with other coadministered agents. *Clin Infect Dis*, 2010, 50: 1441-1458.

[19] Chen SC, Slavin MA, Sorrell TC. Echinocandin antifungal drugs in fungal infections: a comparative review. *Drugs*, 2011, 71: 11-41.

[20] Sobel JD, Bradshaw SK, Lipka CJ, et al. Caspofungin in the treatment of symptomatic candiduria. *Clin Infect Dis*, 2007, 44: e46-49.

[21] Malani AN. Failure of caspofungin for treatment of *Candida glabrata* candiduria: a systematic review of the literature. *Infectious Diseases in Clinical Practice*, 2010, 18: 271-277.

[22] Sinnollareddy M, Peake SL, Roberts MS, et al. Using pharmacokinetics and pharmacodynamics to optimise dosing of antifungal agents in critically ill patients: a systematic review. *Antifungal Agents*, 2012, 39: 1-10.

[23] Vermes A, Guchelaar HJ, Dankert J. Flucytosine: a review of its pharmacology, indications, pharmacokinetics, toxicity and drug interactions. *J Antimicrob Chemother*. 2013; 73: 919-934.

[24] Hamill RJ. Amphotericin B formulations: a comparative review of efficacy and safety. *Antifungal Agents*, 2013, 73: 919-934.

[25] 朱利平, 汪泽明, 石尧忠, 等. 静脉应用两性霉素治疗隐球菌性脑膜炎的不良反应及其处理. *中华临床医师杂志*, 2002, 2: 95-97.

[26] 马小军, 李桂萍, 周炯, 等. 两性霉素B治疗侵袭性真菌感染回顾性研究. *中华内科杂志*, 2010, 90: 379-381.

[27] 徐斌, 吴吉芹, 区雪婷, 等. 低剂量两性霉素B联合氟胞嘧啶治疗隐球菌脑膜炎的临床研究. *中华临床医师杂志*, 2010, 90: 379-381.

短篇论著

高脂血症患者凝血功能、血小板参数和血液流变学检测的临床意义

孙明, 王国征, 徐菲, 赵如森, 崔玉忠. *中华临床医师杂志: 电子版* 2013;7(21):9765-9767.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肿瘤化疗中重组人粒细胞集落刺激因子对粒细胞减少症的疗效观察

石燕霞, 冯鑫. *中华临床医师杂志: 电子版* 2013;7(21):9768-9769.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

超声定位腔镜深筋膜下交通支离断术治疗下肢静脉性溃疡

陆京伯, 王宝平, 黄显莹, 林智琪, 刘正军. *中华临床医师杂志: 电子版* 2013;7(21):9770-9771.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

超声引导下点法与多点法腋路臂丛阻滞的临床效果比较

郭玲, 柳兆芳. *中华临床医师杂志: 电子版* 2013;7(21):9772-9774.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

冠状动脉支架CTA成像重组算法优化方案

刘健萍, 梁长虹, 高明勇, 刘辉, 张水兴, 曹希明. *中华临床医师杂志: 电子版* 2013;7(21):9775-9778.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

CAD/CAM全解剖形态氧化锆修复体在后牙固定修复中的应用

崔广, 王茵, 唐伟华, 严玲, 宫琳. *中华临床医师杂志: 电子版* 2013;7(21):9779-9781.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

80岁以上高龄急性心肌梗死患者行急诊经皮冠状动脉介入治疗的疗效及安全性观察

陈红磊, 王均志, 张之栩, 王昭. *中华临床医师杂志: 电子版*

2013;7(21):9782-9784.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

婴幼儿肠套叠数字化摄片下空气灌肠结合腹部按摩加压治疗102例分析

姚勇, 谭杨芳, 黄爱军, 徐明奎. .中华临床医师杂志: 电子版
2013;7(21):9785-9787.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

弥散张量成像在脑出血运动功能预后评估中的应用

刘必松, 郑兆聪, 王如密, 吴志峰. .中华临床医师杂志: 电子版
2013;7(21):9788-9790.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

两性霉素B联合氟胞嘧啶成功治疗基础肾功能异常并氟康唑耐药热带念珠菌尿路感染一例及文献复习

胡志亮, 杨永峰, 柏春琴, 成聪, 池云, 魏洪霞. .中华临床医师杂志: 电子版
2013;7(21):9791-9794.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

精索海绵状淋巴管瘤一例报道并文献复习

许召良, 马志方, 魏亮, 岳亮, 郝斌, 王东文. .中华临床医师杂志: 电子版
2013;7(21):9795-9796.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

腹主动脉夹闭法制作大鼠脊髓缺血再灌注损伤模型有效性的探讨

陈功, 陈绪贵. .中华临床医师杂志: 电子版
2013;7(21):9797-9798.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

[| 编委会](#) [| 联系我们](#) [| 合作伙伴](#) [| 友情链接](#) [|](#)

© 2014版权声明 中华临床医师杂志(电子版)编辑部
网站建设: 北京华夏世通信息技术有限公司 京ICP备0
北京市公安局西城分局备案编号: 110102000676