

综述

模式识别受体-Dectin-1的研究进展

易秀莉, 刘斌, 齐显龙

第四军医大学西京医院皮肤科, 西安 710063

摘要: Dectin-1是主要表达于髓样细胞中的非Toll样模式识别受体,它能诱导自身胞内信号介导一系列细胞反应,在抗真菌免疫中发挥着重要的作用。该文对Dectin-1介导的信号途径,Dectin-1与其他模式识别受体的相互作用,Dectin-1在适应性免疫、抗微生物免疫中的作用予以综述。

关键词: Dectin-1 信号传导 适应性免疫 抗微生物免疫

Recent insights from Dectin-1-Pattern Recognition Receptor

YI Xiu-li, LIU Bin, QI Xiao-long

Department of Dermatology, Xijing Hospital, Fourth Military Medical University, Xi'an 710063, China

Abstract: The Dectin-1 is a non-Toll-like pattern recognition receptor expressed predominantly by myeloid cells, which can induce its own intracellular signalling and can mediate a variety of cellular responses, plays a key role in anti-fungal immunity. The recent studies have focused on the signalling pathways from Dectin-1, interactions between Dectin-1 and other PRRs, Dectin-1 and adaptive immunity and the role of Dectin-1 in anti-microbial immunity.

Keywords: Dectin-1 signalling pathways adaptive immunity anti-microbial immunity

收稿日期 2011-10-28 修回日期 网络版发布日期

DOI:

基金项目:

国家自然科学青年基金(31000073)

通讯作者: 齐显龙,E-mail:qixianlong@163.com

作者简介: 易秀莉,女(汉族),硕士,技师.E-mail:xiuli212@163.com

作者Email: qixianlong@163.com

参考文献:

- [1] Medzhitov R. Recognition of microorganisms and activation of the immune response[J]. Nature, 2007, 449(7164):819-826.
- [2] Brown GD. Dectin-1: a signalling non-TLR pattern-recognition receptor[J]. Nat Rev Immunol, 2006, 6(1):33-43.
- [3] Tsioni SV, Brown GD. beta-Glucans and dectin-1[J]. Ann N Y Acad Sci, 2008, 1143:45-60.
- [4] Vautier S, Sousa Mda G, Brown GD. C-type lectins, fungi and Th17 responses[J]. Cytokine Growth Factor Rev, 2010, 21(6):405-412.
- [5] Rogers NC, Slack EC, Edwards AD, et al. Syk-dependent cytokine induction by Dectin-1 reveals a novel pattern recognition pathway for C type lectins[J]. Immunity, 2005, 22(4):507-517.
- [6] Fuller GL, Williams JA, Tomlinson MG, et al. The C-type lectin receptors CLEC-2 and Dectin-1, but not DC-SIGN, signal via a novel YXXL-dependent signaling cascade[J]. J Biol Chem, 2007, 282(17):12397-12409.
- [7] Gross O, Gewies A, Finger K, et al. Card9 controls a non-TLR signalling pathway for innate anti-fungal immunity[J]. Nature, 2006, 442(7103):651-656.
- [8] Hara H, Ishihara C, Takeuchi A, et al. The adaptor protein CARD9 is essential for the activation of myeloid cells through ITAM-associated and Toll-like receptors[J]. Nat Immunol, 2007, 8(6):619-629.
- [9] Gringhuis SI, den Dunnen J, Litjens M, et al. Dectin-1 directs T helper cell differentiation by controlling noncanonical NF- κ B activation through Raf-1 and Syk[J]. Nat Immunol, 2009, 10(2):203-213.
- [10] Goodridge HS, Simmons RM, Underhill DM. Dectin-1 stimulation by *Candida albicans* yeast or zymosan triggers NFAT

扩展功能

本文信息

- ▶ Supporting info
- ▶ PDF(821KB)
- ▶ [HTML全文]
- ▶ 参考文献[PDF]
- ▶ 参考文献

服务与反馈

- ▶ 把本文推荐给朋友
- ▶ 加入我的书架
- ▶ 加入引用管理器
- ▶ 引用本文
- ▶ Email Alert
- ▶ 文章反馈
- ▶ 浏览反馈信息

本文关键词相关文章

- ▶ Dectin-1
- ▶ 信号传导
- ▶ 适应性免疫
- ▶ 抗微生物免疫

本文作者相关文章

- ▶ 易秀莉
- ▶ 刘斌
- ▶ 齐显龙

PubMed

- ▶ Article by YI Xiu-li
- ▶ Article by LIU Bin
- ▶ Article by QI Xiao-long

- activation in macrophages and dendritic cells[J]. *J Immunol*, 2007, 178(5):3107-3115.
- [11] Trinchieri G, Sher A. Cooperation of Toll-like receptor signals in innate immune defence[J]. *Nat Rev Immunol*, 2007, 7(3):179-190.
- [12] Netea MG, Gow NA, Munro CA, et al. Immune sensing of *Candida albicans* requires cooperative recognition of mannans and glucans by lectin and Toll-like receptors[J]. *J Clin Invest*, 2006, 116(6):1642-1650.
- [13] Dennehy KM, Ferwerda G, Faro-Trindade I, et al. Syk kinase is required for collaborative cytokine production induced through Dectin-1 and Toll-like receptors[J]. *Eur J Immunol*, 2008, 38(2):500-506.
- [14] Ferwerda G, Meyer-Wentrup F, Kullberg BJ, et al. Dectin-1 synergizes with TLR2 and TLR4 for cytokine production in human primary monocytes and macrophages[J]. *Cell Microbiol*, 2008, 10(10):2058-2066.
- [15] Taylor PR, Brown GD, Herre J, et al. The role of SIGNR1 and the beta-glucan receptor(dectin-1) in the nonopsonic recognition of yeast by specific macrophages[J]. *J Immunol*, 2004, 172(2):1157-1162.
- [16] Valera I, Fernandez N, Trinidad AG, et al. Costimulation of dectin-1 and DC-SIGN triggers the arachidonic acid cascade in human monocyte-derived dendritic cells[J]. *J Immunol*, 2008, 180(8):5727-5736.
- [17] Mantegazza AR, Barrio MM, Moutel S, et al. CD63 tetraspanin slows down cell migration and translocates to the endosomal-lysosomal-MIICs route after extracellular stimuli in human immature dendritic cells[J]. *Blood*, 2004, 104(4):1183-1190.
- [18] Meyer-Wentrup F, Figdor CG, Ansems M, et al. Dectin-1 interaction with tetraspanin CD37 inhibits IL-6 production[J]. *J Immunol*, 2007, 178(1):154-162.
- [19] LeibundGut-Landmann S, Gross O, Robinson MJ, et al. Syk-and CARD9-dependent coupling of innate immunity to the induction of T helper cells that produce interleukin 17[J]. *Nat Immunol*, 2007, 8(6):630-638.
- [20] Acosta-Rodriguez EV, Rivino L, Geginat J, et al. Surface phenotype and antigenic specificity of human interleukin 17-producing T helper memory cells[J]. *Nat Immunol*, 2007, 8(6):639-646.
- [21] Osorio F, LeibundGut-Landmann S, Lochner M, et al. DC activated via dectin-1 convert Treg into IL-17 producers[J]. *Eur J Immunol*, 2008, 38(12):3274-3281.
- [22] Leibundgut-Landmann S, Osorio F, Brown GD, et al. Stimulation of dendritic cells via the dectin-1/Syk pathway allows priming of cytotoxic T-cell responses[J]. *Blood*, 2008, 112(13):4971-4980.
- [23] Carter RW, Thompson C, Reid DM, et al. Preferential induction of CD4+ T cell responses through in vivo targeting of antigen to dendritic cell-associated C-type lectin-1[J]. *J Immunol*, 2006, 177(4):2276-2284.
- [24] Yoshitomi H, Sakaguchi N, Kobayashi K, et al. A role for fungal {beta}-glucans and their receptor Dectin-1 in the induction of autoimmune arthritis in genetically susceptible mice[J]. *J Exp Med*, 2005, 201(6):949-960.
- [25] Weck MM, Appel S, Werth D, et al. hDectin-1 is involved in uptake and cross-presentation of cellular antigens[J]. *Blood*, 2008, 111(8):4264-4272.
- [26] Saito S, Fujikado N, Furuta T, et al. Dectin-1 is required for host defense against *Pneumocystis carinii* but not against *Candida albicans*[J]. *Nat Immunol*, 2007, 8(1):39-46.
- [27] Taylor PR, Tsoni SV, Willment JA, et al. Dectin-1 is required for beta-glucan recognition and control of fungal infection [J]. *Nat Immunol*, 2007, 8(1):31-38.
- [28] Steele C, Rapaka RR, Metz A, et al. The beta-glucan receptor dectin-1 recognizes specific morphologies of *Aspergillus fumigatus*[J]. *PLoS Pathog*, 2005, 1(4):e42.
- [29] Netea MG, Marodi L. Innate immune mechanisms for recognition and uptake of *Candida* species[J]. *Trends Immunol*, 2010, 31(9):346-353.
- [30] Wheeler RT, Kombe D, Agarwala SD, et al. Dynamic, morphotype-specific *Candida albicans* beta-glucan exposure during infection and drug treatment[J]. *PLoS Pathog*, 2008, 4(12):e1000227.
- [31] Wheeler RT, Fink GR. A drug-sensitive genetic network masks fungi from the immune system[J]. *PLoS Pathog*, 2006, 2(4):e35.
- [32] Hohl TM, Feldmesser M, Perlin DS, et al. Caspofungin modulates inflammatory responses to *Aspergillus fumigatus* through stage-specific effects on fungal beta-glucan exposure[J]. *J Infect Dis*, 2008, 198(2):176-185.
- [33] Lamaris GA, Lewis RE, Chamilos G, et al. Caspofungin-mediated beta-glucan unmasking and enhancement of human polymorphonuclear neutrophil activity against *Aspergillus* and non-*Aspergillus* hyphae[J]. *J Infect Dis*, 2008, 198(2):186-192.
- [34] Shin DM, Yang CS, Yuk JM, et al. Mycobacterium abscessus activates the macrophage innate immune response via a physical and functional interaction between TLR2 and dectin-1[J]. *Cell Microbiol*, 2008, 10(8):1608-1621.
- [35] Rothfuchs AG, Bafica A, Feng CG, et al. Dectin-1 interaction with *Mycobacterium tuberculosis* leads to enhanced IL-12p40 production by splenic dendritic cells[J]. *J Immunol*, 2007, 179(6):3463-3471.
- [36] Yadav M, Schorey JS. The beta-glucan receptor dectin-1 functions together with TLR2 to mediate macrophage activation by mycobacteria[J]. *Blood*, 2006, 108(9):3168-3175.

本刊中的类似文章

1. 陈裕充, 郑忠忠. 念珠菌应激传导通路研究进展[J]. 中国真菌学杂志, 2011, 6(2): 126-128
2. 李筱芳, Neeraj Chauhan, Richard Calderone, 刘维达. 白念珠菌SSK1突变株对氟康唑敏感性的初步研究[J]. 中国真菌学杂志, 2010, 5(5): 269-272