



期刊导读

7卷3期 2013年2月 [最新]



期刊存档

期刊存档

[查看目录](#)

期刊订阅



在线订阅



邮件订阅



RSS

作者中心



资质及晋升信息



作者查稿



写作技巧



投稿方式



作者指南

编委会

期刊服务



建议我们



会员服务



广告合作



继续教育

您的位置: [首页](#)>> [文章摘要](#)

椎-基底动脉延长扩张症的磁共振诊断价值

陆敬民, 刘金有, 唐广山, 马林, 杨跃建

223002 江苏省, 徐州医学院附属淮安医院神经内科(陆敬民), 影像科(刘金有、唐广山、马林、刘金有, Email: jing6512@yeah.net)

摘要:目的 探讨椎-基底动脉延长扩张症(VBD)临床表现与磁共振血管造影(MRA)特点, 以提高121例VBD患者的临床资料进行回顾性分析, 总结其临床表现与MRA的特点。结果 临床表现多样, 脑干脑神经压迫损害症状26例; (3) 出血性脑血管疾病8例; (4) 脑积水5例。MRA表现: 椎-基底动脉径>4.5 mm, 基底动脉长度>29.5 mm, 横向偏离超过基底动脉起始点到分叉之间垂直连线>10 mm主, 致残率及致死率高, MRI对早期诊断及早期治疗有重要意义

关键词:椎底动脉供血不足; 体征和症状; 磁共振血管造影术

文献标引: 陆敬民, 刘金有, 唐广山, 马林, 杨跃建. 椎-基底动脉延长扩张症的磁共振诊断价值, 2013, 7(3):1269-1271. [复制](#)

参考文献:

[1] Campos CR, Doria-Netto HL, Souza-Filho AM, et al. Oligosymptomatic dolichoectasia discovered after a stroke: case report. Arq Neuropsiquiatr

[2] Giang DW, Perlin SJ, Monajati A, et al. Vertebrobasilar dolichoectasia. MR. Neuroradiology, 1988, 30:518-523. :[PubMed](#)

[3] 黄琳, 王玉. 临床表现类似基底动脉型偏头痛的椎基底动脉延长扩张综合征, 2012, 6: 3576-3579.

[4] Kim BM, Kim SH, Kim DI, et al. Outcomes and prognostic factors of intracranial vertebral artery dissection. Neurology, 2011, 76:1735-1741. :[PubMed](#)

[5] Yamaguchi S, Ito O, Maeda Y, et al. Coil embolization for a ruptured aneurysm with vertebral artery dolichoectasia. Neurol Med Chir(Tokyo), 2011

[6] Ikeda K, Nakamura Y, Hirayama T, et al. Cardiovascular risk and neu

[7] Noma N, Kobayashi A, Kamo H, et al. Trigeminal neuralgia due to vertebral artery dolichoectasia: a case report. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 2009, 108:

[8] Passero SG, Rossi S. Natural history of vertebrobasilar dolichoectasia. *Stroke*. :[PubMed]

[9] Predictors of clinical outcome and mortality in vertebrobasilar artery dolichoectasia: a magnetic resonance angiography study. *J Stroke Cerebrovasc Dis*, 2008, 17:388-393

[10] Dravert NE. Characteristics of cerebral hemodynamics in patient with vertebral artery dolichoectasia. *Zh Nevrol Psikhiatr Im S S Korsakova*, 2010, 110:20-24. : [PubMed]

[11] Zhang ZY, Jiao JS, Xue S, et al. Clinical characteristics and imaging features of vertebral artery dolichoectasia. *Zhonghua Yi Xue Za Zhi*, 2010, 90:3313-3317. : [PubMed]

[12] Nakamura Y, Hirayama T, Ikeda K. Clinicoradiologic features of vertebral artery dolichoectasia in stroke patients. *J Stroke Cerebrovasc Dis*, 2012, 21:5-10. : [PubMed]

[13] Yoon WK, Kim YW, Kim SR, et al. Angiographic and clinical outcomes of spontaneous vertebral artery dolichoectasia. *Acta Neurochir (Wien)*, 2012, 154:1486. : [PubMed]

[14] Songsaeng D, Srivatanakul K, Krings T, et al. Symptomatic spontaneous vertebral artery dolichoectasia in children: review of 29 consecutive cases. *J Neurosurg Pediatr*, 2010, 6:2

[15] Sorimachi T, Suzuki K, Sasaki O, et al. Three-dimensional digital subtraction angiography evaluation of vertebral artery dolichoectasia: comparison with 2D digital subtraction angiography. *Stroke*. : [PubMed]

[16] Passero S, Rossi S, Giannini F, et al. Brainstem compression in vertebral artery dolichoectasia: a multimodal electrophysiological study. *Clin Neurophysiol*, 2001, 112:1531-1537

[17] Pereira-Filho A, Faria M, Bleil C, et al. Brainstem compression syndrome due to vertebral artery dolichoectasia: microvascular repositioning technique. *Arq Neuropsiquiatr*

[18] Kidwell CS, Heiss WD. Advances in stroke: imaging. *Stroke*, 2012, 43:

[19] Amin-Hanjani S, Du X, Zhao M, et al. Use of quantitative magnetic resonance angiography to assess stroke risk in symptomatic vertebral artery dolichoectasia. *Stroke*, 2005, 36:1140-

[20] Conijn MM, Kloppenborg RP, Algra A, et al. Cerebral small vessel disease, stroke, and cardiac complications in patients with atherosclerotic disease: the SMART-MR study. *Stroke*, 2011, 42:3105-

[21] Dani KA, Thomas RG, Chappell FM, et al. Systematic review of perfusion CT and magnetic resonance in acute ischemic stroke: heterogeneity of postprocessing parameters: a translational medicine research collaborati

imaging study. Stroke, 2012, 43:563-566. :[\[PubMed\]](#)

[22] 孔朝红, 刘煜敏. 椎基底动脉延长扩张症的研究进展. 中华全科医师杂志

[23] 李硕丰, 高志胜, 魏冬冬, 等. CT平扫对椎基底动脉扩张延长症的诊断价值. 中华全科医师杂志, 2013, 12(12):482.

[24] 李宁, 高利. 椎基底动脉延长扩张症致脑卒中的临床分析(附5例报告). 中华全科医师杂志, 2013, 12(12):482.

[25] 董莘, 秦崇, 敖国昆, 等. 椎-基底动脉形态学的320排CT研究[J/CD]. 中华全科医师杂志, 2013, 12(12):5540-5542.

短篇论著

生存期超过两年的原发性肝癌的临床特点及其对预后的影响

李本科, 孙婧华, 刘芳, 孙秀华. . 中华临床医师杂志: 电子版 2013;7(3):1261-1264.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

甲氨蝶呤治疗异位妊娠对体外受精结局的影响分析