



## 期刊导读

7卷17期 2013年9月 [最新]



期刊存档

期刊存档

查看目录

## 期刊订阅



在线订阅



邮件订阅



RSS

## 作者中心



资质及晋升信息



作者查稿



写作技巧



投稿方式



作者指南

## 编委会

## 期刊服务



建议我们



会员服务



广告合作



继续教育

您的位置: 首页 &gt;&gt; 文章摘要

## 缺血性卒中后认知障碍的危险因素研究进展

李斌, 朱延霞, 王涛

300280 天津, 大港油田总医院神经内科

李斌, Email: Libin\_1971\_2008@sina.com

关键词: 脑卒中

评论 收藏 全

文献标引: 李斌, 朱延霞, 王涛. 缺血性卒中后认知障碍的危险因素研究进展[J/CD]. 中华临床医师杂志: 电子版

复制

## 参考文献:

- [1] Corrada MM, Brookmeyer R, Paganini-Hill A, et al. Dementia incidence continuous in the oldest old: the 90+ study. *Ann Neurol*, 2010, 67: 114–121.
- [2] Nys GM, van Zandvoort MJ, de Kort PL, et al. Cognitive disorders in acute stroke: clinical determinants. *Cerebrovasc Dis*, 2007, 23: 408–416.
- [3] Hébert R, Lindsay J, Verreault R, et al. Vascular dementia : incidence and risk factors in a Canadian study of health and aging. *Stroke*, 2000, 31: 1487–1493.
- [4] Inzitari D, Di Carlo A, Pracucci G, et al. Incidence and determinants of possible dementia defined by an informant interview method in a hospital-based stroke registry. *Stroke*, 2006, 37: 2093.
- [5] Sachdev PS, Brodaty H, Valenzuela MJ, et al. Clinical determinants of dementia and cognitive impairment following ischaemic stroke: the Sydney Stroke Study. *Dement Geriatr Cogn Disord*, 2006, 21: 275–283.
- [6] Ballard CG, Morris CM, Rao H, et al. APOE epsilon4 and cognitive decline in patients with early cognitive impairment. *Neurology*, 2004, 63: 1399–1402.
- [7] Wagle J, Farner L, Flekkøy K, et al. Association between ApoE epsilon4 and cognitive decline after stroke. *Dement Geriatr Cogn Disord*, 2009, 27: 525–533.
- [8] Goldstein FC, Levey AI, Steenland NK. High blood pressure and cognitive decline and cognitive impairment. *J Am Geriatr Soc*, 2013, 61: 67–73.

[9] Fei M, Yan Ping Z, Ru Juan M, et al. Risk factors for dementia with type 2 diabetes among elderly people in China. *Age Ageing*, 2013, 42: 398–400.

[10] Musen G, Jacobson AM, Ryan CM, et al. Impact of diabetes and its treatment on cognitive function among adolescents who participated in the Diabetes Control and Complications Trial. *Care*, 2008, 31: 1933–1938.

[11] Solomon A, K?reholt I, Ngandu T, et al. Serum total cholesterol, statins and cognitive decline in demented elderly. *Neurobiol Aging*, 2009, 30: 1006–1009.

[12] Ghodke RM, Tour N, Devi K. Effects of statins and cholesterol on memory function. *Metab Brain Dis*, 2012, 27: 443–451.

[13] Desmond DW, Moroney JT, Paik MC, et al. Frequency and clinical determinants of cognitive decline after ischemic stroke. *Neurology*, 2000, 54: 1124–1131.

[14] Wald DS, Kasturiratne A, Simmonds M. Serum homocysteine and dementia: meta-analysis of cohort studies including 8669 participants. *Alzheimers Dement*, 2011, 7: 412–417.

[15] Ford AH, Flicker L, Alfonso H, et al. Plasma homocysteine and MTHFR677T polymorphism as risk factors for incident dementia. *J Neurol Neurosurg Psychiatry*, 2012, 83: 70–75.

[16] Nilsson K, Gustafson L, Hultberg B. Elevated plasma homocysteine level is not associated with Alzheimer's disease. *Dement Geriatr Cogn Disord*, 2012, 34: 121–127.

[17] Beydoun MA, Beydoun HA, Wang Y. Obesity and central obesity as risk factors for cognitive decline and dementia and its subtypes: a systematic review and meta-analysis. *Obes Rev*, 2008, 9: 108–126.

[18] Lee YH, Yeh SJ. Correlation of common carotid artery intima media thickness with arterial stenosis and post-stroke cognitive impairment. *Acta Neurol Taiwan*, 2007, 16: 11–16.

[19] Buell JS, Scott TM, Dawson-Hughes B, et al. Vitamin D is associated with cognitive decline in elderly elders receiving home health services. *J Gerontol A Biol Sci Med Sci*, 2009, 64: 888–894.

[20] Slinin Y, Paudel ML, Taylor BC, et al. 25-Hydroxy vitamin D levels and cognitive decline in elderly men. *Neurology*, 2010, 74: 33–41.

[21] Perez L, Heim L, Sherzai A, et al. Nutrition and vascular dementia. *J Nutr Health Aging*, 2012, 16: 319–324.

[22] Gao Q, Niti M, Feng L, et al. Omega-3 polyunsaturated fatty acid supplementation and cognitive decline: Singapore Longitudinal Aging Studies. *J Nutr Health Aging*, 2011, 15: 32–35.

[23] Chen X, Huang Y, Cheng HG. Lower intake of vegetables and legumes associated with cognitive decline among illiterate elderly Chinese: a 3-year cohort study. *J Nutr Health Aging*, 2010, 14: 100–104.

[24] Feng L, Li J, Ng TP, et al. Tea drinking and cognitive function in oldest-old Chinese. *J Nutr Health Aging*, 2012, 16: 754–758.

[25] Soumaré A, Tavernier B, Alpérovitch A, et al. A cross-sectional and longitudinal study of the relationship between walking speed and cognitive function in community-dwelling elderly. *Gerontol A Biol Sci Med Sci*, 2009, 64: 1058–1065.

[26] Cotman CW, Berchtold NC, Christie LA. Exercise builds brain health: key role cascades and inflammation. *Trends Neurosci*, 2007, 30: 464–472.

[27] Suzuki T, Shimada H, Makizako H, et al. A randomized controlled trial of moderate exercise in older adults with mild cognitive impairment. *PLoS One*, 2013, 8: e61483.

[28] Barr RS, Culhane MA, Jubelt LE, et al. The effects of transdermal nicotine on nonsmokers with schizophrenia and nonpsychiatric controls. *Neuropsychopharmacology*, 2011, 35: 133–141.

[29] Rusanen M, Kivipelto M, Quesenberry CP Jr, et al. Heavy smoking in midlife and risk of Alzheimer disease and vascular dementia. *Arch Intern Med*, 2011, 171: 333–339.

[30] Nooyens AC, van Gelder BM, Verschuren WM. Smoking and cognitive decline among men and women: the Doetinchem Cohort Study. *Am J Public Health*, 2008, 98: 2244–2250.

[31] Erkan D, Kozora E, Lockshin MD. Cognitive dysfunction and white matter abnormalities in patients with antiphospholipid syndrome. *Pathophysiology*, 2011, 18: 93–102.

[32] Maillard P, Carmichael O, Fletcher E, et al. Coevolution of white matter hyperintensities and cognition in the elderly. *Neurology*, 2012, 79: 442–448.

[33] Debette S, Beiser A, DeCarli C, et al. Association of MRI markers of vascular disease with incident stroke, mild cognitive impairment, dementia, and mortality: the Framingham Study. *Stroke*, 2010, 41: 600–606.

[34] Tay SY, Ampil ER, Chen CP, et al. The relationship between homocysteine, cognitive function, and clinical subtypes in acute stroke. *J Neurol Sci*, 2006, 250: 58–61.

[35] Stebbins GT, Nyenhuis DL, Wang C, et al. Gray matter atrophy in patients with stroke and cognitive impairment. *Stroke*, 2008, 39: 785–793.

[36] Ihle-Hansen H, Thomassen B, Fagerland MW, et al. Impact of white matter lesions on cognitive function in stroke patients free from pre-stroke cognitive impairment: a one-year follow-up study. *Cogn Dis Extra*, 2012, 2: 38–47.

[37] Firbank MJ, Allan LM, Burton EJ, et al. Neuroimaging predictors of death and cognitive decline in a cohort of older stroke survivors. *J Neurol Neurosurg Psychiatry*, 2012, 83: 263–267.

[38] Kandiah N, Wiriyasaputra L, Narasimhalu K, et al. Frontal subcortical ischemic stroke and cognitive impairment. *J Neurol Sci*, 2011, 309: 92–95.

[39] Narasimhalu K, Ang S, De Silva DA, et al. The prognostic effects of poststroke cognitive impairment no dementia and domain-specific cognitive impairments in nondisabled ischemic stroke patients. *Stroke*, 2011, 42: 883–888.

[40] Gottesman RF, Hillis AE. Predictors and assessment of cognitive dysfunction after ischaemic stroke. *Lancet Neurol*, 2010, 9: 895–905.

## 综 述

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

高敏心脏肌钙蛋白检验临床应用前需解决的问题

梁峰，胡大一，沈珠军. . 中华临床医师杂志：电子版  
2013;7(16):7505-7508.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

急性心肌缺血/再灌注损伤过程中的线粒体信号转导机制

孙明，褚俊，朱红军，韩永生. . 中华临床医师杂志：电子版  
2013;7(16):7509-7511.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

Fox01与糖尿病的关系

周园媛，王战建. . 中华临床医师杂志：电子版  
2013;7(16):7512-7514.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

长非编码RNA在心脏中的研究进展

刘艳红，鲁富鸣，张秋芳. . 中华临床医师杂志：电子版  
2013;7(16):7515-7517.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

MSU晶体介导的痛风性关节炎的炎症机制

谢蓓蓓，苏厚恒. . 中华临床医师杂志：电子版  
2013;7(16):7518-7520.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

库欣病的药物治疗进展

杨晨蝶，幸兵. . 中华临床医师杂志：电子版  
2013;7(16):7521-7523.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

胫骨远端关节外骨折的治疗进展

郭宗彩，徐基亭，赵玉琴. . 中华临床医师杂志：电子版  
2013;7(16):7524-7527.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

青壮年股骨颈骨折的诊治现状

李兵，张军，林华刚，王博，陈炜. . 中华临床医师杂志：电子版  
2013;7(16):7528-7531.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

显微夹闭术结合高压氧治疗颅内动脉瘤的研究进展

赵龙，唐晓平. . 中华临床医师杂志：电子版  
2013;7(16):7532-7534.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

七氟醚预处理在脏器保护作用中的研究进展

魏晓，田国刚. . 中华临床医师杂志：电子版  
2013;7(16):7535-7536.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

重组人血管内皮抑制素注射液治疗恶性肿瘤的作用机制及临床研究进展

马春燕，王振国. . 中华临床医师杂志：电子版  
2013;7(16):7537-7539.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

缺血性卒中后认知障碍的危险因素研究进展

李斌, 朱延霞, 王涛. . 中华临床医师杂志: 电子版  
2013;7(16):7544-7546.

他汀类药物在系统性红斑狼疮早发动脉粥样硬化治疗中的应用

康琳, 张抒扬. . 中华临床医师杂志: 电子版  
2013;7(16):7547-7550.

β受体阻滞剂与先天性长QT综合征

彭晖, 吴永全. . 中华临床医师杂志: 电子版  
2013;7(16):7551-7553.

肝硬化免疫机制和感染的研究进展

郭桐生, 毛远丽, 丛玉隆. . 中华临床医师杂志: 电子版  
2013;7(16):7554-7556.

声脉冲辐射力弹性成像技术在甲状腺结节诊断中的应用及进展

陈洁, 徐辉雄. . 中华临床医师杂志: 电子版  
2013;7(16):7557-7560.