综述

线粒体DNA氧化损伤与肿瘤发生

吴清华,翟心慧△

河南师范大学生命科学学院,河南 新乡 453007

收稿日期 2005-9-26 修回日期 2005-12-28 网络版发布日期 2008-8-22 接受日期 2005-12-28

摘要

关键词 DNA,线粒体; 氧化损伤; 肿瘤

分类号 R363

Correlation between oxidative injury of mitochondrial DNA and tumorigenesis

WU Qing-hua, ZHAI Xin-hui

College of Life Sciences, Henan Normal University, Xinxiang 453007, China. E-mail: zhaixinhui@henannu.edu.cn

Abstract

Mitochondrial DNA lies in the very position that reactive oxygen species(ROS) functions most frequently, and is the main target of ROS attack. Data showed that oxidative injury and mutations of mitochondrial DNA could be found over 90% of tumors. Mitochondrial DNA is prone to suffering from extensive oxidative injury, and the consequent mutations are likely to induce tumorigenesis. The correlation between oxidative injury of mitochondrial DNA and tumorigenesis has become one of the new tendencies of probing into the mechanisms of tumorigenesis. Here we introduce the development in this research.

Key words DNA mitochondrial Oxidative injury Neoplasms

DOI: 1000-4718

扩展功能

本文信息

- ▶ Supporting info
- ▶**PDF**(923KB)
- ▶[HTML全文](0KB)
- ▶参考文献

服务与反馈

- ▶把本文推荐给朋友
- ▶加入我的书架
- ▶加入引用管理器
- ▶复制索引
- ▶ Email Alert
- ▶文章反馈
- ▶浏览反馈信息

相关信息

- ▶ <u>本刊中 包含"DNA,线粒体;</u> 氧化损伤; 肿瘤"的 相关文章
- ▶本文作者相关文章
- 吴清华
- · 翟心慧

通讯作者 翟心慧 zhaixinhui@henannu.edu.cn